

Listing of Excluded Studies

Rejected on Abstract Review

Anonymous Dietary fats and oils in human nutrition; report of an expert consultation held in Rome. *FAO Food and Nutrition Paper* 1977;

Anonymous The effect of omega-3 fatty acids. *Therapiewoche* 1990;40:12-18.

Anonymous Fish, diabetes, and the arterial wall. *Lancet* 1989;2:1332-

Anonymous Fish oil for type 2 diabetes. *Health News* 2000;6:7-

Anonymous Fish oils and diabetic microvascular disease. *Lancet* 1990;335:508-509.

Anonymous Increasing fish oil intake - Any net benefits? *Drug & Therapeutics Bulletin* 1996;34:60-62.

Anonymous Italian Society of Dietetics and Clinical Nutrition. XII national conference - lipids in dietetics and clinical nutrition, Torino, Italy, 16-November, 1995. *Minerva Gastroenterologica e Dietologica* 1997;169-219.

Anonymous Lectures given at the 9th Aachen Dietetics Further Education Meeting, 21-23 September, 2001. *Ernahrung und Medizin* 2002;

Anonymous Management of hyperlipidaemia. *Drug & Therapeutics Bulletin* 1996;34:89-93.

Anonymous Nutrition and chronic inflammatory bowel disease. *Medizinische Welt* 2001;52:74-75.

Anonymous Update on inflammatory bowel disease. *Pharmaceutical Journal* 2001;267:574-575.

Abrahamsson H, Gustafson A, Ohlson R: Polyunsaturated fatty acids in hyperlipoproteinemia. 1. Influences of a sucrose-rich diet on fatty acid composition of serum lipoprotein lipids. *Nutrition and Metabolism* 1974;

Adam O: Nutritional influences on eicosanoid biosynthesis - clinical consequences. *Fett Wissenschaft Technologie* 1994;95:

Aldhous MC, Meister D, Subrata Ghosh, Ghosh S: Modification of enteral diets in inflammatory bowel disease. *Symposium on Dietary influences on mucosal immunity, Harrogate, UK* 2000;457-461.

Alekseeva RI, Sharafetdinov Kh, Plotnikova OA, Meshcheriakova VA, Mal'tsev GI, Kulakova SN: Effects of diet therapy including eiconol on clinical and metabolic parameters in patients with type 2 diabetes mellitus. *Voprosy Pitaniia* 2000;69:36-39.

Alfin-Slater RB, Aftergood L: Essential fatty acids reinvestigated. *Physiological Reviews* 1968;48:758-784.

Anadere I, Schmitt Y, Schneider H, Walitzka E: The effect of omega-3 polyunsaturated fatty acids on hemorheological parameters of patients under chronic hemodialysis treatment. *Clinical Hemorheology* 1992;12:243-254.

Andersson Agneta: Fatty acid composition in skeletal muscle. Influence of physical activity and dietary fat quality. *Dissertation Abstracts International* 67-

Astrup A: Healthy lifestyles in Europe: prevention of obesity and type II diabetes by diet and physical activity. *Public Health Nutrition* 2001;56:

Aued Pimentel S, Caruso MSF: Gamma-linolenic acid: sources, and perspectives on its therapeutic application. *Boletim da Sociedade Brasileira de Ciencia e Tecnologia de Alimentos* 1999;54:

Avula C, Lawrence R, Jolly C, Fernandes G: Role of n-3 polyunsaturated fatty acids (PUFA) in autoimmunity, inflammation, carcinogenesis, and apoptosis. *Recent Research Developments in Lipids* 2000;

Ayling RM, Preedy VR, Grimble G, Watson R: Nutritional management of diabetes mellitus. *Nutrition in the infant: problems and practical procedures* 2001;36:-

Ba Jaber AS, Al Faris NA: Effects of high carbohydrate, high insoluble fiber and low fatty acids diets on patients with non-insulin-dependent diabetes mellitus. *Bulletin of Faculty of Agriculture, University of Cairo* 1997;22:

Ba Jaber AS, Al Faris NA, Al Robean K: Short-term effect of soluble fiber in fat diets on plasma glucose and lipids in patients with non-insulin dependent diabetes mellitus. *Bulletin of Faculty of Agriculture, University of Cairo* 1997;25:

Baggio B: Fatty acids, calcium and bone metabolism. *Journal of Nephrology* 2002;15:601-4.

Bamba T: Lifestyle guidance and diet for inflammatory bowel disease (IBD) patients. *JMAJ Japan Medical Association Journal* 2002;4:

Bang HO, Dyerberg J, Nielsen AB: Plasma lipid and lipoprotein pattern in Greenlandic West-coast Eskimos. *Lancet* 1971;1:1143-1145.

Barsottelli E, Berra B: Omega-3 Fatty acids and prevention of thrombosis and atherosclerosis. Critical evaluation of data from the literature. *Rivista Italiana delle Sostanza Grasse* 1994;42:

Bartels M, Nagel E, Pichlmayr R: What is the role of nutrition in ulcerative colitis? A contribution to the current status of diet therapy in treatment of inflammatory bowel diseases. *Langenbecks Archiv fur Chirurgie* 1995;380:37722

Bassaganya Riera J, Hontecillas R, Wannemuehler MJ: Nutritional impact of conjugated linoleic acid: a model functional food ingredient. *In Vitro Cellular and Developmental Biology Plant* 2002;50:

Beare Rogers J, Nera EA, Levin OL, et al: 20th International Conference on the Biochemistry of Lipids, Aberdeen, Scotland, September 6-8, 1977. 1977, xi + 44pp mimeographed.:-

Beitz J, Schimke E, Liebaug U, et al: Influence of a cod liver oil diet in healthy and insulin-dependent diabetic volunteers on fatty acid pattern, inhibition of prostacyclin formation by low density lipoprotein (LDL) and platelet thromboxane. *Klinische Wochenschrift* 1986;64:793-799.

Belch J, Muir A: n-6 and n-3 essential fatty acids in rheumatoid arthritis and other rheumatic conditions. *Proceedings of the Nutrition Society* 1998;563-569.

Belluzzi A: Lipid treatment in inflammatory bowel disease. *Nestle Nutrition Workshop Series Clinical & Performance Program* 1999;2:199-211.

Belluzzi A: N-3 and n-6 fatty acids for the treatment of autoimmune diseases. *European Journal of Lipid Science and Technology* 2001;6:

Belluzzi A, Campieri M, Brignola C, Gionchetti P, Miglioli M, Barbara L: Polyunsaturated fatty acid pattern and fish oil treatment in inflammatory bowel disease. *Gut* 1993;34:1289-1290.

Berdanier CD, Bodwell CE, Erdman JW: Interacting effects of carbohydrate and lipid on metabolism. *Nutrient interactions* 1988;

Berry EM, Valagussa F, Marchioli R: Are diets high in omega-6 polyunsaturated fatty acids unhealthy? Evidence and perspectives on n 3 polyunsaturated fatty acids in cardiovascular disease. *European-Heart-Journal-Supplements* 2001;

Betteridge DJ: Lipids, diabetes, and vascular disease: The time to act. *Diabetic Medicine* 1989;6:195-218.

Bhathena SJ: Relationship between fatty acids and the endocrine system. *Biofactors* 2000;13:35-39.

Bhathena SJ, Chow CK: Dietary fatty acids and fatty acid metabolism in diabetes. *Fatty acids in foods and their health implications* 2000;488:-

Bisson LF, Watkins TR: Metabolic Syndrome X and the French paradox. *Wine: nutritional and therapeutic benefits* 1997;66:-

Bitton A: Medical management of ulcerative proctitis, proctosigmoiditis, and left-sided colitis. *Seminars in Gastrointestinal Disease* 2001;12:263-274.

Bodem SH: Is fish oil effective against IgA-nephropathy? *Pharmazeutische Zeitung* 1995;140:67-68.

Boissonneault G, Chow C: Dietary fat, immunity and inflammatory disease. *Fatty.acids.in.foods.and.their.health.implications* 2000;-

Brennan GM , McVeigh GE , Johnston GD , Hayes JR: Dietary fish oil augments EDRF production or release in patients with non-insulin dependent diabetes mellitus. *British Journal of Clinical Pharmacology* 1992;33:531

- Brown A: Lupus erythematosus and nutrition: a review of the literature. *Journal of Renal Nutrition*. 2000;10:170-183.
- Brunner EJ, Wunsch H, Marmot MG: What is an optimal diet? Relationship of macronutrient intake to obesity, glucose tolerance, lipoprotein cholesterol levels and the metabolic syndrome in the Whitehall II study. *International Journal of Obesity* 2001;30:
- Burakoff R: Inflammatory bowel disease workshop. Vail, Colorado, March 22 and 23, 1998. Less commonly used therapies for IBD or treatments on the fringe. *Inflammatory Bowel Diseases* 1998;4:308-313.
- Burden ML, Samanta A, Spalding D, Burden AC: A comparison of the glycaemic and insulinaemic effects of an Asian and a European meal. *Practical Diabetes* 1994;11:208-211.
- Campbell Joy Marlene: Influence of oligosaccharides and fish oil on gastrointestinal tract characteristics and metabolic profiles of humans, pigs, and rats. *Dissertation Abstracts International* 4798-
- Caprilli R, Taddei C, Viscido A: In favour of prophylactic treatment for post-operative recurrence in Crohn's disease. *Italian Journal of Gastroenterology & Hepatology* 1998;30:219-225.
- Carpentier YA: Dietary intake and hyperlipoproteinemas. *Revue Medicale de Bruxelles* 1997;18:32-36.
- Castiglioni A, Savazzi GM: Clinical significance of consumption of polyunsaturated n-3 fatty acids of marine origin. *Recenti Progressi in Medicina* 1991;82:59-60.
- Caterina R, de BG, De Caterina R, Valagussa F, Marchioli R: n-3 Fatty acids and the inflammatory response -biological background. Evidence and perspectives on n.3 polyunsaturated fatty acids in cardiovascular disease. *European-Heart-Journal* 2001;
- Caterina Rde Caprioli R, Giannessi D, Sicari R, et al: The use of fish oil in human chronic glomerular disease. *n 3 fatty acids and vascular disease: background and pathophysiology, hyperlipidaemia, renal diseases, ischaemic heart disease* 1993;51:
- Cerrato PL: Omega-3 fatty acids: nothing fishy here! *RN* 1999;62:59-60.
- Chambers Kathleen Mailie: Assessment of the nutritional properties of regular and low linolenic acid canola oil in non-insulin-dependent (Type ii) Diabetes mellitus subjects. *Masters Abstracts International* 519-
- Chandrasekaran A, Radhakrishna B, Uma B, Gopalan C, Krishnaswamy K: Rheumatic diseases. *Nutrition.in.major.metabolic.diseases* 2000;11:-
- Chaumerliac P, Pehuet-Figoni M, Escourrolle H, Giauque JP, Luton JP: Lipid disorders in diabetes mellitus. Pathophysiology and therapeutic implications. I.- Physiologic review of the metabolism of VLDLs, HDLs and LDLs. *Semaine des Hopitaux* 1991;67:1528-1540.
- Chen SSC: Soybeans and health. *Journal of the Chinese Nutrition Society* 1994;19:335-345.
- Cheng IKP: Non-immune therapy of IgA glomerulonephritis. *Nephrology* 1997;3:109-111.
- Chowiciak PJ, Watts GF: Endothelial dysfunction, insulin resistance and non-insulin-dependent diabetes. *Endocrinology & Metabolism, Supplement* 1997;4:225-232.
- Chutkan RK: Inflammatory bowel disease. *Primary Care; Clinics in Office Practice* 2001;28:539-556.
- Cimmino M: Regional differences in the occurrence and severity of rheumatoid arthritis in Europe. *Cpd Rheumatology* 1999;1:28-32.
- Clamp A: Investigations into the mechanisms by which fats modulate the inflammatory response to cytokines. *Dissertation Abstracts International* 56-
- Cleland LG, James MJ: Adulthood - prevention: Rheumatoid arthritis. *Medical Journal of Australia* 2002;176:S119-S120
- Comas Maria: Patron plasmatico de los acidos grasos poliinsaturados en las diferentes fases evolutivas de la enfermedad inflamatori intestinal: Su relacion con factores clinicos, biologicos y nutricionales. *Dissertation Abstracts International* 694-

Connor SL, Connor WE, Rivlin RS: Are fish oils beneficial in the prevention and treatment of coronary artery disease? *Fats and oil consumption in health and disease: current concepts and controversies* 53:

Connor WE, Connor SL, Bendich A, Deckelbaum RJ: n-3 fatty acids from fish and plants: primary and secondary prevention of cardiovascular disease. *Preventive nutrition: the comprehensive guide for health professionals* 2001; 73:-

Coppo R, Amore A, Emancipator SN, et al: Idiopathic IgA nephropathy. Clinic pathological conference. *Giornale Italiano di Nefrologia* 1999;16:79-93.

Costain L: Mediterranean diet. *Family Medicine London* 2001;10:

Crapo P, Vinik AI: Nutrition controversies in diabetes management. *Journal of the American Dietetic Association* 1987;

Crotty Band Jewell DP: Drug therapy of ulcerative colitis. *British Journal of Clinical Pharmacology* 1992; 34:189-198.

Danao-Camara T, Shintani T: The dietary treatment of inflammatory arthritis: case reports and review of the literature. *Hawaii Medical Journal*. 1999;58:126-131.

Das U: Oxidants, anti-oxidants, essential fatty acids, eicosanoids, cytokines, gene/oncogene expression and apoptosis in systemic lupus erythematosus. *Journal of the Association of Physicians of India* 1998;46:630-634.

Das UN, Kumar KV, Mohan IK: Lipid peroxides and essential fatty acids in patients with diabetes mellitus and diabetic nephropathy. *Journal of Nutritional Medicine* 1994;4:149-155.

Das UN, Suresh Y, Huang YS, Ziboh VA: Prevention of alloxan-induced cytotoxicity and diabetes mellitus by gamma-linolenic acid and other polyunsaturated fatty acids both in vitro and in vivo. *gamma Linolenic acid: recent advances in biotechnology and clinical applications* 2001;31 :-

Davids Rebecca Susanne: Identifying food constituents that may improve cardiovascular disease risk factors in persons with or at risk for type 2 diabetes mellitus. *Masters Abstracts International* 39-04:1135-

De Deckere E, Korver O, Verschuren P, Katan M: Health aspects of fish and n-3 polyunsaturated fatty acids from plant and marine origin. *European Journal of Clinical Nutrition* 1998;52:749-753.

De Vita S, Bombardieri S: The diet therapy of rheumatic diseases. *Recenti Progressi.in Medicina* 1992:707-718.

Donadio JV: The emerging role of omega-3 polyunsaturated fatty acids in the management of patients with IgA nephropathy. *Journal of Renal Nutrition* 2001;11:122-128.

Donadio JV, Jr, De Caterina R, Endres S (ed, Kristensen SD, Schmidt EB: An overview of n-3 fatty acids in clinical renal diseases. *n 3 fatty acids and vascular disease: background and pathophysiology, hyperlipidaemia, renal diseases, ischaemic heart disease* 1993;31:-

Dreval AV, Pokrovski, VB: [Essential fatty acids in the prevention and treatment of vascular complications of diabetes mellitus. *Voprosy Pitaniia* 1992;6-14.

Egan LJ, Sandborn WJ: Drug therapy of inflammatory bowel disease. *Drugs of Today* 1998;34:431-446.

Engelmann GJ: Het effect van polyonverzadigde vetzuren in het dieet van insuline dependente diabetespatiënten (Type i) Op de lipidensamenstelling en de deformeerbaarheid van erythrocyten met behulp van h.P.L.C. *Dissertation Abstracts International* 2459-

Eritsland J, Seljeflot I, Abdelnoor M, Arnesen H, Torjesen PA: Long-term effects of n-3 fatty acids on serum lipids and glycaemic control. *Scandinavian Journal of Clinical & Laboratory Investigation* 1994;54:273-280.

Erlangen CB: Long term feeding with a chemically defined diet. *Infusionstherapie und Klinische Ernährung - Sonderheft* 1975;3:4-6.

- Ernst E: Fish oil for ulcerative colitis. *Fortschritte der Medizin* 1992;110:14.
- Esteve Comas M, Nunez MC, Fernandez Banares F, et al: Abnormal plasma polyunsaturated fatty acid pattern in non-active inflammatory bowel disease. *Gut* 1993;
- Esteves EA, Monteiro JBR: Beneficial effects of soy isoflavones on chronic diseases. *Revista de Nutricao* 2001;14:43-52.
- Evans MF: Can we prevent high-risk patients from getting type 2 diabetes? *Canadian Family Physician* 2002;48:279-281.
- Ezaki O, Takahashi M, Shigematsu T, et al: Long-term effects of dietary alpha-linolenic acid from perilla oil on serum fatty acids composition and on the risk factors of coronary heart disease in Japanese elderly subjects. *Journal of Nutritional Science & Vitaminology* 1999;45:759-772.
- Fasching P, Ratheiser K, Waldhausl W, Rohac M, Vierhapper H: Fish oil as lipostatic factor. *Vasa - Supplementum* 1990;30:62-63.
- Fatati G, Croccolino D, Puxeddu A: Omega-3 fatty acids in the treatment of dyslipidemia. *Rivista Italiana di Biologia e Medicina* 1996;16:59-62.
- Fineberg SE: The treatment of hypertension and dyslipidemia in diabetes mellitus. *Primary Care; Clinics in Office Practice* 1999;26:951-964.
- Fitzgerald TK, Manderson L: Dietary change among Cook Islanders in New Zealand. *Shared wealth and symbol* 1986;-
- Foerste A: Fish-oil preparations. Composition, general evaluation, and application possibilities. *Fortschritte der Medizin* 1988;106:
- Folwaczny C, Endres S: Fish oil to prevent recurrence of Crohn disease? *Zeitschrift fur Gastroenterologie* 1997;35:651-653.
- Fontaine F, Brassinne A, Delforge M, et al: Review on inflammatory bowel disease: Crohn disease and ulcero-hemorrhagic recto-colitis. *Revue Medicale de Liege* 1993;48:593-618.
- Frayn KN: Effects of fat on carbohydrate absorption: More is not necessarily better. *British Journal of Nutrition* 2001;86:1-2.
- Gaby A: Alternative treatments for rheumatoid arthritis. *Alternative Medicine Review* 1999;4:392-402.
- Gans ROB, Bilo HJG, Schouten JA, Rauwerda JA: Fish oil and plasma fibrinogen. [Letter]
- Gassull Duro MA: Have long-chain PUFA any therapeutic action in IBD? *Pediatrika* 1998;18:25-28.
- Gassull MA: Dietary fat intake and inflammatory bowel disease. *Current Gastroenterology Reports* 2001;3:358-61.
- Gassull MA, Green CJ, Elia M, Russell CA, Wilson JHP: New insights in nutritional therapy in inflammatory bowel disease. *Proceedings of the 11th Nutricia Symposium* 136:
- Gatti A, Bonavita M, De Matteo A, et al: Use of the association between statins and EPA-DHA in the treatment of diabetes mellitus. *Quaderni di Medicina e Chirurgia* 1997;13:61-64.
- Geerling BJ: Improved antioxidant status after supplementation with n-3 fatty acids and/or antioxidants in addition to a regular diet in patients with Crohn's disease in a double blind placebo controlled study. *European Journal of Gastroenterology & Hepatology* 1998;10:23-24.
- Geerling BJ, Badart-Smook A, van Deursen C, et al: Nutritional supplementation with N-3 fatty acids and antioxidants in patients with Crohn's disease in remission: effects on antioxidant status and fatty acid profile. *Inflammatory Bowel Diseases* 2000;6:77-84.
- Geerling BJ, Stockbrugger RW, Brummer RJ: Nutrition and inflammatory bowel disease: an update. *Scandinavian Journal of Gastroenterology* 1999;230:95-105.
- Gerster H: The use of n-3 PUFAs (fish oil) in enteral nutrition. *International Journal for Vitamin & Nutrition Research* 1995;65:3-20.
- Giese LA: A study of alternative health care use for gastrointestinal disorders. *Gastroenterology Nursing* 2000;23:19-27.

- Grand RJ, Ramakrishna J, Calenda KA: Therapeutic strategies for pediatric Crohn disease. *Clinical & Investigative Medicine - Medecine Clinique et Experimentale* 1996;19:373-380.
- Green K: Type 1 diabetes and bone mass: Interrelationships with nutrient intake and physical activity in children and with dietary fish oil in weanling rats. *Masters Abstracts International* 39:1136-
- Griffiths A: Nutrition in inflammatory bowel disease. *Current Opinion in Clinical Nutrition and Metabolic Care* 2000;33:
- Grimminger F, Walmrath D, Seeger W, Lasch HG: Antiinflammatory effects of omega-3-lipidinfusion in clinical and experimental studies. *Medizinische Welt* 1993;44:207-216.
- Guesnet P, Alessandri JM, Durand G: Metabolism, biological functions and nutritonal importance of polyenoic fatty acids. Summary of Third ICEFAP Congress (Adelaide, Australia, 1-5 March 1992). *Cahiers de Nutrition et de Dietetique* 1993;20:
- Gulati PD, Rao MB, Vaishnava H: Letter: Diet for diabetics. *Lancet* 1974;2:297-298.
- Gwynn CK, O'Neil KM: The effects of fish-oil supplementation in a diabetic CAPD patient using intraperitoneal insulin. *Dialysis & Transplantation* 1989;18:614-616.
- Haban P, Simoncic R, Klvanova I, Ozdin L, Zidekova E: The effect of n-3 fatty acid administration on selected indicators of cardiovascular disease risk in patients with type 2 diabetes mellitus. *Bratislavské Lekarske Listy* 1998;99:37-42.
- Hahnefeld M: Diabetes-associated dyslipoproteinemia. *Therapiewoche Schweiz* 1992;8:575-581.
- Hamazaki T: Intravenous infusion of n-3 polyunsaturated fatty acids. *Proceedings of the Society for Experimental Biology and Medicine* 1992;200:171-173.
- Hamazaki T, Tateno S, Shishido H: Eicosapentaenoic acid and IgA nephropathy. *Lancet* 1984;1:1017-1018.
- Hanck C, Singer MV: What is the role of nutrition in ulcerative colitis? *Langenbecks Archiv für Chirurgie* 1995;380:1-3.
- Hanefeld M: Dyslipoproteinemia in diabetes. *Therapiewoche* 1992;42:1550-1559.
- Harting JW: New developments in the pharmacotherapy of inflammatory bowel disease. *Pharmaceutisch Weekblad - Scientific Edition* 1992;14:275-286.
- Hasegawa S, Kano K, Motoki T: Mechanism of elevation in plasma glucagon/insulin ratio by soybean protein intake. *Soy Protein Research, Japan* 1998;7:86-907.
- Hauben M: Comment: evening primrose oil in the treatment of rheumatoid arthritis --proper application of statistical analysis. *Annals of Pharmacotherapy* 1994;28:973
- Hazra A, Tripathi SK, Ghosh A: Pharmacology and therapeutic potential of the n-3 polyunsaturated fatty acids, eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) in fish oils. *Indian Journal of Pharmacology* 1999;31:247-264.
- Henderson C, Panush R: Diets, dietary supplements, and nutritional therapies in rheumatic diseases. *Rheumatic Disease Clinics of North America* 1999;25:937-968.
- Hess E: Are there environmental forms of systemic autoimmune diseases? *Environmental Health Perspectives*. 1999;107:S11
- Hirai K, Higuchi H, Inatsugi N, Yosikawa S: Therapeutic potential of n-3 poly unsaturated fatty acid for three cases of Crohn's disease. *Japanese Journal of Nutrition* 1998;10:
- Hjermann I: The influence of dietary change on hemostatic risk variables. *Annals of Epidemiology* 1992;2:525-527.
- Ho KKL: IgA nephropathy: In Hong Kong. *Hong Kong Practitioner* 2001;23:453-456.
- Holler C, Auinger M, Ulberth F, Irsigler K: Eicosanoid precursors: potential factors for atherogenesis in diabetic CAPD patients? *Peritoneal Dialysis International* 1996;16:S3
- Horn HR: Case reports in type 2 diabetes. *Cardiology Review* 1998;15:38-39.

- Horrobin DF: The use of gamma-linolenic acid in diabetic neuropathy. *Agents & Actions - Supplements* 1992;37:120-144.
- Horrobin DF, Huang YS, Ziboh VA: gamma-Linolenic acid in diabetes. *gamma Linolenic acid: recent advances in biotechnology and clinical applications* 2001;36:-
- Huang YS, Ziboh VA, Huang YS, Ziboh VA: *gamma Linolenic acid: recent advances in biotechnology and clinical applications* 2001;-
- Hunter JO: Nutritional factors in inflammatory bowel disease. *European Journal of Gastroenterology & Hepatology* 1998;10:235-237.
- Huve J: Administration of omega-3 fatty acids and/or zinc for diabetics. *9* 7:
- Ilowite N: Premature atherosclerosis in systemic lupus erythematosus. *Journal of Rheumatology*. 2000;27:S9
- Ireland PD, Niall M, Sadler S, Deluise M, Traianedes K, O' Dea K: Dietary composition and its role in the treatment of type 2 diabetes. *Proceedings of the Nutrition Society of Australia* 1985;200-
- Jacobs J, Rasker J, Bijlsma J: Alternative medicine in rheumatology: Threat or challenge? *Clinical & Experimental Rheumatology* 2001;19:117-119.
- Jacotot B: Nutritional interest in the consumption of olive oil. *OCL Oleagineux, Corps Gras, Lipides* 1997;14:
- Jacotot B: Olive oil and disease prevention. *Nutrition Clinique et Métabolisme* 1996;9:
- Jain S, Gaiha M, Bhattacharjee J, Anuradha S: Effects of low-dose omega-3 fatty acid substitution in type-2 diabetes mellitus with special reference to oxidative stress--a prospective preliminary study. *Journal of the Association of Physicians of India* 2002;50:1028-1033.
- Jamal GA: Pathogenesis of diabetic neuropathy: The role of the n-6 essential fatty acids and their eicosanoid derivatives. *Diabetic Medicine* 1990;7:574-579.
- Jamal GA: The use of gamma linolenic acid in the prevention and treatment of diabetic neuropathy. *Diabetic Medicine* 1994;11:145-149.
- Jamal GA, Carmichael H: The effect of gamma-linolenic acid on human diabetic peripheral neuropathy: a double-blind placebo-controlled trial. *Diabetic Medicine* 1990;7:319-323.
- Jamal GA, Carmichael H, Weir AI: Gamma-linolenic acid in diabetic neuropathy. *Lancet* 1986;1:1098-
- Jayson M: Dietary therapy for rheumatoid arthritis. *British Journal of Rheumatology* 1993 Nov;32:1030-
- Jones DB, Haitas B, Bown EG, et al: Platelet aggregation in non-insulin-dependent diabetes is associated with platelet fatty acids. *Diabetic Medicine* 1986;3:52-55.
- Julius U, Hanefeld M: Integrated drug therapy in metabolic syndrome. *Internist* 1996;37:722-730.
- Kalden J: Diet in rheumatology. *Internist* 1996;37:1068-1068.
- Kaminskas A, Levaciov M, Lupinovic V, Kuchinskene Z: The effect of linseed oil on the fatty acid composition of blood plasma low- and very low-density lipoproteins and cholesterol in diabetics. *Voprosy Pitaniia* 1992;13-14.
- Katan MB: Fats for diabetics. *Lancet* 1994;343:1518-
- Katsilambros N, Phippides P, Boletis J, Mavroudis K, Frangaki D, Chaniotis D: Blood sugar changes in diabetics after a test meal containing vegetables and olive oil. *Acta Diabetologica Latina* 1982;2:
- Kaur K, Mittal P, Singh H, Chhatwal S: Newer drugs in the treatment of idiopathic ulcerative colitis (IUC). *Journal International Medical Sciences Academy* 1998;11:112-115.
- Keelan Monika Maria: Dietary omega(3) Fatty acids and cholesterol modify intestinal transport, enterocyte membrane lipid composition and enterocyte lipid synthesis (\$\Omega\$mega\$3 fatty acids). *Dissertation Abstracts International* 2361-
- Klahr S, Harris K: Role of dietary lipids and renal eicosanoids on the progression of renal disease. *Kidney International* 1989;27:S27-S31

- Klimes I, Sebokova E: The importance of diet therapy in the prevention and treatment of manifestations of metabolic syndrome X. *Vnitri Lekarstvi* 1995;41:136-140.
- Knapp HR, Yurawecz MP, Mossoba MM, Kramer JKG, Pariza MW, Nelson G: Conjugated linoleic acid as a nutraceutical: observations in the context of 15 years on n-3 polyunsaturated fatty acid research. *Advances in conjugated linoleic acid research, volume 1* 1999;28:-
- Kolasinski S: Complementary and alternative therapies for rheumatic disease. *Hospital Practice* 2001;36:31-39.
- Korber J, Karaus M, Hampel KE: Drug therapy of chronic inflammatory bowel disease. *Medizinische Welt* 1996;47:51-54.
- Kremer J, Robinson D: Studies of dietary supplementation with omega 3 fatty acids in patients with rheumatoid arthritis. *World Review of Nutrition & Dietetics* 1991;66:367-382.
- Kromhout D, Valagussa F, Marchioli R: 'Protective nutrients' and up-to-date dietary recommendations. Evidence and perspectives on n 3 polyunsaturated fatty acids in cardiovascular disease. *European-Heart-Journal-Supplements* 2001;3:clinical-
- Kruger MC, Potgieter HC et al: Calcium, gamma-linolenic acid (GLA) and eicosapentaenoic acid (EPA) supplementation in osteoporosis. *Osteoporosis International* 1996;6:250
- Kulakova SN, Gapparova KM, Pogozheva AV, Levachev MM: Evaluation of the influence of omega-3 polyunsaturated fatty acids of fish and vegetable origin on the fatty acid composition of erythrocyte lipids in patients with ischaemic heart disease complicated by impaired glucose tolerance. *Voprosy Pitaniya* 1999;15:5-6, 26.
- Ladodo KS, Levachev MM, Naumova VI, et al: Experiment on the use of fish oil Polyenin pediatric practice. *Voprosy Pitaniya* 1996;13:-
- Lazebnik LB, Vertkin AL, Malichenko SB, Li ED, Konev YuV Romanovskaya TV, Goncharov LF: Experience in the use of eiconol (a complex of unsaturated fatty acids) in non-insulin-dependent diabetes mellitus. *Klinicheskaya Meditsina* 1996;74:29-33.
- Lecerf JM: Treatments of hyperlipoproteinemia. *Gazette Medicale* 1993;100:16-18.
- Lee T, Arm J, Horton C, Crea A, Mencia -Huerta J, Spur B: Effects of dietary fish oil lipids on allergic and inflammatory diseases. *Allergy Proceedings* 1991;299-303.
- Leeuw IH de Gaal L, V Rillaerts E, Dalemans C: Short-term effects of PUFA-enrichment in the diet of insulin-dependent diabetic patients. *Diabete et Metabolisme* 1986;13:
- Lefkowith J, Klahr S: Polyunsaturated fatty acids and renal disease. *Proceedings of the Society for Experimental Biology & Medicine*. 1996;213:13-23.
- Lemann M: Novel therapeutic approaches to inflammatory bowel disease. *Semaine des Hopitaux* 1998;74:759-760.
- Linn T, Klor HU: Clinical therapy with fish oil. *Aktuelle Ernahrungsmedizin* 1989;21:
- Lissner L, Heitmann BL, Bengtsson C, Asp NG, Frayn K, Vessby B: Population studies of diet and obesity. *Diet and the metabolic syndrome* 13:
- Liu S: Dietary fat and exercise influence regulation of glucose metabolism in skeletal muscle. *Dissertation Abstracts International* 6601-
- Locker F: The effect of diet and vitamin d on mineral metabolism in primary hyperparathyroidism. *Dissertation Abstracts International* 57:4134-
- Lorenz-Meyer H: Fish oil for prevention of Crohn disease recurrence. *Zeitschrift fur Gastroenterologie* 1997;35:XX-XXI
- Lovejoy JC: Dietary fatty acids and insulin resistance. *Current Atherosclerosis Reports* 1999;1:215-220.
- Maes B: IgA nephropathy. *Tijdschrift voor Geneeskunde* 2000;56:1496-1508.
- Magaro M, Zoli A, Altomonte L, et al: Effect of fish oil on neutrophil chemiluminescence induced by different stimuli in patients with rheumatoid arthritis. *Annals of the Rheumatic Diseases* 1992;51:877-880.

- Malaguarnera M, Giugno I, Ruello P, Vinci E, Panebianco MP, Motta M: Current treatment of hypertriglyceridemia. [Italian]. *Recenti Progressi in Medicina* 2000;91:379-387.
- Malichenko SB, Lazebnik LB, Vertkin AL, Konev IuV Romanovskaya TV, Smirnova OI: The effects of eiconol in elderly patients with non-insulin-dependent diabetes mellitus. *Terapevticheskii Arkhiv* 1996;68:15-18.
- Mann JI, Hockaday TD, Hockaday JM, Turner RC: A prospective study of modified-fat and low-carbohydrate dietary advice in the treatment of maturity-onset diabetes. *Proceedings of the Nutrition Society* 1976;35:72A-73A.
- March L, Stenmark J: Non-pharmacological approaches to managing arthritis. *Medical Journal of Australia* 2001;175:S102-S107
- Marsch-Ziegler U: Chronic inflammatory intestine disease. Aspects for current therapy. *Zeitschrift fur Allgemeinmedizin* 1994;70:53-56.
- Mathus-Vliegen EMH: The role of diets in the treatment of inflammatory bowel diseases. *Pharmaceutisch Weekblad* 2000;135:1314-1318.
- Matzkies F: Essential fatty acids. *Fortschritte der Medizin* 1980;98:940-944.
- McGill EJ: Lipid-lowering dietary advice in diabetes. *Practical Diabetes International* 1995;12:157-158.
- Messina M, Messina V: Soyfoods, soybean isoflavones, and bone health: a brief overview. *Journal of Renal Nutrition*. 2000;10:63-68.
- Metzner C, Ulrich Merzenich G: Nutrition therapy of the metabolic syndrome and diabetes mellitus with natural substances (dietary fibre, fatty acids). *VitaMinSpur* 2001;13:
- Miller B: A pathogenetically substantiated treatment for chronic inflammatory bowel disease - Does it come into view? *Zeitschrift fur Gastroenterologie* 1993;31:30-34.
- Misra A: Insulin resistance syndrome: Current perspective and its relevance in Indians . *Indian Heart Journal* 1998;50:385-395.
- Miura S, Tsuzuki Y, Hokari R, Ishii H: Modulation of intestinal immune system by dietary fat intake: relevance to Crohn's disease . *Journal of Gastroenterology & Hepatology* 1998;13:1183-1190.
- Miyares Gomez AI: Nutritional factors involved in the treatment of inflammatory bowel disease. *Revista Espanola de Pediatría* 1993;51:241-291.
- Mizushima S, Moriguchi EH, Ishikawa P, et al: Fish intake and cardiovascular risk among middle-aged Japanese in Japan and Brazil. *Journal of Cardiovascular Risk* 1997;4:191-199.
- Moretti G, Mancarella P, Marin V: Diet and cardiovascular diseases in fishermen and farmers in an Italian northern sea town. *Igiene Moderna* 1999;12:
- Mori TA: Fish oils, dyslipidaemia and glycaemic control in diabetes. *Practical Diabetes International* 1999;16:223-226.
- Mori TA, Puddey IB, Burke V, et al: Effect of omega 3 fatty acids on oxidative stress in humans: GC-MS measurement of urinary F2-isoprostane excretion. *Redox Report* 2000;5:45-46.
- Morris MC, Sacks F, Rosner B: Fish oil to reduce blood pressure: A meta-analysis. *Annals of Internal Medicine* 1994;120:10-
- Muller SD: Actual aspects about nutritionmedical therapy of hyperlipoproteinaemia. *Ernährungsforschung* 2001;57:
- Muller S, Pfeuffer C: Dietetic treatment of inflammatory rheumatic and rheuma -like diseases. *VitaMinSpur* 2000;1:
- Muls E, Furst P: Nutrition recommendations for the person with diabetes. *Consensus roundtable on nutrition support of tube fed patients with diabetes*
- Murthy R, Murthy M: Omega-3 fatty acids as anti-inflammatory agents: A classical group of nutraceuticals. *Journal of Nutraceuticals, Functional & Medical Foods* 1999;2:53-72.

- Myrup B, Rossing P, Jensen T, et al: Lack of effect of fish oil supplementation on coagulation and transcapillary escape rate of albumin in insulin-dependent diabetic patients with diabetic nephropathy. *Scandinavian Journal of Clinical & Laboratory Investigation* 2001;61:349-356.
- Nachman PH, Martin J: Developments in the immunotherapy of glomerular disease. *Journal of Pharmacy Practice* 2002;15:472-489.
- Nagel E, Bartels M, Pichlmayr R: Influence of nutrition in ulcerative colitis - The significance of nutritional care in inflammatory bowel disease. *Langenbecks Archiv fur Chirurgie* 1995;380:4-11.
- Nakazawa A, Hibi T: Is fish oil (n-3 fatty acids) effective for the maintenance of remission in Crohn's disease? *Journal of Gastroenterology* 2000;35:173-175.
- Nettleton JA: Omega-3 fatty acids and health. 1995;xiii + 359
- Nordoy A: Statins and omega-3 fatty acids in the treatment of dyslipidemia and coronary heart disease. *Minerva Medica* 2002;93:357-363.
- O'Dea K: Westernization and non-insulin-dependent diabetes in Australian Aborigines. *Ethnicity & Disease* 1991;1:171-187.
- O'Keefe SJ: Nutrition and gastrointestinal disease. *Scandinavian Journal of Gastroenterology - Supplement* 1996;220:52-59.
- O'Morain CA: Does nutritional therapy in inflammatory bowel disease have a primary or an adjunctive role? *Scandinavian Journal of Gastroenterology - Supplement* 1990;172:29-34.
- O'Sullivan MA, O'Morain CA: Nutritional therapy in Crohn's disease. *Inflammatory Bowel Diseases* 1998;4:45-53.
- Odugbesan O, Barnett AH: Use of a seaweed-based dressing in management of leg ulcers in diabetics: A case report. *Practical Diabetes* 1987;4:46-47.
- Okuda Y, Mizutani M, Tanaka K, Isaka M, Yamashita K: Is eicosapentaenoic acid beneficial to diabetic patients with arteriosclerosis obliterans. *Diabetologia Croatica* 1992;21:13-17.
- Opara EC, Hubbard VS: Essential fatty acids (EFA): role in pancreatic hormone release and concomitant metabolic effect. *Journal of Nutritional Biochemistry* 1993;102:
- Otsuji S, Kamada T, Yamashita T, et al: The influence of dietary sardine oil (eicosapentaenoic acid) on the erythrocyte membrane fluidity in diabetic patients. *Rinsho Byori - Japanese Journal of Clinical Pathology* 1984;32:764-771.
- Ozdemir I, Bolu E: Clinical applications of fish oil. *Bulletin of Gulhane Military Medical Academy* 1990;32:681-692.
- Panchenko VM, Karabasova MA, Liutova LV, et al: Influence polyunsaturated fatty acids omega-3 on coagulation and fibrinolysis systems in patients with NIDDM. *Klinicheskaya Meditsina* 2002;80:40-43.
- Pav J, Rames I, Formanek M: Parameters of fat metabolism and their relation to the compensation of diabetes mellitus. *Vnitri Lekarstvi* 1972;18:246-252.
- Pedersen JI: More on trans fatty acids. *British Journal of Nutrition* 2001;85:249-250.
- Pelikanova T, Kohout M, Valek J, et al: The effect of fish oil on the secretion and effect of insulin in patients with type II diabetes. *Casopis Lekaru Ceskych* 1992;131:668-672.
- Peppercorn MA: Drug therapy of inflammatory bowel disease, part II: Patient management recommendations. *Drug Therapy* 1992;22:43-48+53.
- Peppercorn MA: Medical therapies for ulcerative colitis. Article three in the series. *Practical Gastroenterology* 1992;16:11-19.
- Peppercorn MA: Newer agents for the treatment of inflammatory bowel disease. *P & T* 1993;18:583-588.
- Pinelli L, Alfonsi L, Mormile R, Piccoli R: Diet for young diabetics: Standard and mediterranean. *Annales de Pediatrie* 1998;45:571-577.
- Pinelli L, Mormile R, Alfonsi L, et al: The role of nutrition in prevention of complications in insulin-dependent diabetes mellitus. *Proceedings of the First Workshop on Insulin dependent Diabetes Mellitus in Children and Adolescents*, 1997;25:

- Pinelli L, Mormile R, Gonfiantini E, et al: Recommended dietary allowances (RDA) in the dietary management of children and adolescents with IDDM: an unfeasible target or an achievable cornerstone? *Journal of Pediatric Endocrinology & Metabolism* 1998;11:S46
- Plessas ST, Athanasiadis N, Papadakis S: omega-3 polyunsaturated fatty acids and eicosanoids: Sources, biochemistry and functions in physiological conditions and in cardiovascular disease current status. *Review of Clinical Pharmacology & Pharmacokinetics, International Edition* 1998;16:5-29.
- Podell R: Nutritional treatment of rheumatoid arthritis. Can alterations in fat intake affect disease course? *Postgraduate Medicine* 1972;1985:65-69.
- Pogozheva AV, Tutelyan VA, Gapparova KM, Trushina EN, Myagkova MA: The influence of antiatherosclerotic diet with inclusion PUFA omega-3 of a vegetative and sea origin on parameters of cellular and humoral immunity in patients with ischemic heart disease complicated by impaired carbohydrates tolerance. *Voprosy Pitaniya* 2000;16:
- Present DN, Ginsberg AL, Arora S, Kaplan M: New drugs improve prognosis for patients with IBD. *Internal Medicine* 1993;14:20-30.
- Press AG, Ramadori G: Therapy of chronic enteritis. Part II. Indications for therapy. *Therapiewoche* 1994;44:962-970.
- Prier A: Effects of dietetic manipulations on the course of rheumatoid arthritis. *Presse Medicale* 1988;1181-1183.
- Prindiville TP, Cantrell MC, Gershwin ME, German JB, Keen CL: Autoimmune diseases of the digestive tract. *Nutrition and immunology: principles and practice* 2000;140:-
- Prokopiuk M, Wierzbicki P, Kade G: IgA nephropathy--advances of therapy. *Polskie Archiwum Medycyny Wewnetrznej* 2001;106:1079-1086.
- Pullman-Moor S, Laposata M, Lem D, et al: Alteration of the cellular fatty acid profile and the production of eicosanoids in human monocytes by gamma-linolenic acid. *Arthritis & Rheumatism* 1990;1526-1533.
- Putz K: Dietary aspects of osteoporosis. *VitaMinSpur* 2001;
- Raheja B, Bhakta V, Chandiramani A, et al: Use of fish oil locally in the management of diabetic foot-preliminary observations. *Journal of the Diabetic Association of India* 1989;29:47-48.
- Raheja BS: Essential fatty acids, atherosclerosis and diabetes. *Journal of the Diabetic Association of India* 1990;30:20-
- Rahman MA, Stork JE, Dunn MJ: The roles of eicosanoids in experimental glomerulonephritis. *Kidney International - Supplement* 1987;22:S40-S48
- Rao S, Erasmus RT: Pilot study on plasma fatty acids in poorly controlled non insulin dependent diabetic Melanesians. *East African Medical Journal* 1996;73:816-818.
- Rasmussen O, Lauszus FF, Christiansen C, Thomsen C, Hermansen K: Differential effects of saturated and monounsaturated fat on blood glucose and insulin responses in subjects with non-insulin-dependent diabetes mellitus. *American Journal of Clinical Nutrition* 1996;63:249-253.
- Rasmussen OW, Lauszus FF, Christiansen CS, Thomsen CH, Hermansen K: Saturated and monounsaturated fats in patients with insulin-dependent diabetes. Different effects on blood glucose and insulin response in NIDDM. *Ugeskrift for Laeger* 1998;160:842-846.
- Rasmussen OW, Thomsen CH, Hansen KW, Vesterlund M, Winther E, Hermansen K: [Favourable effect of olive oil in patients with non-insulin-dependent diabetes. The effect on blood pressure, blood glucose and lipid levels of a high-fat diet rich in monounsaturated fat compared with a carbohydrate-rich diet. *Ugeskrift for Laeger* 1995;157:1028-1032.
- Rastegar S: Identifying and characterizing agents in soy that have a potential role in diabetes development. *Masters Abstracts International* 36-01: 94-
- Reseland JE, Anderssen SA, Solvoll K, et al: Effect of long-term changes in diet and exercise on plasma leptin concentrations. *American Journal of Clinical Nutrition* 2001;73:240-245.

- Riemersma RA, Armstrong R, Kelly RW, Wilson R: Essential fatty acids and eicosanoids: invited papers from the Fourth International Congress, Edinburgh, Scotland, UK, July 20-24, 1997. 1998;432
- Rivellese AA, De Natale C, Lilli S: Type of dietary fat and insulin resistance. *Annals of the New York Academy of Sciences* 2002;967:329-335.
- Rivlin RS: Fats and oil consumption in health and disease: current concepts and controversies. Proceedings of a symposium held at the Rockefeller University, New York, USA, 24-25 April, 1995. *American Journal of Clinical Nutrition* 1997;
- Roberts J, Davies B, McKeigue P, Davey G: Specific and combined use of exercise training and omega-3 fatty acids as interventions for insulin resistance. *Journal of Sports Sciences* 1998;16:59-
- Robinson DR: Alleviation of autoimmune disease by dietary lipids containing Omega-3 fatty acids. *Rheumatic Disease Clinics of North America* 1991;17:213-222+viii.
- Robinson DR, Colvin RB, Hirai A, et al: Dietary marine lipids modify autoimmune diseases. *Health effects of polyunsaturated fatty acids in seafoods* 1986;16 ref.:-
- Robinson DR, Xu LL, Olesiak W, et al: Suppression of autoimmune disease by purified n-3 fatty acids. *Health effects of dietary fatty acids* 1991;5:-
- Roesli Rully: Study on the prevalence of non-insulin-dependent diabetes mellitus and impaired glucose tolerance in a rural area of west java, indonesia. *Dissertation Abstracts International* 656-
- Rohrbach J, Reinelt D: Polyunsaturated fatty acids in the serum of patients with various diseases. *Zeitschrift fur die Gesamte Innere Medizin und Ihre Grenzgebiete* 1968;23:656-659.
- Rontoyannis GP, Simopoulos AP: Diet and exercise in the prevention of cardiovascular disease. Nutrition and fitness in health and disease. *World Review of Nutrition and Dietetics* 1993;72:
- Rossing P, Hansen BV, Nielsen FS, Myrup B, Holmer G, Parving HH: Fish oil in diabetic nephropathy. *Diabetes Care* 1996;19:1214-1219.
- Rutgeerts PJ: Postoperative recurrence prophylaxis in Crohn's disease: An update. *Research & Clinical Forums* 1998;20:49-55.
- Sailer D: Diet as therapy - Changes in therapeutic concepts? *Fortschritte der Medizin* 1988;106:52-55.
- Samsonov MA, Isaev VA: Latest in the prevention and treatment of atherosclerosis, ischaemic heart disease, hypertension and other disorders. *Voprosy Pitaniya* 1995;-
- Sathe SR, Raheja BS: Fish oil in the management of diabetic foot. *Journal of the Diabetic Association of India* 1994;34:51-54.
- Savage GP, Webster G, Plows E: Nutritional trends for the future. Proceedings of a Continuing Education Seminar, Orakei Basin, Auckland, New Zealand, 15th November 1994 . 1994;-
- Schacky Cvon Baumann K, Angerer P, Von Schacky C : The effect of n-3 fatty acids on coronary atherosclerosis: results from SCIMO, an angiographic study, background and implications. *Prevention and treatment of vascular disease: a nutrition based approach, Aarhus, Denmark, 18-20 May, 2000* 2000;
- Schaller J: Aggressive treatment in childhood rheumatic diseases. *Clinical & Experimental Rheumatology* 1994;12:S97-S105
- Scheurlen C: Dietary therapy in Crohn disease. *Internist* 1990;31:433-
- Scheurlen M, Steinhilber D, Daiss W, Clemens M, Schmidt H, Jaschonek K: Effects of an elemental diet containing fish oil on neutrophil LTB4 synthesis and membrane lipid composition. *Progress in Clinical & Biological Research* 1989;301:505-509.
- Schiele J, Nowack R, Julian BA, van der Woude FJ: Treatment of immunoglobulin A nephropathy. *Annales de Medecine Interne* 1999;150:127-136.
- Schleiffer T, Brass H: Lipid metabolism of chronic renal failure and diabetic nephropathy - Update. *Nieren- und Hochdruckkrankheiten* 1992;21:58-71.
- Schmidt EB, Moller JM, Svaneborg N, Dyerberg J: Safety aspects of fish oils. Experiences with an n-3 concentrate of re-esterified triglycerides (Pikasol(TM)). *Drug Investigation* 1994;7:215-220.

- Schmitz PG, O' Donnell MP, Kasiske BL, Keane WF: Glomerular hemodynamic effects of dietary polyunsaturated fatty acid supplementation. *Journal of Laboratory and Clinical Medicine* 1991;43:
- Schwab D, Raithel M, Hahn EG: Enteral nutrition in acute Crohn disease. *Zeitschrift fur Gastroenterologie* 1998;36:983-995.
- Selby W: Current management of inflammatory bowel disease. *Journal of Gastroenterology & Hepatology* 1993;8:70-83.
- Seppanen R, Reunanan A: Diet habits of diabetics and nondiabetics in Finland. *Naringsforskning* 1979;
- Sharma RK, Sural S: Current management of glomerular diseases. *Journal of Internal Medicine of India* 1999;2:155-160.
- Shen Chwan Li: Effect of dietary polyunsaturated fatty acids on prostaglandin e(2) Aand insulin-like growth factor-i in bone modeling. *Dissertation Abstracts International* 56-09, Section: B:4663-
- Siamopoulou A, Challa A, Kapoglou P, Cholevas V, Mavridis A, Lapatsanis P: Effects of intranasal salmon calcitonin in juvenile idiopathic arthritis: An observational study. *Calcified Tissue International* 2001;69:25-30.
- Silvis N, Vorster HH, Mollentze WF, Jagar Jde Huisman HW, De Jager J: Metabolic and haemostatic consequences of dietary fibre and N-3 fatty acids in black type 2 (NIDDM) diabetic subjects: a placebo controlled study. *International Clinical Nutrition Review* 1990;
- Simonsen N: Nutritional Determinants of Rheumatoid Arthritis. *Dissertation Abstracts International*
- Simopoulos AP, Pavlou KN, Simopoulos AP, Pavlou KN: *Nutrition and fitness 2: metabolic studies in health and disease* 2001;-
- Simpser E, Daum F, Dinari G, et al: Nutrition in pediatric inflammatory bowel disease . *Pediatric nutrition* 1998;40:-
- Singer P, Gnauck G, Honigmann G, et al: The fatty acid pattern of adipose tissue and liver triglycerides according to fat droplet size in liver parenchymal cells of diabetic subjects. *Diabetologia* 1974;
- Singer P, Honigmann G, Schliack V: Decrease of eicosapentaenoic acid in fatty liver of diabetic subjects. *Prostaglandins & Medicine* 1980;5:183-200.
- Singer P, Honigmann G, Schliack V: On the fatty acids of the triglycerides in inflammatory liver diseases of diabetics without and with hyperlipoproteinemia. *Zeitschrift fur die Gesamte Innere Medizin und Ihre Grenzgebiete* 1981;36:513-519.
- Singh G: Fish oils in rheumatoid arthritis. *Annals of Internal Medicine* 1988;108:904-905.
- Singh RB, Rastogi SS, Rao PV, et al: Diet and lifestyle guidelines and desirable levels of risk factors for the prevention of diabetes and its vascular complications in Indians: a scientific statement of The International College of Nutrition. Indian Consensus Group for the Prevention of Diabetes. *Journal of Cardiovascular Risk* 1997;4:201-208.
- Sircar S, Kansra U: Choice of cooking oils --myths and realities. *Journal of the Indian Medical Association* 1998;96:304-307.
- Socha P, Ryzko J, Koletzko B, et al: The influence of fish oil therapy in children with inflammatory bowel disease on the fatty acid status. *Pediatria Wspolczesna* 2002;4:413-416.
- Song T: Soy isoflavones: Database development, estrogenic activity of glycine and hypocholesterolemic effect of daidzein. *Dissertation Abstracts International* 59:5638-
- Sorokin EL, Smoliakova GP, Bachaldin IL: Clinical efficacy of eiconol in patients with diabetic retinopathy. *Vestnik Oftalmologii* 1997;113:37-39.
- Soustre Y, Laurent B, Schrezenmeir J, Pfeuffer M, Miller G, Parodi P: Trans fatty acids. *Bulletin of the International Dairy Federation* 2002;-
- Stender S, Jensen T, Deckert T: Experience with fish oil treatment with special emphasis on diabetic nephropathy. *Journal of Diabetic Complications* 1990;4:70-71.
- Stone NJ, Van Horn L: - Therapeutic Lifestyle Change and Adult Treatment Panel III: Evidence Then and Now. *Current Atherosclerosis Reports* 2002;4:433-443.

- Stotland BR, Lichtenstein GR: Newer treatments for inflammatory bowel disease. *Primary Care; Clinics in Office Practice* 1996;23:577-608.
- Stotland BR, Lichtenstein GR: Newer treatments for inflammatory bowel disease. *Drugs of Today* 1998;34:177-192.
- Sugano M, Ikeda A: Regulation of soybean protein of alpha-linolenic acid metabolism: effect of diabetes. *Report of the Soy Protein Research Committee Japan* 1995;6 ref.:18-206.
- Takazakura E, Ohsawa K, Hamamatsu K, et al: Prevention and treatment of diabetic nephropathy; Decreased microalbuminuria after six months treatment with eicosapentaenoic acid (EPA) ethyl ester. *Conference: The Third International Symposium on treatment of Diabetes Mellitus 13 JUL 1988 to 15 JUL 1988; Nagoya, JAPAN* 1990;562-566.
- Tamas D, Gyorgyi C, Katalin T, et al: Polyunsaturated fatty acids in plasma lipids of obese children with and without metabolic cardiovascular syndrome. *Lipids* 2000;
- Tjornum TE: Olive oil for patients with diabetes. *Ugeskrift for Laeger* 1995;157:2457-2458.
- Tjornum TE: Olive oil to diabetics--again. *Ugeskrift for Laeger* 1995;157:3637-
- Tobin A: Fish oil supplementation and ulcerative colitis. *Annals of Internal Medicine* 1992;117:535-536.
- Toeller M: Nutritional therapy in diabetes mellitus. *Aktuelle Ernährungsmedizin* 2002;27 :101-107.
- Tonstad S: Drug therapy of hyperlipidemia -- unanswered questions. *Tidsskrift for Den Norske Laegeforening* 1997;117:674-677.
- Tonstad S: Indications for lipid-lowering drugs: Unanswered questions. *Tidsskrift for Den Norske Laegeforening* 1997;117:674-677.
- Tonstad S, Leren TP, Ose L: Diagnosis and treatment of severe hyperlipidemia. *Tidsskrift for Den Norske Laegeforening* 1997;117:4241-4244.
- Turpin G, Bruckert E: Management of atherogenic hyperlipidemia. *Annales de Cardiologie et d'Angéiologie* 1998;47:627-632.
- Uauy R, Mena P, Valenzuela A: Essential fatty acids as determinants of lipid requirements in infants, children and adults. *European Journal of Clinical Nutrition* 1999;53:S 7
- Ueki M, Matsui T, Yamada M, et al: Randomized controlled trial of amino acid based diet versus oligopeptide based diet in enteral nutritional therapy of active Crohn's disease. *Japanese Journal of Gastroenterology* 1994;91:1415-1425.
- Uhlig T: Clinical application of omega 3 fatty acids (fish oil). *Deutsche Medizinische Wochenschrift* 1995;120:1262-1263.
- Uusitupa M, Louheranta A, Lindstrom J, et al: The Finnish Diabetes Prevention Study. *Diet and the metabolic syndrome*
- Valensi P, Attalah M, Behar A, Attali JR: Capillary permeability in diabetes. [French]. *Sang Thrombose Vaisseaux* 1994;6:473-481.
- Valtuena S, Sette S, Branca F: Influence of Mediterranean diet and Mediterranean lifestyle on calcium and bone metabolism. *International Journal for Vitamin & Nutrition Research*. 2001;71:189-202.
- Vanbeber Anne Duffy: The effect of omega-3, omega-6, and omega-9 fatty acid supplements on the serum fatty acid profile and immune response of renal dialysis patients (Fish oil). *Dissertation Abstracts International* 4133-
- Vaupel N: Substitution of Omega-3 fatty acids in type I and type II diabetics. *Fortschritte der Medizin* 1996;114:32-
- Venter CS, van Eyssen E: More legumes for better overall health. *SAJCN South African Journal of Clinical Nutrition* 2001;S32-3.
- Vergroesen AJ, Crawford M: Role of fats in human nutrition. 2002;Hardback.:
- Vessby B: Dietary fat and insulin action in humans. *British Journal of Nutrition* 2000;83:S6

- Voigt J, Hagemeister H: Dietary influence on a desirable fatty acid composition in milk from dairy cattle. *New trends in animal nutrition, 28 29 June, 2001, Jachranka, Poland* 2001;
- Volkert R: Omega 3 fatty acids: Fish oil capsules as drugs. *Zeitschrift fur Allgemeinmedizin* 1990;66:776-
- Von Ritter C: Inflammatory bowel disease. Pathophysiology and medical treatment. *Radiologe* 1998;38:3-7.
- Wahlqvist ML, Lo CS, Myers KA: Fish intake and arterial wall characteristics in healthy people and diabetic patients. *Lancet* 1989;2:944-946.
- Wahlqvist ML, Lo CS, Myers KA: Relationships between fish intake and arterial wall characteristics. *Proceedings of the Nutrition Society of Australia* 1988;3 ref.:1013-
- Wahrburg U: Mediterranean diet and its role in the prevention and treatment of diet-related diseases. *Internistische Praxis* 2001;41:815-826.
- Wardle EN: Alternative therapies for vasculitis and proliferative nephritides: The role of cyclic AMP elevating agents. *Renal Failure* 1998;20:7-13.
- Wardle EN: IgA nephropathy. *New England Journal of Medicine Online* 2003;348:79-81.
- Wardle EN: Rationales for treating IgA nephropathies. *Renal Failure* 2000;22:1-16.
- Watkins B, Seifert M: Conjugated linoleic acid and bone biology. *Journal of the American College of Nutrition* 2000;478S-486S.
- Watson J, Madhok R, Wijelath E, et al: Mechanism of action of polyunsaturated fatty acids in rheumatoid arthritis. *Biochemical Society Transactions*. 1990;284-285.
- Weber N: Oleic acid-rich fats in nutrition. *Schriftenreihe des Bundesministeriums fur Ernahrung, Landwirtschaft und Forsten* 1997;-
- Wijendran Vasuki: Long chain polyunsaturated fatty acid metabolism in normal pregnancy and pregnancy complicated with gestational diabetes mellitus. *Dissertation Abstracts International* 2617-
- Wilhelmi G: Potential effects of nutrition including additives on healthy and arthrotic joints. I. Basic dietary constituents. *Zeitschrift fur Rheumatologie* 1993;52:174-179.
- Wolfram G: Diet therapy in metabolic diseases 1996. *20 years of rational dietetics in Germany 1976-1996* 1996;
- Wolfram G: Omega3- and omega6-Fatty acids - biochemical specialities and biological effects. *Fett Wissenschaft Technologie* 1989;
- Woo J, Ho SC, Yu AL: Lifestyle factors and health outcomes in elderly Hong Kong Chinese aged 70 years and over. *Gerontology* 2002;48:234-240.
- Wright J, Furst P: Effect of high-carbohydrate versus high-monounsaturated fatty acid diet on metabolic control in diabetes and hyperglycemic patients. *Consensus roundtable on nutrition support of tube fed patients with diabetes*
- Yam D, Friedman J, Bott-Kanner G, Genin I, Shinitzky M, Klainman E: Omega-3 fatty acids reduce hyperlipidaemia, hyperinsulinaemia and hypertension in cardiovascular patients. *Journal of Clinical & Basic Cardiology* 2002;5:229-231.
- Yamamoto S: Essential unsaturated fatty acids. *Nippon Rinsho - Japanese Journal of Clinical Medicine* 1999;57:2242-2246.
- Yeh Lan Lan Liang: The relationship of serum fatty acid distributions to the risk of coronary heart disease and dietary intake (Fatty acids). *Dissertation Abstracts International* 2793-
- Yszko JS, Yszko J, Pawlak K, liwiec M: Effect of treating glomerulonephritis with omega 3 fatty acids for selected parameters of hemostasis, blood platelet function and lipid metabolism. *Przeglad Lekarski* 1996;53:600-603.
- Yurawecz MP, Mossoba MM, Kramer JKG, Pariza MW, Nelson GJ: Advances in conjugated linoleic acid research, volume 1. 1999;-
- Zaccagna CA, Zullo G: The erectile dysfunction. Alimentary approach by metabolic supplementation with PUFA - 3. *Gazzetta Medica Italiana* 2002;161:53-61.

Zak A, Zeman M, Tvrzicka E, et al: Glucose tolerance, insulin secretion, plasma lipid fatty acids, and the hypolipidemic effects of fish oil. *Dietary lipids and insulin action Second International Smolenice Insulin Symposium* 378-379.

Zeman M, Zak A, Tvrzicka E, Buchtikova M, Stipek S, Pousek L: [Insulinemia, fatty acids in plasma lipids and lipoproteins and oxidation of VLDL and LDL in hyperlipidemia. *Sbornik Lekarsky* 2000;101:77-82.

Zurier R, Rossetti R, Furse R, Huang Y, Ziboh V: Gamma-Linolenic acid, inflammatory arthritis, and immune responses. *Gamma.Linolenic.acid: recent.advances.in.biotechnology.and.clinical.applications.* 2001;38:-

Rejected RAND's Search Unsuccessful

Adam O: The role of dietary fat] in the prevention and therapy of nutrition-related diseases: the point of view of a rheumatologist. *7th Aachen dietetic continuing education 6:*

Castiglioni A, Savazzi GM: The prevention and treatment of diabetic nephropathy. *European Journal of Internal Medicine* 1993;4:181-192.

Corda Christophe: Contribution a l'etude du role des acides gras polyinsatures de la serie omega-3 dans la prevention de la nephrotoxicite de la ciclosporine a chez des patients ayant beneficie d'une greffe de rein: Etude randomisee en double aveugle contre placebo. *Dissertation Abstracts International* 53: 693-

Donnellan Christopher Edward: The effect of different dietary fatty acids upon the development of obesity and insulin resistance. *Dissertation Abstracts International* 61-04:1023-

Heller A, Koch T: Omega-3 fatty acids as adjuvant therapy in inflammatory diseases. *Anaesth Intensivmedizin* 1996;10:517-28.

Lau C, Morley K, McMahon H, Belch J: Maxepa reduced non-steroidal anti-inflammatory drug requirement in patients with mild rheumatoid arthritis. *Hung Rheumatol* 1991;32:126a

Lee T, Austen K: Arachidonic acid metabolism by the 5-lipoxygenase pathway, and the effects of alternative dietary fatty acids . *Advances in Immunology* 1986;39:145-175.

Tulleken J: Long chain omega-3 polyunsaturated fatty acids in rheumatoid arthritis. *The Netherlands. Rijksuniversiteit Groningen* 1991;

Rejected Condition

Abate N, Jialal I: Therapy and clinical trials. *Current Opinion in Lipidology* 2002;13:457-460.

Adam O: Nutrition as adjuvant therapy for chronic polyarthritis. *Zeitschrift fur Rheumatologie* 1993;52:275-280.

Adam O, Schubert A, Adam A, Antretter N, Forth W: Effects of omega-3 fatty acids on renal function and electrolyte excretion in aged persons. *European Journal of Medical Research* 1998; 3:111-118.

Almallah YZ, El Tahir A, Heys SD, Richardson S, Eremin O: Distal procto-colitis and n-3 polyunsaturated fatty acids: the mechanism(s) of natural cytotoxicity inhibition. *European Journal of Clinical Investigation* 2000;30:58-65.

Arrington JL, McMurray DN, Switzer KC, Fan YY, Chapkin RS: Docosahexaenoic acid suppresses function of the CD28 costimulatory membrane receptor in primary murine and Jurkat T cells. *Journal of Nutrition* 2001;131:1147-1153.

Assmann G, Backer Gde Bagnara S, Betteridge J, et al: International consensus statement on olive oil and the Mediterranean diet: implications for health in Europe. *European Journal of Cancer Prevention* 1997;30:

Baird D, Umbach D, Lansdell L, et al: Dietary intervention study to assess estrogenicity of dietary soy among postmenopausal women. *J Clin Endocrinol Metab* 1995;80:1685-90.

Baker PW, Gibbons GF: Effect of dietary fish oil on the sensitivity of hepatic lipid metabolism to regulation by insulin. *Journal of Lipid Research* 2000;48:

Barham JB, Edens MB, Fonteh AN, Johnson MM, Easter L, Chilton FH: Addition of eicosapentaenoic acid to gamma-linolenic acid-supplemented diets prevents serum arachidonic acid accumulation in humans. *Journal of Nutrition* 2000;130:1925-1931.

Berlin E, Bhathena SJ, Judd JT, et al: Effects of omega-3 fatty acid and vitamin E supplementation on erythrocyte membrane fluidity, tocopherols, insulin binding, and lipid composition in adult men. *Journal of Nutritional Biochemistry* 1992;3:392-400.

Bhathena SJ, Berlin E, Judd JT, et al: Effects of omega 3 fatty acids and vitamin E on hormones involved in carbohydrate and lipid metabolism in men. *American Journal of Clinical Nutrition* 1991;54:684-688.

Bordin P, Bodamer OA, Venkatesan S, Gray RM, Bannister PA, Halliday D: Effects of fish oil supplementation on apolipoprotein B100 production and lipoprotein metabolism in normolipidaemic males. *European Journal of Clinical Nutrition* 1998;52:104-109.

Borkman M, Storlien LH, Pan DA, Jenkins AB, Chisholm DJ, Campbell LV: The relation between insulin sensitivity and the fatty-acid composition of skeletal-muscle phospholipids. *New England Journal of Medicine* 1993;42 :4

Bourre JM, Dumont O, Piciotti M, et al: Essentiality of omega-3 fatty acids for brain structure and function, in Simopoulos AP, Kifer RR, Martin RE, Barlow SM (eds): *Health effects of omega-3 polyunsaturated fatty acids in seafoods*. Basel, Karger, World Rev Nutr Diet; 1991:103-117.

Broadhurst CL: Balanced intakes of natural triglycerides for optimum nutrition: an evolutionary and phytochemical perspective. *Medical Hypotheses* 1997;49:247-261.

Brooks Angela Todd: The influence of ground flaxseed or flaxseed oil on indicators for diabetes in adults. *Masters Abstracts International* 40-05: 1222-

Brzezinski A, Adlercreutz: Short term effects of phytoestrogen-rich diet on postmenopausal women. *Menopause* 1997;4:89-94.

Burn JH: Early observations and their importance today. I. Diabetes in childhood, II. Theophylline in myasthenia gravis, III. Properties of cod liver oil. *Journal of Pharmacy & Pharmacology* 1978;30:779-782.

Burnett JR, Watts GF: Therapeutic considerations for postprandial dyslipidaemia. *Diabetes, Obesity & Metabolism* 2001;3:143-156.

- Campbell JM, Fahey GC, Demichele SJ, Garleb KA: Metabolic characteristics of healthy adult males as affected by ingestion of a liquid nutritional formula containing fish oil, oligosaccharides, gum arabic and antioxidant vitamins. *Food & Chemical Toxicology* 1997;35:1165-1176.
- Campos FG, Waitzberg DL, Habr Gama A, et al: Impact of parenteral n-3 fatty acids on experimental acute colitis. *British Journal of Nutrition* 2002;87:S83-S88
- Candela M, Cherubini G, Chelli F, Danieli G, Gabrielli A: Fish-oil fatty acid supplementation in mixed cryoglobulinemia: a preliminary report. *Clinical & Experimental Rheumatology* 1994;12:509-513.
- Carroll DN, Roth MT: Evidence for the cardioprotective effects of omega-3 fatty acids. *Annals of Pharmacotherapy* 2002;36:1950-1956.
- Caughey GE, Mantzioris E, Gibson RA, Cleland LG, James MJ: The effect on human tumor necrosis factor alpha and interleukin 1beta production of diets enriched in n-3 fatty acids from vegetable oil or fish oil. *American Journal of Clinical Nutrition* 1996;63:116-122.
- Chan DC, Watts GF, Barrett PH, Beilin LJ, Mori TA: Effect of atorvastatin and fish oil on plasma high-sensitivity C-reactive protein concentrations in individuals with visceral obesity. *Clinical Chemistry* 2002;48:
- Clarke SD: Polyunsaturated fatty acid regulation of gene transcription: a molecular mechanism to improve the metabolic syndrome. *Journal of Nutrition* 2001;131:1129-1132.
- Clarke SD, Baillie R, Jump DB, Nakamura MT: Fatty acid regulation of gene expression. Its role in fuel partitioning and insulin resistance. *Annals of the New York Academy of Sciences* 1997;827:178-187.
- Cleland L, James M, Neumann M, D'Angelo M, Gibson R: Linoleate inhibits EPA incorporation from dietary fish-oil supplements in human subjects. *Am J Clin Nutr* 1992;55:395-9.
- Craig WJ: Phytochemicals: guardians of our health. *Journal of the American Dietetic Association* 1997;97:Suppl-204
- Dagnelie PC, Rietveld T, Swart GR, Stijnen T, van den Berg JW: Effect of dietary fish oil on blood levels of free fatty acids, ketone bodies and triacylglycerol in humans. *Lipids* 1994;29:41-45.
- Dam RM van Willett WC, Rimm EB, Stampfer MJ, Hu FB, van Dam RM: Dietary fat and meat intake in relation to risk of type 2 diabetes in men. *Diabetes Care* 2002;25:417-424.
- Das UN: GLUT-4, tumor necrosis factor, essential fatty acids and daf-genes and their role in insulin resistance and non-insulin dependent diabetes mellitus. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1999;60:13-20.
- Davey G: - Randomised controlled trial of a 12-week exercise intervention and omega-3 fatty acids in improving insulin sensitivity among South Asians and Europeans. - *Clinical Science* 1997;Vol.93:25P
- de Lorenzo A, Petroni ML, Luca PP de Andreoli A, et al: Use of quality control indices in moderately hypocaloric Mediterranean diet for treatment of obesity. *Diabetes, Nutrition and Metabolism* 2001;14:181-188.
- Delarue J, Couet C, Cohen R, Brechot JF, Antoine JM, Lamisse F: Effects of fish oil on metabolic responses to oral fructose and glucose loads in healthy humans. *American Journal of Physiology - Endocrinology & Metabolism* 1996;270:E353-E362
- DeMarco D, Santoli D, Zurier R: Effects of fatty acids on proliferation and activation of human synovial compartment lymphocytes. *Journal of Leukocyte Biology* 1994;56:612-615.
- Denke MA: Dietary prescriptions to control dyslipidemias. *Circulation* 2002;105:132-135.
- DiGiacomo R, Kremer J, Shah D: Fish-oil dietary supplementation in patients with Raynauds phenomenon: A double-blind, controlled, prospective study. *Am J Med* 1989;86:158-164.
- Dolecek TA, Grandits G: Dietary polyunsaturated fatty acids and mortality in the Multiple Risk Factor Intervention Trial (MRFIT) , in Simopoulos AP, Kifer RR, Martin RE, Barlow SM (eds): *Health effects of omega-3 polyunsaturated fatty acids in seafoods*. Basel, Karger, World Rev Nutr Diet; 1991:205-216.

- Dubois C, Cara L, Armand M, et al: Effects of pea and soybean fibre on postprandial lipaemia and lipoproteins in healthy adults. *European Journal of Clinical Nutrition* 1993;47:508-520.
- Durrington PN, Bhatnagar D, Mackness MI, et al: An omega-3 polyunsaturated fatty acid concentrate administered for one year decreased triglycerides in simvastatin treated patients with coronary heart disease and persisting hypertriglyceridaemia. *Heart (British Cardiac Society)* 2001;85:544-548.
- Ekblond A, Mellemkjaer L, Tjønneland A, et al: A cross-sectional study of dietary habits and urinary glucose excretion - a predictor of non-insulin-dependent diabetes mellitus. *European Journal of Clinical Nutrition* 2000;54:434-439.
- Emeis JJ, van Houwelingen AC, van den Hoogen CM, Hornstra G: A moderate fish intake increases plasminogen activator inhibitor type-1 in human volunteers. *Blood* 1989;74:233-237.
- Endres S, Ghorbani R, Kelley V, et al: The effect of dietary supplementation with n-3 polyunsaturated fatty acids on the synthesis of interleukin-1 and tumor necrosis factor by mononuclear cells. *N Engl J Med* 1989;320:265-71.
- Fisher WR: Hypertriglyceridemia in diabetes. An approach to management. *Journal of the Florida Medical Association* 1991;78:747-750.
- Franceschini G, Paoletti R: Pharmacological management of hypertriglyceridemic patients. *Cardiovascular Risk Factors* 1992;2:343-347.
- Friedberg CE, Janssen MJ, Heine RJ, Grobbee DE: Fish oil and glycemic control in diabetes. A meta-analysis. *Diabetes Care* 1998;21:494-500.
- Ginsberg HN, Illingworth DR: Postprandial dyslipidemia: an atherogenic disorder common in patients with diabetes mellitus. *American Journal of Cardiology* 2001;88:9H-15H.
- Gletsu NA, Clandinin MT: Impact of dietary fatty acid composition on insulin action at the nucleus. *Annals of the New York Academy of Sciences* 1997;827:188-199.
- Gohlke H: Diet and body weight. *Zeitschrift für Kardiologie* 2002;91:12-24.
- Goulet O, de Potter S, Antebi H, et al: Long-term efficacy and safety of a new olive oil-based intravenous fat emulsion in pediatric patients: a double-blind randomized study. *American Journal of Clinical Nutrition* 1999;70:338-345.
- Grimble R, Tappia P: Modulation of pro-inflammatory cytokine biology by unsaturated fatty acids. *Zeitschrift für Ernährungswissenschaft*. 1998;37:57-65.
- Grundt H, Nilsen DW, Hetland O, et al: Improvement of serum lipids and blood pressure during intervention with n-3 fatty acids was not associated with changes in insulin levels in subjects with combined hyperlipidaemia. *Journal of Internal Medicine* 1995;237:249-259.
- Guarner F, Vilaseca J, Malagelada JR: Dietary manipulation in experimental inflammatory bowel disease. *Agents & Actions* 1992;35:C10-C14.
- Gustafsson I-B, Ohrvall M, Ekstrand B, Vessby B: Moderate amounts of n-3 fatty acid enriched seafood products are effective in lowering serum triglycerides and blood pressure in healthy subjects. *Journal of Human Nutrition & Dietetics* 1996;9:135-145.
- Haglund O, Wallin R, Wretling S, Hultberg B, Saldeen T: Effects of fish oil alone and combined with long chain (n-6) fatty acids on some coronary risk factors in male subjects. *Journal of Nutritional Biochemistry* 1998;9:629-635.
- Hall AV, Parbtani A, Clark WF, et al: Abrogation of MRL/lpr lupus nephritis by dietary flaxseed. *American Journal of Kidney Diseases* 1993;22:326-332.
- Harding WR, Russell CE, Davidson F, Prior IAM: Dietary surveys from the Tokelau Island Migrant Study. *Ecology of Food and Nutrition* 1986;19:83-97.
- Healy DA, Wallace FA, Miles EA, Calder PC, Newsholme P: Effect of low-to-moderate amounts of dietary fish oil on neutrophil lipid composition and function. *Lipids* 2000;35:763-768.
- Henderson WR: Omega-3 supplementation in CF. *6th North American Cystic Fibrosis Conference* 1992;-

- Horrobin D: Essential fatty acid and prostaglandin metabolism in Sjogren's syndrome, systemic sclerosis and rheumatoid arthritis. *Scandinavian Journal of Rheumatology Supplement*. 1986;61:242-245.
- Hughes D, Pinder A: n-3 Polyunsaturated fatty acids inhibit the antigen-presenting function of human monocytes. *American Journal of Clinical Nutrition* 2000;71:357S-360S.
- Hughes DaPA: Influence of n-3 polyunsaturated fatty acids (PUFA) on the antigen-presenting function of human monocytes. *Biochemical Society Transactions*. 1966;24:389S-
- Jabbar MA, Zuhri-Yafi MI, Larrea J: Insulin therapy for a non-diabetic patient with severe hypertriglyceridemia. *Journal of the American College of Nutrition* 1998;17 :458-461.
- Joannic JL, Auboiron S, Raison J, Basdevant A, Bornet F, Guy-Grand B: How the degree of unsaturation of dietary fatty acids influences the glucose and insulin responses to different carbohydrates in mixed meals. *American Journal of Clinical Nutrition* 1997;65:1427-1433.
- Jula A, Marniemi J, Huupponen R, Virtanen A, Rastas M, Ronnemaa T: Effects of diet and simvastatin on serum lipids, insulin, and antioxidants in hypercholesterolemic men: a randomized controlled trial. *JAMA* 2002;287:598-605.
- Jump DB: The biochemistry of n-3 polyunsaturated fatty acids. *Journal of Biological Chemistry* 2002;78:
- Jump DB, Clarke SD, Thelen A, Liimatta M, Ren B, Badin MV: Dietary fat, genes, and human health. *Advances in Experimental Medicine & Biology* 1997;422:167-176.
- Kelley DS, Nelson GJ, Branch LB, Taylor PC, Rivera YM, Schmidt PC: Salmon diet and human immune status. *European Journal of Clinical Nutrition* 1992;46:397-404.
- Kelley VE: Dietary effects on the progression of autoimmune glomerulonephritis. *Clinics in Immunology & Allergy* 1986;6:367-381.
- Knapp H, Fitzgerald G: The antihypertensive effect of fish oil: A controlled study of polyunsaturated fatty acid supplementation in essential hypertension. *N Engl J Med* 1989;320:1037
- Koletzko B: Relevance of essential fatty acids in medicine and nutrition. *Aktuelle Endokrinologie und Stoffwechsel* 1986;7:18-27.
- Kothny W, Angerer P, Stork S, Von Schacky C: Short term effects of omega-3 fatty acids on the radial artery of patients with coronary artery disease. *Atherosclerosis* 1998;140:181-186.
- Krauss RM, Eckel RH, Howard B, et al: Revision 2000: a statement for healthcare professionals from the nutrition committee of the American Heart Association. *Journal of Nutrition* 2001;205:
- Kriketos AD, Robertson RM, Sharp TA, et al: Role of weight loss and polyunsaturated fatty acids in improving metabolic fitness in moderately obese, moderately hypertensive subjects. *Journal of Hypertension* 2001;19:1745-1754.
- Kris-Etherton PM, Harris WS, Appel LJ: Fish consumption, fish oil, omega-3 fatty acids, and cardiovascular disease. *Circulation* 2002;106:2747-2757.
- Lahoz C, Alonso R, Porres A, Mata P: Diets enriched in monounsaturated fatty acids and polyunsaturated omega 3 fatty acids decrease blood pressure without modifying plasma insulin concentration in healthy subjects. *Medicina Clinica Barcelona* 1999;40:
- Lardinois CK: The role of omega 3 fatty acids on insulin secretion and insulin sensitivity. *Medical Hypotheses* 1987;24:243-248.
- Lardinois CK, Starich GH, Mazzaferri EL: The postprandial response of gastric inhibitory polypeptide to various dietary fats in man. *Journal of the American College of Nutrition* 1988;7:241-247.
- Leaf A, Weber PC: Cardiovascular effects of n-3 fatty acids. *N Engl J Med* 1988;318:549-57.
- Leiba A, Amital H, Gershwin M, Shoenfeld Y: Diet and lupus. *Lupus*. 2001;10:246-248.

- Leigh-Firbank EC, Minihane AM, Leake DS, et al: Eicosapentaenoic acid and docosahexaenoic acid from fish oils: Differential associations with lipid responses. *British Journal of Nutrition* 2002;87:435-445.
- Louheranta AM, Turpeinen AK, Schwab US, Vidgren HM, Parviainen MT, Uusitupa MJ: A high-stearic acid diet does not impair glucose tolerance and insulin sensitivity in healthy women. *Metabolism, Clinical and Experimental* 1998;44 ref.:5, 529-553444.
- Lovegrove JA, Brooks CN, Murphy MC, Gould BJ, Williams CM: Use of manufactured foods enriched with fish oils as a means of increasing long-chain n-3 polyunsaturated fatty acid intake.[comment]. *British Journal of Nutrition* 1997;78:223-236.
- Mackness MI, Bhatnagar D, Durrington PN, et al: Effects of a new fish oil concentrate on plasma lipids and lipoproteins in patients with hypertriglyceridaemia. *European Journal of Clinical Nutrition* 1994;48:859-865.
- Mann JI, Asp NG, Frayn K, Vessby B: Can dietary intervention produce long-term reduction in insulin resistance? *Diet and the metabolic syndrome* 25:
- Mantzioris E, Cleland L, Gibson R, Neumann M, Demasi M, James MJ: Biochemical effects of a diet containing foods enriched with n-3 fatty acids. *American Journal of Clinical Nutrition* 2000;72:42-48.
- Margolis S, Dobs AS: Nutritional management of plasma lipid disorders. *Journal of the American College of Nutrition* 1989;8:Suppl-45S
- Marotta F, Chui DH, Safran P, Rezakovic I, Zhong GG, Ideo G: Shark fin enriched diet prevents mucosal lipid abnormalities in experimental acute colitis. *Digestion* 1995;56:46-51.
- Matalas AL, Franti CE, Grivetti LE: Comparative study of diet and disease prevalence in Greek Chians part I rural and urban residents of chios. *Ecology of Food and Nutrition* 1999;
- Matalas AL, Franti CE, Grivetti LE: Comparative study of diets and disease prevalence in Greek Chians part II Chian immigrants to Athens and to the United States. *Ecology of Food and Nutrition* 1999;38:381-414.
- Maurin AC, Chavassieux PM, Vericel E, Meunier PJ: Role of polyunsaturated fatty acids in the inhibitory effect of human adipocytes on osteoblastic proliferation. *Bone* 2002;31:260-266.
- Meydani SN, Endres S, Woods MM, et al: Effect of oral n-3 fatty acid supplementation on the immune response of young and older women. *Advances in Prostaglandin, Thromboxane, & Leukotriene Research* 1991;21A:245-248.
- Meydani S, Lichtenstein A, Cornwall S, et al: Immunologic effects of national cholesterol education panel step-2 diets with and without fish-derived N-3 fatty acid enrichment. *J Clin Invest* 1993;92:105-13.
- Mori TA, Bao DQ, Burke V, Puddey IB, Watts GF, Beilin LJ: Dietary fish as a major component of a weight-loss diet: effect on serum lipids, glucose, and insulin metabolism in overweight hypertensive subjects. *American Journal of Clinical Nutrition* 1999;70:817-825.
- Mori TA, Burke V, Puddey IB, et al: Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men. *American Journal of Clinical Nutrition* 2000;71:1085-1094.
- Mori T: The effect of fish oil on plasma lipids, platelet and neutrophil function in patients with vascular disease. *Australian & New Zealand Journal of Medicine* 1991;21:516
- Morris MC , Manson JE , Rosner B, Ruing JE, Willett WC, Hennekens CH: Fish consumption and cardiovascular disease in the physicians' health study: A prospective study. *American Journal of Epidemiology* 1995;142:166-175.
- Mueller BA, Talbert RL: Biological mechanisms and cardiovascular effects of omega-3 fatty acids. *Clinical Pharmacy* 1988;7:795-807.
- Murkies A, Lombard C, Strauss B, Wilcox G, Burger H, Morton M: Dietary flour supplementation decreases post-menopausal hot flushes: effect of soy and wheat. *Maturitas* 1995;21:189-95.

- Naughton JM, O'Dea K, Sinclair AJ: Animal foods in traditional Australian aboriginal diets: polyunsaturated and low in fat. *Lipids* 1986;21:684-690.
- Niculescu D, Tomescu E, Ionescu C, et al: Ultrastructural changes in cartilage after intra-articular administration of osmium tetroxide and the sodium salts of fish oil fatty acids. *Scandinavian Journal of Rheumatology* 1976;5:133-140.
- Nydhall M, Gustafsson IB, Ohrlvall M, Vessby B: Similar effects of rapeseed oil (canola oil) and olive oil in a lipid-lowering diet for patients with hyperlipoproteinemia. *Journal of the American College of Nutrition* 1995;41:
- Okumura T, Fujioka Y, Morimoto S, et al: Eicosapentaenoic acid improves endothelial function in hypertriglyceridemic subjects despite increased lipid oxidizability. *American Journal of the Medical Sciences* 2002;324:247-253.
- Parke DV: The role of nutrition in the prevention and treatment of degenerative disease. *Saudi Medical Journal* 1994;48 ref.:
- Pedersen A, Marckmann P, Sandstrom B: Postprandial lipoprotein, glucose and insulin responses after two consecutive meals containing rapeseed oil, sunflower oil or palm oil with or without glucose at the first meal. *British Journal of Nutrition* 1999;82:97-104.
- Pestka JJ, Zhou HR, Jia QS, Timmer AM: Dietary fish oil suppresses experimental immunoglobulin A nephropathy in mice. *Journal of Nutrition* 2002;
- Pieke B, von Eckardstein A, Gulbahce E, et al: Treatment of hypertriglyceridemia by two diets rich either in unsaturated fatty acids or in carbohydrates: effects on lipoprotein subclasses, lipolytic enzymes, lipid transfer proteins, insulin and leptin. *International Journal of Obesity & Related Metabolic Disorders: Journal of the International Association for the Study of Obesity* 2000;24:1286-1296.
- Pschierer V, Richter WO, Schwandt P: Primary chylomicronemia in patients with severe familial hypertriglyceridemia responds to long-term treatment with (n-3) fatty acids. *Journal of Nutrition* 1995;125:1490-1494.
- Radack K, Deck C, Huster G: Dietary supplementation with low-dose fish oils lowers fibrinogen levels: a randomized, double-blind controlled study. *Ann Intern Med* 1989;9:757-758.
- Raptis S, Dollinger HC, von Berger L, et al: Effect of lipids on insulin, growth hormone and exocrine pancreatic secretion in man. *European Journal of Clinical Investigation* 1975;5:521-526.
- Richter WO, Jacob BG, Ritter MM, Schwandt P: Treatment of primary chylomicronemia due to familial hypertriglyceridemia by omega-3 fatty acids. *Metabolism: Clinical & Experimental* 1992;41:1100-1105.
- Robertson MD, Jackson KG, Fielding BA, Williams CM, Frayn KN: Acute effects of meal fatty acid composition on insulin sensitivity in healthy postmenopausal women. *British Journal of Nutrition* 2002;88:635-640.
- Robinson DR, Kremer JM: Rheumatoid arthritis and inflammatory mediators, in Simopoulos AP, Kifer RR, Martin RE, Barlow SM (eds): *Health effects of omega-3 polyunsaturated fatty acids in seafoods*. Basel, Karger, World Rev Nutr Diet; 1991:44-47.
- Rossetti R, Seiler C, DeLuca P, Laposata M, Zurier R: Oral administration of unsaturated fatty acids: Effects on human peripheral blood T lymphocyte proliferation. *Journal of Leukocyte Biology* 1997;62:438-443.
- Saso L, Valentini G, Casini M, et al: Inhibition of protein denaturation by fatty acids, bile salts and other natural substances: A new hypothesis for the mechanism of action of fish oil in rheumatic diseases. *Japanese Journal of Pharmacology* 1999;79:89-99.
- Sawazaki S, Hamazaki T, Yazawa K, Kobayashi M: The effect of docosahexaenoic acid on plasma catecholamine concentrations and glucose tolerance during long-lasting psychological stress: a double-blind placebo-controlled study. *Journal of Nutritional Science and Vitaminology* 1999;45:655-665.
- Schimke E, Honigmann G, Hildebrandt R: Effect of linolenic acid-rich diet on lipoproteins in diabetic subjects. *Deutsche Gesundheitswesen* 1984;39:223-225.

Schwab US, Niskanen LK, Maliranta HM, Savolainen MJ, Kesaniemi YA, Uusitupa MI: Lauric and palmitic acid-enriched diets have minimal impact on serum lipid and lipoprotein concentrations and glucose metabolism in healthy young women. *Journal of Nutrition* 1995;125:466-473.

Sebokova E, Klimes I, Hermann M, et al: Modulation of the hypolipidemic effect of fish oil by inhibition of adipose tissue lipolysis with Acipimox, a nicotinic acid analog. *Dietary lipids and insulin action Second International Smolenice Insulin Symposium* 20:183-191.

Sherertz EF: Improved acanthosis nigricans with lipodystrophic diabetes during dietary fish oil supplementation. *Archives of Dermatology* 1988;124:1094-1096.

Silva JM, Souza I, Silva R, Tavares P, Teixeira F, Silva PS: The triglyceride lowering effect of fish oils is affected by fish consumption. *International Journal of Cardiology* 1996;57:75-80.

Simopoulos AP: Nutrients in the control of metabolic diseases. *World Review of Nutrition and Dietetics* 1992;

Simopoulos AP, Johnston PK, Sabate J: Essential fatty acids in health and chronic disease. *Third International Congress on Vegetarian Nutrition* 98:

Sinclair HM: Essential fatty acids in perspective. *Human Nutrition - Clinical Nutrition* 1984;38:245-260.

Singer P, Wirth M, Berger I, et al: Influence on serum lipids, lipoproteins and blood pressure of mackerel and herring diet in patients with type IV and V hyperlipoproteinemia. *Atherosclerosis* 1985;56:111-118.

Soucy J, LeBlanc J: The effects of a beef and fish meal on plasma amino acids, insulin and glucagon levels. *Nutrition Research* 1999;22 ref.:

Sperling R, Benincaso A, Knoell C, Larkin J, Austen K, Robinson D: Dietary omega-3 polyunsaturated fatty acids inhibit phosphoinositide formation and chemotaxis in neutrophils. *J Clin Invest* 1993;91:651-60.

Stammers T, Sibbald B, Freeling P: Fish oil in osteoarthritis. *Lancet* 1989;121:503

Storlien LH, Kriketos AD, Calvert GD, Baur LA, Jenkins AB: Fatty acids, triglycerides and syndromes of insulin resistance. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1997;57:379-385.

Storlien LH, Kriketos AD, Jenkins AB, et al: Does dietary fat influence insulin action? *Annals of the New York Academy of Sciences* 1997;827:287-301.

Storlien LH, Pan DA, Kriketos AD, et al: Skeletal muscle membrane lipids and insulin resistance. *Lipids* 1996;31:

Tchorzewski H, Banasik M, Glowacka E, Lewkowicz P: Modification of innate immunity in humans by active components of shark liver oil. *Polski Merkuriusz Lekarski* 2002;13:329-332.

Tezabwala BU, Bennett M, Grundy SM: Immunotoxicity of polyunsaturated fatty acids in serum-free medium. *Immunopharmacology & Immunotoxicology* 1995;17:365-383.

Toft I, Bonaa KH, Ingebretsen OC, Nordoy A, Jenssen T: Effects of n-3 polyunsaturated fatty acids on glucose homeostasis and blood pressure in essential hypertension. A randomized, controlled trial.[comment]. *Annals of Internal Medicine* 1995;123:911-918.

Urakaze M, Hamazaki T, Yano S, Kashiwabara H, Oomori K, Yokoyama T: Effect of fish oil concentrate on risk factors of cardiovascular complications in renal transplantation. *Transplantation Proceedings* 1989;21:

Vialettes B: The CHO in fat ratio and glucose tolerance. *Cahiers de Nutrition et de Dietetique* 2001;36:327-330.

Wardle EN: Eicosanoids and renal allograft rejection. *Nephron* 1995;70:151-154.

Weisburger JH: Dietary fat and risk of chronic disease: mechanistic insights from experimental studies. *Journal of the American Dietetic Association* 1997;97:

Williams CM, Moore F, Morgan L, Wright J: Effects of n-3 fatty acids on postprandial triacylglycerol and hormone concentrations in normal subjects. *British Journal of Nutrition* 1992;68:655-666.

Xu N, Zhang GZ, Chen SH: The effect of eicosapentaenoic acid enriched marine oil on the platelet function in hypercoagulable state. *Chung-Hua Nei Ko Tsa Chih Chinese Journal of Internal Medicine* 1990;29:406-409.

Yam D, Eliraz A, Berry EM: Diet and disease - the Israeli paradox: possible dangers of a high omega-6 polyunsaturated fatty acid diet. *Israel Journal of Medical Sciences* 1996;135:

Yaqoob P, Pala H, Cortina-Borja M, Newsholme E, Calder P: Encapsulated fish oil enriched in alpha-tocopherol alters plasma phospholipid and mononuclear cell fatty acid compositions but not mononuclear cell functions. *Eur J Clin Invest* 2000;30:260-74.

Zak A, Hrabak P, Zeman M, Svarcova H, Vrana A, Mares P: Effect of fish oils on plasma lipids, glucose tolerance and insulin secretion in persons with endogenous hypertriglyceridemia. *Casopis Lekaru Ceskych* 1988;127 :881-884.

Zak A, Zeman M, Hrabak P, Vrana A, Svarcova H , Mares P: Changes in the glucose tolerance and insulin secretion in hypertriglyceridemia: effects of dietary n-3 fatty acids. *Nutrition Reports International* 1989;39:235-242.

Zak A, Zeman M, Tvrzicka E, Pisarikova A, Sindelkova E, Vrana A: Glucose tolerance, insulin secretion, plasma lipid fatty acids, and the hypolipidemic effects of fish oil. *Annals of the New York Academy of Sciences* 1993;683:378-379.

Zampelas A, Murphy M, Morgan LM, Williams CM: Postprandial lipoprotein lipase, insulin and gastric inhibitory polypeptide responses to test meals of different fatty acid composition: comparison of saturated, n-6 and n-3 polyunsaturated fatty acids. *European Journal of Clinical Nutrition* 1994;48:849-858.

Zurier R, Rossetti R, Seiler C, Laposata M: Human peripheral blood T lymphocyte proliferation after activation of the T cell receptor: Effects of unsaturated fatty acids. *Prostaglandins Leukotrienes and Essential Fatty Acids* 1999; 60:371-375.

Rejected Topic

- AnonymousPrinciples of nutrition for the patient with diabetes mellitus. *Diabetes* 1967;16:738
- Abushufa R, Reed P, Weinkove C, Wales S, Shaffer J: Essential fatty acid status in patients on long-term home parenteral nutrition. *Journal of Parenteral & Enteral Nutrition* 1995;19:286-290.
- Adachi JD, Bensen WG, Bell MJ, et al: Salmon calcitonin nasal spray in the prevention of corticosteroid-induced osteoporosis. *British Journal of Rheumatology* 1997;36:255-259.
- Agurs-Collins TD, Kumanyika SK, Ten Have TR, Adams -Campbell LL: A randomized controlled trial of weight reduction and exercise for diabetes management in older African-American subjects. *Diabetes Care* 1997;20:1503-1511.
- Anderson EJ, Richardson M, Castle G, et al: Nutrition interventions for intensive therapy in the Diabetes Control and Complications Trial. The DCCT Research Group. *Journal of the American Dietetic Association* 1993;93:768-772.
- Anderssen SA, Hjermann I, Urdal P, Torjesen PA, Holme I: Improved carbohydrate metabolism after physical training and dietary intervention in individuals with the atherothrombogenic syndrome'. Oslo Diet and Exercise Study (ODES). A randomized trial. *Journal of Internal Medicine* 1996;240:203-209.
- Andersson A, Sjodin A, Olsson R, Vessby B: Effects of physical exercise on phospholipid fatty acid composition skeletal muscle. *American Journal of Physiology - Endocrinology & Metabolism* 1998;274:E432-E438
- Arai Y, Uehara M, Kimira M, Watanabe S: Effects of soybean isoflavones on bone mineral density and bone metabolism in women: correlation among isoflavone concentrations in biological fluids, sex-hormone binding globulin and bone biomarkers. *Soy Protein Research* 2001;26:135-14126.
- Arai Y, Uehara M, Oshima K, Takada N, Kimira M, Watanabe S: Effects of soybean isoflavones on bone mineral density and bone metabolism in human. *Soy Protein Research, Japan*. 2000;28 ref.:79-86.
- Arisaka M, Arisaka O, Yamashiro Y: Fatty acid and prostaglandin metabolism in children with diabetes mellitus. II. The effect of evening primrose oil supplementation on serum fatty acid and plasma prostaglandin levels. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1991;43:197-201.
- Arnaiz-Villena A, Vicario JL, Serrano-Rios M: Glomerular basement membrane antibodies and HLA-DR2 in Spanish rapeseed oil disease. *New England Journal of Medicine* 1982;307 :1404-1405.
- Astrup A, Ryan L, Grunwald GK, et al: The role of dietary fat in body fatness: evidence from a preliminary meta-analysis of ad libitum low-fat dietary intervention studies. *British Journal of Nutrition* 2000;83:S25-S32
- Austin HA, Boumpas DT: Treatment of lupus nephritis. *Seminars in Nephrology* 1996;16:527-535.
- Baart de la Faille H: Lupus therapy. *Clinical Investigator* 1994;72:749-753.
- Bang HO, Dyerberg J: Plasma lipids and lipoproteins in Greenlandic west coast Eskimos. *Acta Medica Scandinavica* 1972;192:85-94.
- Bantle JP: Current recommendations regarding the dietary treatment of diabetes mellitus. *Endocrinologist* 1994;4:189-195.
- Bassi A, Avogaro A, Crepaldi C, et al: Short-term diabetic ketosis alters n-6 polyunsaturated fatty acid content in plasma phospholipids. *Journal of Clinical Endocrinology & Metabolism* 1996;81:1650-1653.
- Baur LA, O'Connor J, Pan DA, Kriketos AD, Storlien LH: The fatty acid composition of skeletal muscle membrane phospholipid: its relationship with the type of feeding and plasma glucose levels in young children. *Metabolism: Clinical & Experimental* 1998;47:106-112.
- Belch J, Hill A: Evening primrose oil and borage oil in rheumatologic conditions. *American Journal of Clinical Nutrition* 2000;71:352S-356S.

- Belluzzi A, Brignola C, Campieri M, et al: Short report: zinc sulphate supplementation corrects abnormal erythrocyte membrane long-chain fatty acid composition in patients with Crohn's disease. *Alimentary Pharmacology & Therapeutics* 1994;8:127-130.
- Belury MA: Dietary conjugated linoleic acid in health: physiological effects and mechanisms of action. *Annual Review of Nutrition* 2002;22:505-531.
- Beri D, Malaviya AN, Shandilya R, Singh RR: Effect of dietary restrictions on disease activity in rheumatoid arthritis. *Annals of the Rheumatic Diseases* 1988;47:69-72.
- Biernat J, Iwanicka Z, Szymczak J, Wasikowa R: Effect of essential unsaturated fatty acids diet on selected indices of lipid metabolism in children with diabetes mellitus. *Przeglad Lekarski* 1982;39:353-356.
- Bisschop PH de Metz: Dietary fat content alters insulin-mediated glucose metabolism in healthy men. *American Journal of Clinical Nutrition* 2001;73:554-559.
- Bloomgarden ZT: International Diabetes Federation Meeting, 1997: Nephropathy, retinopathy, and glycation. *Diabetes Care* 1998;21:1560-1566.
- Bohannon NJV: Lipid metabolism in type II diabetes. *Postgraduate Medicine* 1992;92:105-113.
- Bohov P, Gelienova K, Sebokova E, Klimes I: Abnormal serum fatty acid composition in non-insulin-dependent diabetes mellitus. *Annals of the New York Academy of Sciences* 1993;683:367-370.
- Bomalaski JS, Goldstein CS, Dailey AT, Douglas SD, Zurier RB: Uptake of fatty acids and their mobilization from phospholipids in cultured monocyte-macrophages from rheumatoid arthritis patients. *Clinical Immunology & Immunopathology*. 1986;39:198-212.
- Bourn DM, Mann JI, McSkimming BJ, Waldron MA, Wishart JD: Impaired glucose tolerance and NIDDM: Does a lifestyle intervention program have an effect? *Diabetes Care* 1994;17:1311-1319.
- Brand JC, Snow BJ, Nabhan GP, Truswell AS: Plasma glucose and insulin responses to traditional Pima Indian meals. *American Journal of Clinical Nutrition* 1990;51:416-420.
- Bruce WR, Wolever TM, Giacca A: Mechanisms linking diet and colorectal cancer: the possible role of insulin resistance. *Nutrition & Cancer* 2000;37:19-26.
- Brynes AE, Edwards CM, Jadhav A, Ghatei MA, Bloom SR, Frost GS: Diet-induced change in fatty acid composition of plasma triacylglycerols is not associated with change in glucagon-like peptide 1 or insulin sensitivity in people with type 2 diabetes. *American Journal of Clinical Nutrition* 2000;72:1111-1118.
- Brzeski M: Evening primrose oil in patients with rheumatoid arthritis and side-effects of non-steroidal anti-inflammatory drugs. *British Journal of Rheumatology* 1991;30:370-372.
- Buller H, Chin S, Kirschner B, et al: Inflammatory bowel disease in children and adolescents: Working group report of the first World Congress of Pediatric Gastroenterology, Hepatology, and Nutrition. *Journal of Pediatric Gastroenterology & Nutrition* 2002;35:S151-S158
- Calle Pascual AL: Diet and day-to-day variability in a sample of Spanish adults with IDDM or NIDDM. *Hormone and Metabolic Research* 1997;29:450-453.
- Calle-Pascual AL, Manzano P, Camarero E, et al: Diabetes nutrition and complications trial (DNCT): Food intake and targets of diabetes treatment in a sample of Spanish people with diabetes. *Diabetes Care* 1997;20:1078-1080.
- Calle-Pascual AL, Saavedra A, Benedi A, et al: Changes in nutritional pattern, insulin sensitivity and glucose tolerance during weight loss in obese patients from a Mediterranean area. *Hormone & Metabolic Research* 1995;27:499-502.
- Cattran D, Delmore T, Roscoe J, Cole ECC, Charron R, Ritchie S: A randomized controlled trial of prednisone in patients with idiopathic membranous nephropathy. *N Engl J Med* 1989;320:210-5.

- Celaya S, Sanz A, Homs C, et al: Experience with an enteral diet with fiber and a high fat content in ICU patients with glucose intolerance. *Nutricion Hospitalaria* 1992;7:260-269.
- Chaintreuil J, Monnier L, Colette C, et al: Effects of dietary gamma-linolenate supplementation on serum lipids and platelet function in insulin-dependent diabetic patients. *Human Nutrition - Clinical Nutrition* 1984;38:121-130.
- Christiansen E, Schnider S, Palmvig B, Tauber-Lassen E, Pedersen O: Intake of a diet high in trans monounsaturated fatty acids or saturated fatty acids. Effects on postprandial insulinemia and glycemia in obese patients with NIDDM. *Diabetes Care* 1997;20:881-887.
- Clarke SD: Nonalcoholic steatosis and steatohepatitis. I. Molecular mechanism for polyunsaturated fatty acid regulation of gene transcription. *American Journal of Physiology - Gastrointestinal & Liver Physiology* 2001;281:G865-G869
- Clarke SD, Jump DB: Dietary polyunsaturated fatty acid regulation of gene transcription. *Annual Review of Nutrition* 1994;14:83-98.
- Clifton PM, Nestel PJ: Relationship between plasma insulin and erythrocyte fatty acid composition. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1998;59:191-194.
- Collier GR, Wolever TM, Wong GS, Josse RG: Prediction of glycemic response to mixed meals in noninsulin-dependent diabetic subjects. *American Journal of Clinical Nutrition* 1986;44:349-352.
- Costacou T, Levin S, Mayer Davis EJ: Dietary patterns among members of the Catawba Indian nation. *Journal of the American Dietetic Association* 2000;22:
- Costantino L, Rastelli G, Vianello P, Cignarella G, Barlocco D: Diabetes complications and their potential prevention: Aldose reductase inhibition and other approaches. *Medicinal Research Reviews* 1999;19:3-23.
- Cunnane SC, Ainley CC, Keeling PW, Thompson RP, Crawford MA: Diminished phospholipid incorporation of essential fatty acids in peripheral blood leucocytes from patients with Crohn's disease: correlation with zinc depletion. *Journal of the American College of Nutrition* 1986;5:451-458.
- D'Amico G, Remuzzi G, Maschio G, et al: Effect of dietary proteins and lipids in patients with membranous nephropathy and nephrotic syndrome. *Clinical Nephrology* 1991;35:237-242.
- Dahlquist GG, Blom LG, Persson LA, Sandstrom AI, Wall SG: Dietary factors and the risk of developing insulin dependent diabetes in childhood. *BMJ* 1990;300:1302-1306.
- Das UN: Essential fatty acid metabolism in patients with essential hypertension, diabetes mellitus and coronary heart disease. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1995; 52:387-391.
- Das UN: Metabolic syndrome X is common in South Asians, but why and how? *Nutrition* 2002;18:774-776.
- Das UN, Kumar KV, Prabha PS, Murthy BV, Neela P: Oxy-radicals, lipid peroxides and essential fatty acids in patients with glomerular disorders. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1993;49:603-607.
- Das UN, Kumar KV, Ramesh G: Essential fatty acid metabolism in south Indians. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1994;50:253-255.
- De Leeuw IH, Van Gaal L, Rillaerts E, Dalemans C: Effects of the relative enrichment of polyunsaturated fatty acids in insulin-dependent diabetic patients. *Diabète et Métabolisme* 1986;12:246-249.
- Decsi T, Minda H, Hermann R, et al: Polyunsaturated fatty acids in plasma and erythrocyte membrane lipids of diabetic children. *Prostaglandins Leukotrienes & Essential Fatty Acids* 2002;67:203-210.
- Decsi T, Molnar D, Koletzko B: Long-chain polyunsaturated fatty acids in plasma lipids of obese children. *Lipids* 1996;37:305-331.

- Desai S, Allen E, Deodhar A: Miller Fisher syndrome in adult onset Still's disease: Case report and review of the literature of other neurological manifestations. *Rheumatology* 2002;41:216-222.
- Dimitriadis E, Griffin M, Collins P, Johnson A, Owens D, Tomkin GH: Lipoprotein composition in NIDDM: effects of dietary oleic acid on the composition, oxidisability and function of low and high density lipoproteins. *Diabetologia* 1996;39:667-676.
- Dohi K, Kanauchi M: Etiology and therapy of chronic primary glomerulonephritis. *Nippon Naika Gakkai Zasshi - Journal of Japanese Society of Internal Medicine* 1998;87:1271-1276.
- Donaghue KC, Pena MM, Chan AK, et al: Beneficial effects of increasing monounsaturated fat intake in adolescents with type 1 diabetes. *Diabetes Research & Clinical Practice* 2000;48:193-199.
- Dorfler H, Rauh G, Bassermann R: Lipoatrophic diabetes. *Clinical Investigator* 1993;71:264-269.
- Dreval AV, Anykina NV, Tishin DP, et al: Effect of soybean protein isolate on energy substrate oxidation in patients with insulin-dependent diabetes mellitus. *Problemy Endokrinologii* 1994;40:21-25.
- Dullaart RP, Beusekamp BJ, Meijer S, Hoogenberg K, van Doormaal JJ, Sluiter WJ: Long-term effects of linoleic-acid-enriched diet on albuminuria and lipid levels in type 1 (insulin-dependent) diabetic patients with elevated urinary albumin excretion. *Diabetologia* 1992;35:165-172.
- Dullaart RP, Hoogenberg K, Riems SC, et al: Cholesteryl ester transfer protein gene polymorphism is a determinant of HDL cholesterol and of the lipoprotein response to a lipid-lowering diet in type 1 diabetes. *Diabetes* 1997;46:2082-2087.
- Dutta-Roy AK: Insulin mediated processes in platelets, erythrocytes and monocytes/macrophages: effects of essential fatty acid metabolism. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1994;51:385-399.
- Ebbesson SO, Kennish J, Ebbesson L, Go O, Yeh J: Diabetes is related to fatty acid imbalance in Eskimos. *International Journal of Circumpolar Health* 1999;58:108-119.
- Edelman SV: Type II diabetes mellitus. *Advances in Internal Medicine* 1998;43:449-500.
- El Boustani S, Descomps B, Monnier L, et al: In vivo conversion of dihomogamma linolenic acid into arachidonic acid in man. *Progress in Lipid Research* 1986;25:67-71.
- Ernest I, Linner E, Svanborg A: Carbohydrate-rich, fat-poor diet in diabetes. *American Journal of Medicine* 1965;39:594-600.
- Esteve Comas M, Ramirez M, Fernandez Banares F, et al: Plasma polyunsaturated fatty acid pattern in active inflammatory bowel disease. *Gut* 1992;33:1365-69.
- Esteve M, Navarro E, Klaassen J, et al: Plasma and mucosal fatty acid pattern in colectomized ulcerative colitis patients. *Digestive Diseases & Sciences* 1998;43:1071-1078.
- Fasching P, Ratheiser K, Schneeweiss B, Rohac M, Nowotny P, Waldhausl W: No effect of short-term dietary supplementation of saturated and poly- and monounsaturated fatty acids on insulin secretion and sensitivity in healthy men. *Annals of Nutrition & Metabolism* 1996;40:116-122.
- Ferro-Luzzi A, James WP, Kafatos A: The high-fat Greek diet: a recipe for all? *European Journal of Clinical Nutrition* 2002;56:796-809.
- Feskens EJ, Bowles CH, Kromhout D: Inverse association between fish intake and risk of glucose intolerance in normoglycemic elderly men and women. *Diabetes Care* 1991;14:935-941.
- Feskens EJM, Virtanen SM, Rasanen L, et al: Dietary factors determining diabetes and impaired glucose tolerance: A 20-year follow-up of the Finnish and Dutch cohorts of the Seven Countries Study. *Diabetes Care* 1995;18:1104-1112.
- Fischbach W: Drug therapy for inflammatory bowel disease. *Leber, Magen, Darm* 1992;22:49-55.
- Fisher RL: Newer therapies for inflammatory bowel disease. *Chinese Journal of Gastroenterology* 1992;9:230-232.
- Florent CH: Inflammatory bowel diseases (IBD): Therapeutic actualities. *Acta Endoscopica* 1995;25:571-574.

- French MA, Parrott AM, Kielo ES, et al: Polyunsaturated fat in the diet may improve intestinal function in patients with Crohn's disease. *Biochimica et Biophysica Acta* 1997;1360:262-270.
- Fujita H, Yamagami T, Ohshima K: Long-term ingestion of a fermented soybean-derived Touchi-extract with alpha-glucosidase inhibitory activity is safe and effective in humans with borderline and mild type-2 diabetes. *Journal of Nutrition* 2001;131:2105-2108.
- Garaulet M, Perez-Llamas F, Perez-Ayala M, et al: Site-specific differences in the fatty acid composition of abdominal adipose tissue in an obese population from a Mediterranean area: relation with dietary fatty acids, plasma lipid profile, serum insulin, and central obesity. *American Journal of Clinical Nutrition* 2001;74:585-591.
- Garg A: High-monounsaturated fat diet for diabetic patients. Is it time to change the current dietary recommendations? *Diabetes Care* 1994;17:242-246.
- Garg A: High-monounsaturated-fat diets for patients with diabetes mellitus: a meta-analysis. *American Journal of Clinical Nutrition* 1998;67:582S
- Garg A, Grundy SM: Diabetic dyslipidemia and its therapy. *Diabetes Reviews* 1997;5:425-433.
- Garg A, Klimes I, Howard BV, Storlien LH, Sebokova E: Dietary monounsaturated fatty acids for patients with diabetes mellitus. *Annals New York Academy of Sciences* 27:199-206.
- Gatti E, Noe D, Pazzucconi F, et al: Differential effect of unsaturated oils and butter on blood glucose and insulin response to carbohydrate in normal volunteers. *European Journal of Clinical Nutrition* 1992;46:161-166.
- Geerling BJ, Dagnelie PC, Badart-Smook A, Russel MG, Stockbrugger RW, Brummer RJ: Diet as a risk factor for the development of ulcerative colitis. *American Journal of Gastroenterology* 2000;95:1008-1013.
- Georgopoulos A: Postprandial triglyceride metabolism in diabetes mellitus. *Clinical Cardiology* 1999;22:II28-II33
- Georgopoulos A, Bantle JP, Noutsou M, Hoover HA: A high carbohydrate versus a high monounsaturated fatty acid diet lowers the atherogenic potential of big VLDL particles in patients with type 1 diabetes. *Journal of Nutrition* 2000;130:2503-2507.
- Gilbertson HR, Thorburn AW, Brand-Miller JC, Chondros P, Werther GA: Effect of low-glycemic -index dietary advice on dietary quality and food choice in children with type 1 diabetes. *American Journal of Clinical Nutrition* 2003;77:83-90.
- Glasscock RJ: Concluding remarks and summary of the 7th International Symposium on IgA Nephropathy (Singapore, 1-2 October 1996). *Nephrology* 1997;3:131-135.
- Goodfriend TL, Ball DL, Elliott ME, et al: Fatty acids may regulate aldosterone secretion and mediate some of insulin's effects on blood pressure. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1993;48:43-50.
- Gorska A, Nawrocki A, Urban M, Florys B: Composition of phospholipid fatty acids in erythrocyte membranes of children with chronic juvenile arthritis: Clinical and biochemical correlations. *Medical Science Monitor* 2000;6:30-39.
- Griffin ME, Dimitriadis E, Lenehan K, et al: Non-insulin-dependent diabetes mellitus: dietary monounsaturated fatty acids and low-density lipoprotein composition and function. *QJM* 1996;89:211-216.
- Grober U: Orthomolecular medicine: Usefulness of micronutrients in diabetes mellitus. *Deutsche Apotheker Zeitung* 2002;142:46-52.
- Hallgren B, Lundquist CG, Svanborg A: The fatty acid composition of mitochondrial lipids from musculus pectoralis minor in non-diabetics and diabetics. *Acta Medica Scandinavica* 1966;179:447-452.
- Halpern G: Anti-inflammatory effects of a stabilized lipid extract of Perna canaliculus (Lyprinolrho). *Allergie et Immunologie* 2000;32:272-278.
- Hansen TM, Lerche A, Kassis V: Treatment of rheumatoid arthritis with prostaglandin E1 precursors cis-linoleic acid and gamma-linolenic acid. *Scandinavian Journal of Rheumatology* 1983;12:85-88.

- Harding AH, Sargeant LA, Welch A, et al: Fat consumption and HbA(1c) levels: the EPIC-Norfolk study. *Diabetes Care* 2001;24:1911-1916.
- Hauner H: Nutritional therapy in diabetic nephropathy. *Aktuelle Ernährungsmedizin* 2001;5:519-525.
- Healey JH, Paget SA, Williams-Russo: A randomized controlled trial of salmon calcitonin to prevent bone loss in corticosteroid-treated temporal arteritis and polymyalgia rheumatica. *Calcified Tissue International* 1996;58:73-80.
- Heine RJ, Mulder C, Popp-Snijders C, van der Meer J, van der Veen EA: Linoleic-acid-enriched diet: long-term effects on serum lipoprotein and apolipoprotein concentrations and insulin sensitivity in noninsulin-dependent diabetic patients. *American Journal of Clinical Nutrition* 1989;49:448-456.
- Hernell O, Holmgren G, Jagell SF, Johnson SB, Holman RT: Suspected faulty essential fatty acid metabolism in Sjogren-Larsson syndrome. *Pediatric Research* 1982;16:45-49.
- Higashi K, Shige H, Ito T, et al: Effect of a low-fat diet enriched with oleic acid on postprandial lipemia in patients with type 2 diabetes mellitus. *Lipids* 2001;36:1-6.
- Hirai K, Nomura M, Nakajima Y, Minamoto K, Abe H: Serum levels of retinol, inorganic phosphate and polyunsaturated fatty acid and their relationship in diabetic patients with early nephropathy. *Nutrition Research* 1994;
- Hirayama T: National burden of disease of urinary organs--an epidemiological consideration. *Hinyokika Kiyo - Acta Urologica Japonica* 1987;33:1550-1555.
- Hockaday TD, Hockaday JM, Mann JI, Turner RC: Prospective comparison of modified fat-high-carbohydrate with standard low-carbohydrate dietary advice in the treatment of diabetes: one year follow-up study. *British Journal of Nutrition* 1978;39:357-362.
- Hornych A, Oravec S, Girault F, Forette B, Horrobin DF: The effect of gamma-linolenic acid on plasma and membrane lipids and renal prostaglandin synthesis in older subjects. *Bratislavské Lekarske Listy* 2002;103:101-107.
- Horrobin D: Essential fatty acid metabolism in diseases of connective tissue with special reference to scleroderma and to Sjogren's syndrome. *Medical Hypotheses* 1984;14:233-247.
- Horrobin DF: Essential fatty acids in the management of impaired nerve function in diabetes. *Diabetes* 1997;46:S90-S93
- Horrobin DF: Fatty acid metabolism in health and disease: the role of delta-6-desaturase. *American Journal of Clinical Nutrition* 1993;57:732S-737S.
- Horrobin DF: Nutritional and medical importance of gamma-linolenic acid. *Progress in Lipid Research* 1992;31:163-194.
- Horrobin DF, Campbell A, McEwen CG: Treatment of the Sicca syndrome and Sjogren's syndrome with E.F.A., pyridoxine and vitamin C. *Progress in Lipid Research* 1981;20:253-254.
- Horrobin DF, Cunnane SC: Interactions between zinc, essential fatty acids and prostaglandins: relevance to acrodermatitis enteropathica, total parenteral nutrition, the glucagonoma syndrome, diabetes, anorexia nervosa and sickle cell anaemia. *Medical Hypotheses* 1980;6:277-296.
- Horrobin DF, Janti J: Effects of evening primrose oil in rheumatoid arthritis. *Annals of the Rheumatic Diseases* 1989;48:965-966.
- Horrobin DF, Manku MS: How do polyunsaturated fatty acids lower plasma cholesterol levels? *Lipids* 1983;18:558-562.
- Houtsmuller AJ, Hal-Ferwerda J, Zahn KJ, Henkes HE: Favorable influences of linoleic acid on the progression of diabetic micro- and macroangiopathy in adult onset diabetes mellitus. *Progress in Lipid Research* 1981;20:377-386.
- Houtsmuller AJ, Zahn KJ, Henkes HE: Unsaturated fats and progression of diabetic retinopathy. *Documenta Ophthalmologica* 1980;48:363-371.
- Howard BV: Dietary fatty acids, insulin resistance, and diabetes. *Annals of the New York Academy of Sciences* 1997;827:215-220.
- Jalili T, Wildman REC, Medeiros DM: Nutraceutical roles of dietary fiber. *Journal of Nutraceuticals, Functional & Medical Foods* 2000;2:19-34.

- Jang Y, Lee JH, Kim OY, Park HY, Lee SY: Consumption of whole grain and legume powder reduces insulin demand, lipid peroxidation, and plasma homocysteine concentrations in patients with coronary artery disease -- randomized controlled clinical trial. *Arteriosclerosis, Thrombosis, and Vascular Biology* 2001;21:2065-2071.
- Jantti J, Nikkari T, Solakivi T, Vapaatalo H, Isomaki H: Evening primrose oil in rheumatoid arthritis: Changes in serum lipids and fatty acids. *Annals of the Rheumatic Diseases* 1989;48:124-127.
- Jiang R, Manson JE, Stampfer MJ, Liu S, Willett WC, Hu FB: Nut and peanut butter consumption and risk of type 2 diabetes in women. *JAMA* 2002;288:2554-2560.
- Joe LA, Hart LL: Evening primrose oil in rheumatoid arthritis. *Annals of Pharmacotherapy* 1993;27:1475-1477.
- Jones DB, Carter RD, Haitas B, Mann JI: Low phospholipid arachidonic acid values in diabetic platelets. *British Medical Journal Clinical Research Ed* 1983;286:173-175.
- Jones DB, Carter RD, Mann JI: Indirect evidence of impairment of platelet desaturase enzymes in diabetes mellitus. *Hormone & Metabolic Research* 1986;18:341-344.
- Jones G, Riley M, Dwyer T: Maternal diet during pregnancy is associated with bone mineral density in children: a longitudinal study. *European Journal of Clinical Nutrition*. 2000;54:749-756.
- Julius U, Hanefeld M: Management of lipid disorders in diabetes mellitus. *Munchener Medizinische Wochenschrift* 1994;136:46-50.
- Karamanos B, Thanopoulou A, Angelico F, et al: Nutritional habits in the Mediterranean Basin. The macronutrient composition of diet and its relation with the traditional Mediterranean diet. Multi-centre study of the Mediterranean Group for the Study of Diabetes (MGSD). *European Journal of Clinical Nutrition* 2002;56:983-991.
- Kast R: Borage oil reduction of rheumatoid arthritis activity may be mediated by increased cAMP that suppresses tumor necrosis factor-alpha. *International Immunopharmacology* 2001;1:2197-2199.
- Katsilambros N: Mediterranean diet and diabetes mellitus. *Cahiers de Nutrition et de Dietetique* 1996;31:209-211.
- Kearney MT, Chowienczyk PJ, Brett SE, Sutcliffe A, Ritter JM, Shah AM: Acute haemodynamic effects of lipolysis -induced increase of free fatty acids in healthy men. *Clinical Science* 2002;102:495-500.
- Keen H, Payan J, Allawi J, et al: Treatment of diabetic neuropathy with gamma-linolenic acid. The gamma-Linolenic Acid Multicenter Trial Group. *Diabetes Care* 1993;16:8-15.
- Keller U, Turkalj I, Laager R, Bloesch D, Bilz S: Effects of medium- and long-chain fatty acids on whole body leucine and glucose kinetics in man. *Metabolism, Clinical and Experimental* 2002;36:
- Khoshoo V, Reifen R, Neuman MG, Griffiths A, Pencharz PB: Effect of low- and high-fat, peptide-based diets on body composition and disease activity in adolescents with active Crohn's disease. *Journal of Parenteral & Enteral Nutrition* 1996;20:401-405.
- Kimberly R: Treatment. Corticosteroids and anti-inflammatory drugs. *Rheumatic Diseases Clinics of North America*. 1988;14:203-221.
- Kleijnen J: Evening primrose oil. *BMJ* 1994:824-825.
- Knauf VC, Facciotti D: Genetic engineering of foods to reduce the risk of heart disease and cancer. *Advances in Experimental Medicine & Biology* 1995;369:221-228.
- Korelitz BI: Where do we stand on drug treatment for ulcerative colitis? *Annals of Internal Medicine* 1992;116:692-694.
- Kotaniemi A, Piirainen H, Paimela L, et al: Is continuous intranasal salmon calcitonin effective in treating axial bone loss in patients with active rheumatoid arthritis receiving low dose glucocorticoid therapy? *Journal of Rheumatology* 1996;23:1875-1879.
- Kreider R, Ferreira M, Greenwood M, Wilson M, Almada AL: Effects of conjugated linoleic acid supplementation during resistance training on body composition, bone density, strength, and selected hematological markers. *Journal of Strength & Conditioning Research*. 2002;16:325-334.

- Kuroki F, Iida M, Matsumoto T, Aoyagi K, Kanamoto K, Fujishima M: Serum n3 polyunsaturated fatty acids are depleted in Crohn's disease. *Digestive Diseases & Sciences* 1997;42:1137-1141.
- Laaksonen DE, Lakka TA, Lakka HM, et al: Serum fatty acid composition predicts development of impaired fasting glycaemia and diabetes in middle-aged men. *Diabetic Medicine* 2002;19:456-464.
- Laitinen J, Uusitupa M, Ahola I, Siitonen O: Metabolic and dietary determinants of serum lipids in obese patients with recently diagnosed non-insulin-dependent diabetes. *Annals of Medicine* 1994;26:119-124.
- Laitinen JH, Ahola IE, Sarkkinen ES, Winberg RL, Harmaakorpi-Iivonen PA, Uusitupa MI: Impact of intensified dietary therapy on energy and nutrient intakes and fatty acid composition of serum lipids in patients with recently diagnosed non-insulin-dependent diabetes mellitus. *Journal of the American Dietetic Association* 1993;93:276-283.
- Lauritsen K, Laursen LS, Kjeldsen J, Bukhave K, Rask-Madsen J: Inhibition of eicosanoid synthesis and potential therapeutic benefits of 'dual pathway inhibition'. *Pharmacology & Toxicology, Supplement* 1994;75:9-13.
- Lerman-Garber I, Gulias-Herrero A, Palma ME, et al: Response to high carbohydrate and high monounsaturated fat diets in hypertriglyceridemic non-insulin dependent diabetic patients with poor glycemic control. *Diabetes, Nutrition & Metabolism - Clinical & Experimental* 1995;8:339-345.
- Lerman-Garber I, Ichazo-Cerro S, Zamora-Gonzalez J, Cardoso-Saldana G, Posadas-Romero C: Effect of a high-monounsaturated fat diet enriched with avocado in NIDDM patients. *Diabetes Care* 1994;17:311-315.
- Lesnichi AV: Use of unsaturated fatty acids in diabetes mellitus. *Problemy Endokrinologii* 1972;18:20-22.
- Lichtenstein AH, Ausman LM, Jalbert SM, et al: Efficacy of a Therapeutic Lifestyle Change/Step 2 diet in moderately hypercholesterolemic middle-aged and elderly female and male subjects. *Journal of Lipid Research* 2002;43:264-273.
- Lopez Ledesma R, Frati Munari AC, Hernandez Dominguez BC, et al: Monounsaturated fatty acid (avocado) rich diet for mild hypercholesterolemia. *Archives of Medical Research* 1996;27:519-523.
- Louis E and Belaiche J: The immunopathology and therapeutic perspectives of Crohn's disease. *Medecine et Hygiene* 1991;49:3402-3406.
- Lovejoy JC, Champagne CM, Smith SR, et al: Relationship of dietary fat and serum cholesterol ester and phospholipid fatty acids to markers of insulin resistance in men and women with a range of glucose tolerance. *Metabolism: Clinical & Experimental* 2001;50:86-92.
- Lovejoy JC, Most MM, Lefevre M, Greenway FL, Rood JC: Effect of diets enriched in almonds on insulin action and serum lipids in adults with normal glucose tolerance or type 2 diabetes. *American Journal of Clinical Nutrition* 2002;76:1000-1006.
- Lovejoy JC, Smith SR, Champagne CM, et al: Effects of diets enriched in saturated (palmitic), monounsaturated (oleic), or trans (elaidic) fatty acids on insulin sensitivity and substrate oxidation in healthy adults. *Diabetes Care* 2002;25:1283-1288.
- Madigan C, Ryan M, Owens D, Collins P, Tomkin GH: Dietary unsaturated fatty acids in type 2 diabetes: higher levels of postprandial lipoprotein on a linoleic acid-rich sunflower oil diet compared with an oleic acid-rich olive oil diet. *Diabetes Care* 2000;23:1472-1477.
- Madsen JR, Laursen LS, Lauritsen K: [Chronic inflammatory bowel disease. *Nordisk Medicin* 1992;107:254-260.
- Mallick NP: Dietary protein and progression of chronic renal disease. Large randomised controlled trial suggests no benefit from restriction. *BMJ British Medical Journal* 1994;309:1101-1102.
- Mani UV, Desai S, Iyer U: Studies on the long-term effect of spirulina supplementation on serum lipid profile and glycated proteins in NIDDM patients. *Journal of Nutraceuticals, Functional and Medical Foods* 2000;2:25-32.
- Marckmann P: Dietary treatment of thrombogenic disorders related to the metabolic syndrome. *British Journal of Nutrition* 2000;83:S121-S126

- Marinides GN: Progression of chronic renal disease and diabetic nephropathy: A review of clinical studies and current therapy. *Journal of Medicine* 1993;24:266-288.
- Matsueda K: Therapeutic efficacy of elemental enteral alimentation in Crohn's disease. *Journal of Gastroenterology* 2000;35:19-
- Matsui T, Ueki M, Yamada M, Sakurai T, Yao T: Indications and options of nutritional treatment for Crohn's disease. A comparison of elemental and polymeric diets. *Journal of Gastroenterology* 1995;30:
- Mayer-Davis EJ, Levin S, Bergman RN, et al: Insulin secretion, obesity, and potential behavioral influences: results from the Insulin Resistance Atherosclerosis Study (IRAS). *Diabetes/Metabolism Research Reviews* 2001;17:137-145.
- Mayer Davis EJ, Monaco JH, Hoen HM, et al: Dietary fat and insulin sensitivity in a triethnic population\the role of obesity. The Insulin Resistance Atherosclerosis Study (IRAS). *American Journal of Clinical Nutrition* 1997;65:79-87.
- McAuley KA, Williams SM, Mann JI, et al: Intensive lifestyle changes are necessary to improve insulin sensitivity: a randomized controlled trial. *Diabetes Care* 2002;25:445-452.
- McCarty MF: Toward practical prevention of type 2 diabetes. *Medical Hypotheses* 2000;54 :786-793.
- McCarty MFand Rubin EJ: Rationales for micronutrient supplementation in diabetes. *Medical Hypotheses* 1984;13:139-151.
- McKendry R: Treatment of Sjogren's syndrome with essential fatty acids, pyridoxine and vitamin C. *Prostaglandins Leukotrienes & Medicine* 1982;403-408.
- Merrin PK, Elkeles RS: Treatment of diabetes: The effect on serum lipids and lipoproteins. *Postgraduate Medical Journal* 1991;67:931-937.
- Metcalf PA, Stevens J, Shimakawa T, et al: Comparison of diets of NIDDM and non-diabetic African Americans and whites: the atherosclerosis risk in communities study. *Nutrition Research* 1998;
- Mikhailidis DP, Jeremy JY, Dandona P: The role of prostaglandins, leukotrienes and essential fatty acids in the pathogenesis of the complications associated with diabetes mellitus. [Review] [19 refs]. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1988;33:205-206.
- Milne RM, Mann JI, Chisholm AW, Williams SM: Long-term comparison of three dietary prescriptions in the treatment of NIDDM. *Diabetes Care* 1994;17:74-80.
- Mironova MA, Klein RL, Virella GT, Lopes-Virella MF: Anti-modified LDL antibodies, LDL-containing immune complexes, and susceptibility of LDL to in vitro oxidation in patients with type 2 diabetes. *Diabetes* 2000;49:1033-1041.
- Miwa H, Yamamoto M, Futata T, Kan K, Asano T: Thin-layer chromatography and high-performance liquid chromatography for the assay of fatty acid compositions of individual phospholipids in platelets from non-insulin-dependent diabetes mellitus patients: effect of eicosapentaenoic acid ethyl ester administration. *Journal of Chromatography B: Biomedical Applications* 1996;677:217-223.
- Moncada S, Higgs EA: Arachidonate metabolism in blood cells and the vessel wall. *Clinics in Haematology* 1986;15:273-292.
- Murata M, Kaji H, Iida K, Okimura Y, Chihara K: Dual action of eicosapentaenoic acid in hepatoma cells: up-regulation of metabolic action of insulin and inhibition of cell proliferation. *Journal of Biological Chemistry* 2001;276:
- Murphy NJ, Schraer CD, Thiele MC, et al: Dietary change and obesity associated with glucose intolerance in Alaska Natives. *Journal of the American Dietetic Association* 1995;95:676-682.
- Nakamura H, Faludi G, Spitzer JJ: Changes of individual free fatty acids during glucose tolerance test. *Diabetes* 1967;16:175-180.
- Nakamura N, Hamazaki T, Jokaji H, Minami S, Kobayashi M: Effect of HMG-CoA reductase inhibitors on plasma polyunsaturated fatty acid concentrations in patients with hyperlipidemia. *International Journal of Clinical & Laboratory Research* 1998;28 :192-195.

- Nicholson AS, Sklar M, Barnard ND, Gore S, Sullivan R, Browning S: Toward improved management of NIDDM: a randomized, controlled, pilot intervention using a lowfat, vegetarian diet. *Preventive Medicine* 1999;
- Niemann J, Lippert C: Prospective development of the food industry and healthy nutrition. *Elelmezesi Ipar* 1990;
- Nishida T, Miwa H, Shigematsu A, Yamamoto M, Iida M, Fujishima M: Increased arachidonic acid composition of phospholipids in colonic mucosa from patients with active ulcerative colitis. *Gut* 1987;28:1002-1007.
- Nobmann ED, Byers T, Lanier AP, Hankin JH, Jackson MY: The diet of Alaska Native adults: 1987-1988. *American Journal of Clinical Nutrition* 1992;55:1024-1032.
- Novak E: Maintaining remission of Crohn's disease. *CMAJ* 1988;139:14-
- O'Morain C, O'Sullivan M: Nutritional support in Crohn's disease: current status and future directions. *Journal of Gastroenterology* 1995;30:
- Odes HS: The pharmacological treatment of inflammatory bowel diseases: Recent concepts and advances. *Archives of Gastroenterohepatology* 1993;12:170-173.
- Oguogho A, Aghajanian AA, Sinzinger H: Prostaglandin synthesis in human lymphatics from precursor fatty acids. *Lymphology* 2000;33:62-66.
- Owen RW, Giacosa A, Hull WE, Haubner R, Spiegelhalder B, Bartsch H: The antioxidant/anticancer potential of phenolic compounds isolated from olive oil. *European Journal of Cancer* 2000;36:1235-1247.
- Parfitt VJ, Desomeaux K, Bolton CH, Hartog M: Effects of high monounsaturated and polyunsaturated fat diets on plasma lipoproteins and lipid peroxidation in type 2 diabetes mellitus. *Diabetic Medicine* 1994;11:85-91.
- Parfitt VJ, Hopton M, Taberner J, Bolton C, Hartog M: The effects of high monounsaturated and polyunsaturated fat diets on vascular endothelium and the coagulation system in non-insulin dependent diabetes mellitus--related to changes in lipid peroxidation? *Biochemical Society Transactions* 1993;21:103S-
- Pedrera JD, Lopez MJ, Canal ML, et al: Quantitative phalangeal bone ultrasound is normal after long-term gluten-free diet in young coeliac patients. *European Journal of Gastroenterology and Hepatology* 2001;13:1169-1173.
- Pelikanova T, Kazdova L, Chvojkova S, Base J: Serum phospholipid fatty acid composition and insulin action in type 2 diabetic patients. *Metabolism: Clinical & Experimental* 2001;50:1472-1478.
- Peppercorn MA: A 66-year-old woman with ulcerative colitis. *Journal of the American Medical Association* 1998;279:949-954.
- Pereira SP, Cassell TB, Engelman JL, Sladen GE, Murphy GM, Dowling RH: Plasma arachidonic acid-rich phospholipids in Crohn's disease: response to treatment. *Clinical Science* 1996;91:509-512.
- Perez-Jimenez F, Lopez-Miranda J, Pinillos MD, et al: A Mediterranean and a high-carbohydrate diet improve glucose metabolism in healthy young persons. *Diabetologia* 2001;44:2038-2043.
- Perry TL, Mann JI, Lewis-Barned NJ, Duncan AW, Waldron MA, Thompson C: Lifestyle intervention in people with insulin-dependent diabetes mellitus (IDDM). *European Journal of Clinical Nutrition* 1997;51:757-763.
- Pi-Sunyer FX, Maggio CA, McCarron DA, et al: Multicenter randomized trial of a comprehensive prepared meal program in type 2 diabetes. *Diabetes Care* 1999;22:191-197.
- Poisson JP, Narce M: Lipid metabolism. *Current Opinion in Lipidology* 2000;11:329-330.
- Poppitt SD, Keogh GF, Prentice AM, et al: Long-term effects of ad libitum low-fat, high-carbohydrate diets on body weight and serum lipids in overweight subjects with metabolic syndrome. *American Journal of Clinical Nutrition* 2002;75:11-20.

- Pottathil R, Huang SW, Chandrabose KA: Essential fatty acids in diabetes and systemic lupus erythematosus (SLE) patients. *Biochemical & Biophysical Research Communications*. 1985;128:803-808.
- Prescott J, Owens D, Collins P, Johnson A, Tomkin GH: The fatty acid distribution in low density lipoprotein in diabetes. *Biochimica et Biophysica Acta, Molecular and Cell Biology of Lipids* 1999;1439:110-116.
- Randle PJ: Regulatory interactions between lipids and carbohydrates: the glucose fatty acid cycle after 35 years. *Diabetes Metabolism Reviews* 1998;174:
- Rao S, Erasmus RT: A pilot study on plasma fatty acids in poorly controlled non insulin dependent (type 2) Melanesian diabetics. *Central African Journal of Medicine* 1996;42:295-297.
- Recht L, Helin P, Rasmussen J, Jacobsen J, Lithman T, Schersten B: Hand handicap and rheumatoid arthritis in a fish-eating society (the Faroe Islands). *Journal of Internal Medicine* 1990;49-55.
- Requirand P, Gibert P, Tramini P, Cristol JP, Descomps B: Serum fatty acid imbalance in bone loss: example with periodontal disease. *Clinical Nutrition*. 2000;19:271-276.
- Riccardi G, Rivellese A: Effects of dietary fiber and carbohydrate on glucose and lipoprotein metabolism in diabetic patients. *Diabetes Care* 1991;14:1115-25.
- Riley MD, Dwyer T: Microalbuminuria is positively associated with usual dietary saturated fat intake and negatively associated with usual dietary protein intake in people with insulin-dependent diabetes mellitus. *American Journal of Clinical Nutrition* 1998;67:50-57.
- Riserus U, Arner P, Brismar K, Vessby B: Treatment with dietary trans10cis12 conjugated linoleic acid causes isomer-specific insulin resistance in obese men with the metabolic syndrome. *Diabetes Care* 2002;25:1516-1521.
- Rocca AS, LaGreca J, Kalitsky J, Brubaker PL: Monounsaturated fatty acid diets improve glycemic tolerance through increased secretion of glucagon-like peptide-1. *Endocrinology* 2001;142:1148-1155.
- Rossetti R, Seiler C, Laposata M, Zurier R: Differential regulation of human T lymphocyte protein kinase C activity by unsaturated fatty acids. *Clinical Immunology & Immunopathology* 1995;76:220-224.
- Rossing P: Promotion, prediction, and prevention of progression in diabetic nephropathy. *Danish Medical Bulletin* 1998;45:354-369.
- Rowe BR, Bain SC, Pizzey M, Barnett AH: Rapid healing of ulcerated necrobiosis lipoidica with optimum glycaemic control and seaweed-based dressings. *British Journal of Dermatology* 1991;125:603-604.
- Royall D, Jeejeebhoy KN, Baker JP, et al: Comparison of amino acid v peptide based enteral diets in active Crohn's disease: Clinical and nutritional outcome. *Gut* 1994;35:783-787.
- Ruiz-Gutierrez V, Stiefel P, Villar J, Garcia-Donas MA, Acosta D, Carneado J: Cell membrane fatty acid composition in type 1 (insulin-dependent) diabetic patients: relationship with sodium transport abnormalities and metabolic control. *Diabetologia* 1993;36:850-856.
- Ryan EA, Pick ME, Marceau C: Use of alternative medicines in diabetes mellitus. *Diabetic Medicine* 2001; 18:242-245.
- Ryan M, McInerney D, Owens D, Collins P, Johnson A, Tomkin GH: Diabetes and the Mediterranean diet: a beneficial effect of oleic acid on insulin sensitivity, adipocyte glucose transport and endothelium-dependent vasoreactivity. *QJM* 2000;93:85-91.
- Sabino KCC, Gayer CRM, Vaz LCA, Santos LRL, Felzenszwalb I, Coelho MGP: In vitro and in vivo toxicological study of the *Pterodon pubescens* seed oil. *Toxicology Letters* 1999;29:
- Sakamaki N, Kikutani N, Iguchi M, et al: Studies on fat contents and fatty acids composition in foods for dietary therapy of diabetes. *Annual Report of the Tokyo Metropolitan Research Laboratory of Public Health* 1996;11:202-206.
- Salamone L, Cauley J, Black D, et al: Effect of a lifestyle intervention on bone mineral density in premenopausal women: a randomized trial. *American Journal of Clinical Nutrition*. 1999; 70:97-103.

Salmeron J, Hu FB, Manson JE, et al: Dietary fat intake and risk of type 2 diabetes in women. *American Journal of Clinical Nutrition* 2001;73:1019-1026.

Sanchez E, Jansen S, Castro P, et al: Mediterranean diet improves lipid profile in smoking males better than the American Cholesterol Program diet (NCEP-I). *Medicina Clinica Barcelona* 1999;39:

Sanfelippo ML, Swenson RS, Reaven GM: Reduction of plasma triglycerides by diet in subjects with chronic renal failure. *Kidney International* 1977;39:

Sarzi-Puttini P, Comi D, Boccassini L, et al: Diet therapy for rheumatoid arthritis. A controlled double-blind study of two different dietary regimens. *Scandinavian Journal of Rheumatology* 2000;29:302-307.

Schalch A, Ybarra J, Adler D, Deletaz M, Lehmann T, Golay A: Evaluation of a psycho-educational nutritional program in diabetic patients. *Patient Education & Counseling* 2001;44:171-178.

Scheffer PG, Bakker SJL, Popp-Snijders C, Heine RJ, Schutgens RBH, Teerlink T: Composition of LDL as determinant of its susceptibility to in vitro oxidation in patients with well-controlled type 2 diabetes. *Diabetes/Metabolism Research Reviews* 2001;17:459-466.

Schiff M: Emerging treatments for rheumatoid arthritis. *American Journal of Medicine* 1997;102:11S-15S.

Schmidt LE, Arfken CL, Heins JM: Evaluation of nutrient intake in subjects with non-insulin-dependent diabetes mellitus. *Journal of the American Dietetic Association* 1994;94:773-774.

Schwab U, Uusitupa M, Karhapaa P, et al: Effects of two fat-modified diets on glucose and lipid metabolism in healthy subjects. *Dietary lipids and insulin action Second International Smolenice Insulin Symposium* 1:279-280.

Schwarz JM, Linfoot P, Dare D, Aghajanian K: Hepatic de novo lipogenesis in normoinsulinemic and hyperinsulinemic subjects consuming high-fat, low-carbohydrate and low-fat, high-carbohydrate isoenergetic diets. *American Journal of Clinical Nutrition* 2003;77:43-50.

Schwingshandl J, Rippel S, Unterluggauer M, Borkenstein M: Effect of the introduction of dietary sucrose on metabolic control in children and adolescents with type I diabetes. *Acta Diabetologica* 1994;31:205-209.

Seigneur M, Freyburger G, Gin H, et al: Serum fatty acid profiles in type I and type II diabetes: metabolic alterations of fatty acids of the main serum lipids. *Diabetes Research & Clinical Practice* 1994;23:169-177.

Shanahan F: Probiotics: Science or snake oil? *Clinical Perspectives in Gastroenterology* 2001;4:47-50.

Shoda R, Matsueda K, Yamato S, Umeda N, Shanahan F: Epidemiologic analysis of Crohn disease in Japan: increased dietary intake of n-6 polyunsaturated fatty acids and animal protein relates to the increased incidence of Crohn disease in Japan. *American Journal of Clinical Nutrition* 1996;63:741-745.

Sidery MB, Gallen IW, Macdonald IA: The initial physiological responses to glucose ingestion in normal subjects are modified by a 3 d high-fat diet. *British Journal of Nutrition* 1990; 64:705-713.

Sidossis LS, Stuart CA, Shulman GI, Lopaschuk GD, Wolfe RR: Glucose plus insulin regulate fat oxidation by controlling the rate of fatty acid entry into the mitochondria. *Journal of Clinical Investigation* 1996;28:

Siguel EN, Lerman RH: Prevalence of essential fatty acid deficiency in patients with chronic gastrointestinal disorders. *Metabolism: Clinical & Experimental* 1996;45:12-23.

Sileghem A: Intranasal calcitonin for the prevention of bone erosion and bone loss in rheumatoid arthritis. *Annals of the Rheumatic Diseases* 1992;51:761-764.

Simopoulos AP: Is insulin resistance influenced by dietary linoleic acid and trans fatty acids? *Free Radical Biology & Medicine* 1994;17:367-372.

Singer P, Gnauck G, Honigmann G, Schliack V: Fatty acid pattern of the triglycerides in severe diabetic macroangiopathy. *Deutsche Gesundheitswesen* 1978;33:2179-2183.

- Singer P, Gnauck G, Honigmann G, Schliack V, Laeuter J: The fatty acid composition of triglycerides in arteries, depot fat and serum of amputated diabetics. *Atherosclerosis* 1977;28:87-92.
- Singer P, Honigmann G, Buntrock P, Schliack V: Eicosapentaenoic acid in liver, serum and adipose tissue triglycerides in relation to the form of fatty liver in diabetics. *Deutsche Gesundheitswesen* 1981;36:1264-1272.
- Singer P, Honigmann G, Schliack V: Fatty infiltration of the liver and fatty acid composition of the liver and adipose tissue triglycerides in diabetics without or with arterial hypertension. *Deutsche Gesundheitswesen* 1981;36:1693-1699.
- Singer P, Honigmann G, Schliack V: Negative correlation of eicosapentaenoic acid and lipid accumulation in hepatocytes of diabetics. *Biomedica Biochimica Acta* 1984;43:S438-S442
- Smedman A, Vessby B: Conjugated linoleic acid supplementation in humans - Metabolic effects. *Lipids* 2001;36:773-781.
- Smith U: Carbohydrates, fat, and insulin action. *American Journal of Clinical Nutrition* 1994;59:686S-689S.
- Soriguer F, Serna S, Valverde E, et al: Lipid, protein, and calorie content of different Atlantic and Mediterranean fish, shellfish, and molluscs commonly eaten in the south of Spain. *European Journal of Epidemiology* 1997;13:451-463.
- Staprans I, Pan XianMang Hardman DA, Feingold KR , Pan XM: Effect of oxidized lipids in the diet on oxidized lipid levels in postprandial serum chylomicrons of diabetic patients. *Diabetes Care* 1999;22:300-306.
- Stojceva-Tanева O, Polenakovic M, Grozdanovski R , Sikole A: Lipids, protein intake, and progression of diabetic nephropathy. *Nephrology Dialysis Transplantation* 2001;16:90-91.
- Storlien LH, Hulbert AJ, Else PL: Polyunsaturated fatty acids, membrane function and metabolic diseases such as diabetes and obesity. *Current Opinion in Clinical Nutrition and Metabolic Care* 1998;46:
- Strain GW, Champagne C, Roman SH: An ethnic comparison of nutritional patterns and health habits in elderly patients with diabetes. *Journal of Nutrition for the Elderly* 1998;18:37-47.
- Straznicky NE, Barrington VE, Branley P, Louis WJ: A study of the interactive effects of oral contraceptive use and dietary fat intake on blood pressure, cardiovascular reactivity and glucose tolerance in normotensive women. *Journal of Hypertension* 1998;16:357-368.
- Sukumar P, Loo A, Magur E, Nandi J, Oler A, Levine RA: Dietary supplementation of nucleotides and arginine promotes healing of small bowel ulcers in experimental ulcerative ileitis. *Digestive Diseases and Sciences* 1997;42:1530-1536.
- Suryaprabha P, Das UN, Ramesh G, Kumar KV, Kumar GS: Reactive oxygen species, lipid peroxides and essential fatty acids in patients with rheumatoid arthritis and systemic lupus erythematosus. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1991;43:251-255.
- Swinburn BA, Metcalf PA, Ley SJ: Long-term (5-year) effects of a reduced-fat diet intervention in individuals with glucose intolerance. *Diabetes Care* 2001;24:619-624.
- Takayasu K, Tada T, Okada F, Yoshikawa I: Human plasma fatty acid composition: the features of hyperlipoproteinemia and the influence of -linolenate and clofibrate. *Japanese Circulation Journal* 1971;35:1059-1069.
- Teahon K, Venkatesan S: Fatty acid profile of plasma lipids from patients with Crohn's disease before and after 4 weeks on elemental diet ([double prime] 0 28 [double prime] or [double prime] Vivonex [double prime]). *Biochemical Society Transactions* 1991;19:322S-
- Theander E, Horrobin D, Jacobsson L, Manthorpe R: Gammalinolenic acid treatment of fatigue associated with primary sjogren's syndrome. *Scandinavian Journal of Rheumatology* 2002;31:72-79.

- Thomsen C, Rasmussen OW, Hansen KW, Vesterlund M, Hermansen K: Comparison of the effects on the diurnal blood pressure, glucose, and lipid levels of a diet rich in monounsaturated fatty acids with a diet rich in polyunsaturated fatty acids in type 2 diabetic subjects. *Diabetic Medicine* 1995;12:600-606.
- Tilvis RS, Miettinen TA: Fatty acid compositions of serum lipids, erythrocytes, and platelets in insulin-dependent diabetic women. *Journal of Clinical Endocrinology & Metabolism* 1985;61:741-745.
- Tilvis RS, Taskinen MR, Miettinen TA: Effect of insulin treatment on fatty acids of plasma and erythrocyte membrane lipids in type 2 diabetes. *Clinica Chimica Acta* 1988;171:293-303.
- Tinahones FJ, Pareja A, Soriguer F, Gomez Zumaquero JM, Esteva I: Metabolic effects of a diet deficient in essential fatty acids. *Diabetes, Nutrition and Metabolism* 1998;11:325-329.
- Toeller M, Klisch A, Heitkamp G, et al: Nutritional intake of 2868 IDDM patients from 30 centres in Europe. EURODIAB IDDM Complications Study Group. *Diabetologia* 1996;39:929-939.
- Torrioli E, Citti C, Picchi L: Clinical and therapeutic studies of synthetic salmon calcitonin in some osteopathies. *Clinica Terapeutica*. 1982;123-129.
- Traianedes K, Collier GR, O'Dea K: Ingestion of different types of fat in the evening meal does not affect metabolic responses to a standard breakfast. *American Journal of Clinical Nutrition* 1990;52:442-445.
- Trichopoulou A, Georgiou E, Bassiakos Y, et al: Energy intake and monounsaturated fat in relation to bone mineral density among women and men in Greece. *Preventive Medicine* 1997;26:395-400.
- Tsihlias EB, Gibbs AL, McBurney MI, Wolever TM: Comparison of high- and low-glycemic-index breakfast cereals with monounsaturated fat in the long-term dietary management of type 2 diabetes. *American Journal of Clinical Nutrition* 2000;72:439-449.
- Tuna N, Frankhauser S, Goetz FC: Total serum fatty acids in diabetes: relative and absolute concentrations of individual fatty acids. *American Journal of the Medical Sciences* 1968;255:120-131.
- Tuomilehto J, Lindstrom J, Eriksson JG: Changes in diet and physical activity prevented type 2 diabetes mellitus in people with impaired glucose tolerance. *Evidence Based Medicine* 2001;6:176-
- Tuomilehto J, Lindstrom J, Eriksson JG, et al: Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. *New England Journal of Medicine* 2001;344:1343-1350.
- Uccella R, Contini A, Sartorio M: Action of evening primrose oil on cardiovascular risk factors in insulin-dependent diabetics. *Clinica Terapeutica* 1989;129:381-388.
- Uesugi T, Fukui Y, Yamori Y: Beneficial effects of soybean isoflavone supplementation on bone metabolism and serum lipids in postmenopausal Japanese women: a four-week study. *Journal of the American College of Nutrition*. 2002;21:97-102.
- Uusitupa M, Schwab U, Makimattila S, et al: Effects of two high-fat diets with different fatty acid compositions on glucose and lipid metabolism in healthy young women. *American Journal of Clinical Nutrition* 1994;59:1310-1316.
- van Doormaal JJ, Idema IG, Muskiet FA, Martini IA, Doorenbos H: Effects of short-term high dose intake of evening primrose oil on plasma and cellular fatty acid compositions, alpha-tocopherol levels, and erythropoiesis in normal and type 1 (insulin-dependent) diabetic men. *Diabetologia* 1988;31:576-584.
- van Doormaal JJ, Muskiet FA, van Ballegooie E, Sluiter WJ, Doorenbos H: The plasma and erythrocyte fatty acid composition of poorly controlled, insulin-dependent (type I) diabetic patients and the effect of improved metabolic control. *Clinica Chimica Acta* 1984;144:203-212.
- van Epps-Fung M, Williford J, Wells A, Hardy RW: Fatty acid-induced insulin resistance in adipocytes. *Endocrinology Philadelphia* 1997;138:4338-4345.
- van Oostrom AJ, Cabezas MC, Rabelink TJ: Insulin resistance and vessel endothelial function. *Journal of the Royal Society of Medicine* 2002;95:S61

- Vassilopoulos D, Zurier R, Rossetti R, Tsokos G: Gammalinolenic acid and dihomogammalinolenic acid suppress the CD3mediated signal transduction pathway in human T cells. *Clinical Immunology & Immunopathology* 1997;83:237-244.
- Vazquez IM, Millen B, Bissett L, Levenson SM, Chipkin SR: Buena Alimentacion, Buena Salud: A preventive nutrition intervention in Caribbean Latinos with type 2 diabetes. *American Journal of Health Promotion* 1998;13:116-119.
- Vessby B, Aro A, Skarfors E, Berglund L, Salminen I, Lithell H: The risk to develop NIDDM is related to the fatty acid composition of the serum cholesterol esters. *Diabetes* 1994;43:1353-1357.
- Vessby B, Unsitupa M, Hermansen K, et al: Substituting dietary saturated for monounsaturated fat impairs insulin sensitivity in healthy men and women: The KANWU Study. *Diabetologia* 2001;44:312-319.
- Wahrburg U, Kratz M, Cullen P: Mediterranean diet, olive oil and health. *European Journal of Lipid Science and Technology* 2002;104:698-705.
- Walker KZ, O' Dea K: Is a low fat diet the optimal way to cut energy intake over the long term in overweight people? *Nutrition Metabolism and Cardiovascular Diseases* 2001;
- Walker KZ, O'Dea K, Nicholson GC, Muir JG: Dietary composition, body weight, and NIDDM: Comparison of high-fiber, high-carbohydrate, and modified-fat diets. *Diabetes Care* 1995;18:401-403.
- Wallace AJ, Sutherland WHF, Mann JI, Williams SM: The effect of meals rich in thermally stressed olive and safflower oils on postprandial serum paraoxonase activity in patients with diabetes. *European Journal of Clinical Nutrition* 2001;55:951-958.
- Wallace DJ: Systemic lupus erythematosus and Sjogren's syndrome. *Current Opinion in Rheumatology* 1994;6:459-460.
- Watson J, Byars ML, McGill P, Kelman AW: Cytokine and prostaglandin production by monocytes of volunteers and rheumatoid arthritis patients treated with dietary supplements of blackcurrant seed oil. *British Journal of Rheumatology* 1993;32:1055-1058.
- Watts GF: Coronary disease, dyslipidaemia and clinical trials in type 2 diabetes mellitus. *Practical Diabetes International* 2000;17:54-59.
- Welch IM, Bruce C, Hill SE, Read NW: Duodenal and ileal lipid suppresses postprandial blood glucose and insulin responses in man: possible implications for the dietary management of diabetes mellitus. *Clinical Science* 1987;72:209-216.
- West KM: Diet therapy of diabetes: an analysis of failure. *Annals of Internal Medicine* 1973;79:425-434.
- Williams DEM, Prevost AT, Whichelow MJ, Cox BD, Day NE, Wareham NJ: A cross-sectional study of dietary patterns with glucose intolerance and other features of the metabolic syndrome. *British Journal of Nutrition* 2000;83:257-266.
- Williams WV, Rosenbaum H, Zurier RB: Effects of unsaturated fatty acids on expression of early response genes in human T lymphocytes. *Pathobiology* 1996;64:27-31.
- Wing RR, Marcus MD, Salata R, Epstein LH, Miaskiewicz S, Elaine HB: Effects of a very-low-calorie diet on long-term glycemic control in obese type 2 diabetic subjects. *Archives of Internal Medicine* 1991;151:1334-1340.
- Wolever TMS, Mehling C: High-carbohydrate-low-glycaemic index dietary advice improves glucose disposition index in subjects with impaired glucose tolerance. *British Journal of Nutrition* 2002;87:477-487.
- Wuesten O, Balz CH, Kloer HU, Bretzel RG, Linn T: Enhancement of beta-cell sensitivity to glucose by oral fat load. *Hormone & Metabolic Research* 2001;33:548-553.
- Wyatt RJ, Hogg RJ: Evidence-based assessment of treatment options for children with IgA nephropathies. *Pediatric Nephrology* 2001;16:156-167.
- Yamamoto K, Asakawa H, Tokunaga K, et al: Long-term ingestion of dietary diacylglycerol lowers serum triacylglycerol in type II diabetic patients with hypertriglyceridemia. *Journal of Nutrition* 2001;131:3204-3207.

Yaqoob P, Knapper JA, Webb DH, Williams CM, Newsholme EA, Calder PC: Effect of olive oil on immune function in middle-aged men. *American Journal of Clinical Nutrition* 1998;67:129-135.

Young TK, Gerrard JM, O'Neil JD: Plasma phospholipid fatty acids in the central Canadian arctic: biocultural explanations for ethnic differences. *American Journal of Physical Anthropology* 1999;109:9-18.

Zock PL, Mensink RP, Harryvan J, De Vries JHM, Katan MB: Fatty acids in serum cholesterol esters as quantitative biomarkers of dietary intake in humans. *American Journal of Epidemiology* 1997;145:1114-1122.

Rejected Population

Bonnema SJ, Jespersen LT, Marving J, Gregersen G: Supplementation with olive oil rather than fish oil increases small arterial compliance in diabetic patients. *Diabetes, Nutrition & Metabolism - Clinical & Experimental* 1995;8:81-87.

Cameron NE, Cotter MA: Effects of antioxidants on nerve and vascular dysfunction in experimental diabetes. *Diabetes Research & Clinical Practice* 1999;45:137-146.

Cathcart E, Gonnerman WA: Fish oil fatty acids and experimental arthritis. *Rheum Dis Clin North Am* 1991;17:235-42.

Clandinin MT, Cheema S, Field CJ, Baracos VE: Dietary lipids influence insulin action. *Annals of the New York Academy of Sciences* 1993;683:151-163.

Edrees GMF, Othman AB, Amer MA: Influence of zinc supplementation and soybean feeding in controlling some diabetic disorders. *Egyptian Journal of Food Science* 1991;20 ref.:1-2, 217.

Field CJ, Goruk SD, Wierzbicki AA, Clandinin MT: The effect of dietary fat content and composition on adipocyte lipids in normal and diabetic states. *International Journal of Obesity* 1989;13:747-756.

Gerbi A, Maixent JM, Barbey O, et al: Neuroprotective effect of fish oil in diabetic neuropathy. *Lipids* 1999;7:

Haines AP, Sanders TA, Imeson JD, et al: Effects of a fish oil supplement on platelet function, haemostatic variables and albuminuria in insulin-dependent diabetics. *Thrombosis Research* 1986;43:643-655.

Lungerhausen YK, Howe PRC, Clifton PM, et al: Evaluation of an omega-3 fatty acid supplement in diabetics with microalbuminuria. *Annals of the New York Academy of Sciences* 1997;827:369-381.

Mori TA, Vandongen R, Masarei JR, Rouse IL, Dunbar D: Comparison of diets supplemented with fish oil or olive oil on plasma lipoproteins in insulin-dependent diabetics. *Metabolism: Clinical & Experimental* 1991;40:241-246.

Ogborn MR, Nitschmann E, Bankovic -Calic N, Weiler HA, Aukema H: Dietary flax oil reduces renal injury, oxidized LDL content, and tissue n-6/n-3 FA ratio in experimental polycystic kidney disease. *Lipids* 2002;37:1059-65.

Ohtake T, Kimura M, Takemura H, Hishida A: Effects of dietary lipids on daunomycin-induced nephropathy in mice: comparison between cod liver oil and soybean oil. *Lipids* 2002;4:

Reifen R: Nutrition and autoimmunity. *Israel Journal of Medical Sciences* 1997;33:269-272.

Robinson DR, Knoell CT, Urakaze M, et al: Suppression of autoimmune disease by omega-3 fatty acids. *Biochemical Society Transactions* 1995;23:287-291.

Robinson DXL, Tateno S, Guo M, Colvin R: Suppression of autoimmune disease by dietary n-3 fatty acids. *Journal of Lipid Research* 1993;34:1435-1444.

Shohat J, Boner G: Role of lipids in the progression of renal disease in chronic renal failure: evidence from animal studies and pathogenesis. *Israel Journal of Medical Sciences* 1993;29:228-239.

Stiefel P, Ruiz-Gutierrez V, Gajon E, et al: Sodium transport kinetics, cell membrane lipid composition, neural conduction and metabolic control in type 1 diabetic patients. Changes after a low-dose n-3 fatty acid dietary intervention. *Annals of Nutrition & Metabolism* 1999;43:113-120.

Tariq T, Close C, Dodds R, Viberti GC, Lee T, Vergani D: The effect of fish-oil on the remission of type 1 (insulin-dependent) diabetes in newly diagnosed patients. *Diabetologia* 1989;32:765-

Thaiss F, Schoeppe W, Germann P, Stahl RAK: Dietary fish oil intake: effects on glomerular prostanoid formation, hemodynamics, and proteinuria in nephrotoxic serum nephritis. *Journal of Laboratory and Clinical Medicine* 1990;33 ref.:

Watkins B, Lippman H, Le Bouteiller L, Li Y, Seifert M: Bioactive fatty acids: role in bone biology and bone cell function. *Progress in Lipid Research*. 2001;40:125-148.

Weise WJ, Natori Y, Levine JS, et al: Fish oil has protective and therapeutic effects on proteinuria in passive Heymann nephritis. *Kidney International* 1993;48:

Yagasaki K: Evaluation of therapeutic potential of dietary manipulations and food factors against nephritis and cancer by in vivo and in vitro disease models. *Nippon Eiyo Shokuryo Gakkaishi = Journal of the Japanese Society of Nutrition and Food Science* 2000;45:

Rejected Study Design Descriptive

AnonymousII. International conference on the health effects of omega-3 polyunsaturated fatty acids in seafoods. *Zeitschrift fur Arztliche Fortbildung* 1991;85:196-

AnonymousInflammatory bowel diseases. *Medecine et Chirurgie Digestives* 1991;20:365-371.

AnonymousSomething fishy for them joints? *Hospitals & Health Networks* 1995;69:12-

American Diabetes Association: Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications. *Journal of the American Dietetic Association* 2002;7:

Ballou SP: Systemic lupus erythematosus. Controversies in management. *Postgraduate Medicine* 1987;81:157-164.

Barth C: Prognostic risk factors as an indication for the early treatment of IgA nephritis. *Deutsche Medizinische Wochenschrift* 2000;125:1009-

Benedek T: Treatment of systemic lupus erythematosus: from cod-liver oil to cyclosporin. *Lancet*. 1998;352:901-902.

Cotton P: New approaches may aid patients with inflammatory bowel disease. *JAMA* 1990;263:3121-3122.

Daniel H, Metzger B: The pathogenesis and therapy of chronic inflammatory bowel diseases. *Deutsche Apotheker Zeitung* 1990;130:2461-2468.

Das UN: Insulin resistance and hyperinsulinaemia: Are they secondary to an alteration in the metabolism of essential fatty acids? *Medical Science Research* 1994;22:243-245.

Donadio JV, Bergstrahl EJ, Offord KP, Holley KE, Spencer DC: Clinical and histopathologic associations with impaired renal function in IgA nephropathy. Mayo Nephrology Collaborative Group. *Clinical Nephrology* 1994;41:65-71.

Ernst E: Complementary/alternative medicine in rheumatology-between negligence, ignorance and arrogance. *Osteoarthritis & Cartilage* 2002;10:671-672.

Funk C: Current drug therapy of colitis. *Ars Medici* 1990;80:466-473.

Gassull MA: Polyunsaturated fatty acids in inflammatory bowel diseases. *Pediatrica* 1997;17:75-76.

Harrison R, Harrison B, Volker D, Garg M: Fish oils are beneficial to patients with established rheumatoid arthritis. *Journal of Rheumatology* 2001;28:2563-2565.

Hart F, Karmali R, Birtwistle S, McEwen L: Dietary fatty acids and rheumatoid arthritis. *Lancet* 1985;1:699-700.

Hogg RJ: A randomized, placebo-controlled, multicenter trial evaluating alternate-day prednisone and fish oil supplements in young patients with immunoglobulin A nephropathy. *American Journal of Kidney Diseases* 1995;26:792-796.

Howard WJ: Is it time for a clinical trial of dietary fish oil supplementation in individuals with NIDDM? *Annals of the New York Academy of Sciences* 1993;683:341-342.

Korelitz BI, Stenson WF, Cort D, et al: Fish oil supplementation in ulcerative colitis. *Deutsche Medizinische Wochenschrift* 1993;118:925-

Kremer J: Omega-3 fatty acids in rheumatoid arthritis. *Delaware Medical Journal* 1988;679-681.

Kromhout D and Feskens EJ: Nutrition and diabetes: the role of fat. *Acta Cardiologica* 1993;48:444-445.

Lauritzen K, Fabeck B, Bager S, Larsen C: Fish oil. *Ugeskrift for Laeger* 2002;164:1062-1063.

Lorenz-Meyer H, Purmann J, Scheurlen C, et al: Ergebnisse der Studie zur Erhaltung der Remission bei Morbus Crohn mit o-3 FS bzw. einer kohlenhydratarmen Kost. *Z Gastroenterol* 1992;30:654

Luostarinen R, Wallin R, Wibell L, Saldeen T: Vitamin E supplementation counteracts the fish oil-induced increase of blood glucose in humans. *Nutrition Research* 1995;15:953-968.

Petrie KJ, Cundy T: Alternative medicine recommendations to patients with Type 2 diabetes visiting health product shops and pharmacies. *Diabetic Medicine* 2002;19:1035-

Shanahan F, Targan S: Medical treatment of inflammatory bowel disease. *Annual Review of Medicine* 1992;43:125-133.

Siguel E: Low- and high-fat, peptide-based diets in adolescents with active Crohn's disease. *Journal of Parenteral & Enteral Nutrition* 1997;21:304-

Singer P: Third International Congress on Essential Fatty Acids and Eicosanoids. *Aktuelle Ernährungsmedizin Klinik und Praxis* 1992;17:244-245.

Stotland BR, Cirigliano MD, Lichtenstein GR: Medical therapies for inflammatory bowel disease. *Hospital Practice* 1998;33:141-168.

Rejected Study Design Review/Meta-Analysis

Anonymous Fish oil. *Alternative Medicine Review* 2000;5:576-580.

Anonymous Fish oil supplements. *Geneesmiddelenbulletin* 1999;33:37-42.

Anonymous Fish oils in rheumatoid arthritis. *Lancet* 1987;2:720-721.

Anonymous Minerva. *BMJ* 1996;312:322-

Anonymous Nonspecific immunosuppressive therapies still the mainstay for SLE. *Drugs & Therapy Perspectives* 1996;8:5-9.

Adam O: Anti-inflammatory diet in rheumatic diseases. *European Journal of Clinical Nutrition* 1995;49:703-717.

Adam O: Nutrition and immun system: Rheumatism. *Aktuelle Ernährungsmedizin* 2002;27:245-249.

Alarcon de la Lastra Barranco M, Motilva V, Herrerias J: Mediterranean diet and health: Biological importance of olive oil. *Current Pharmaceutical Design* 2001;7:933-950.

Albertazzi P, Coupland K: Polyunsaturated fatty acids. Is there a role in postmenopausal osteoporosis prevention? *Maturitas*. 2002;42:13-22.

Alexander J: Immunonutrition: The role of omega-3 fatty acids. *Nutrition* 1998;14:627-633.

Anderson JW, Smith BM, Washnock CS: Cardiovascular and renal benefits of dry bean and soybean intake. *American Journal of Clinical Nutrition* 1999;70:464S-474S.

Andreani D, Di Mario U, Pozzilli P: Prediction, prevention, and early intervention in insulin-dependent diabetes. *Diabetes-Metabolism Reviews* 1991;7:61-77.

Angelin B, Palmblad J: Fish liver oil instead of pharmaceuticals? *Lakartidningen* 1988;

Ariza-Ariza R, Mestanza-Peralta M, Cardiel M: Omega-3 fatty acids in rheumatoid arthritis: An overview. *Seminars in Arthritis & Rheumatism* 1998;27:366-370.

Axelrod L: Omega-3 fatty acids in diabetes mellitus. Gift from the sea? *Diabetes* 1989;38:539-543.

Bagdade JD: HDL and reverse cholesterol transport in diabetes. *Diabetes Reviews* 1997;5:392-409.

Barre D: Potential of evening primrose, borage, black currant, and fungal oils in human health. *Annals of Nutrition and Metabolism* 2001;45:47-57.

Barrett PH, Watts GF: HDL kinetics, fish oils and diabetes. *Atherosclerosis* 2001;159:243-244.

Barrett PH, Watts GF: Kinetic studies of lipoprotein metabolism in the metabolic syndrome including effects of nutritional interventions. *Current Opinion in Lipidology* 2003;14:61-68.

Bates EJ: Eicosanoids, fatty acids and neutrophils: Their relevance to the pathophysiology of disease. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1995;53:75-86.

Belaiche J, Louis E: Management of postoperative Crohn's disease recurrence. *Acta Endoscopica* 1999;29:253-262.

Belch J: Fish oil and rheumatoid arthritis: Does a herring a day keep rheumatologists away? *Annals of the Rheumatic Diseases* 1990;49:71-72.

Belch JJF: Is there a role for natural remedies in rheumatoid arthritis? *Scottish Medical Journal* 1992;37:100-102.

Belluzzi A: N-3 and n-6 fatty acids for the treatment of autoimmune diseases. *European Journal of Lipid Science and Technology* 2001;103:399-407.

Belluzzi A: N-3 fatty acids for the treatment of inflammatory bowel diseases. *Proceedings of the Nutrition Society* 2002;61:391-395.

Belluzzi A, Boschi S, Brignola C, Munarini A, Cariani G, Miglio F: Polyunsaturated fatty acids and inflammatory bowel disease. *American Journal of Clinical Nutrition* 2000;71:339S-342S.

- Belluzzi A, Boschi S, Miglio F, et al: Long-chain fatty acids for the treatment of inflammatory bowel disease. *Essential fatty acids and eicosanoids: invited papers from the Fourth International Congress, Edinburgh, Scotland, UK, July 20-24, 1997* 1998;30:
- Belluzzi A, Miglio F: n-3 Fatty acids in the treatment of Crohn's Disease. *Medicinal Fatty Acids in Inflammation* 1998;91-101.
- Berry EM: Dietary fatty acids in the management of diabetes mellitus. *American Journal of Clinical Nutrition* 1997;66:991S-997S.
- Berry EM: Who's afraid of n-6 polyunsaturated fatty acids? Methodological considerations for assessing whether they are harmful. *Nutrition Metabolism & Cardiovascular Diseases* 2001;11:181-188.
- Best JD, O'Neal DN: Diabetic dyslipidaemia: Current treatment recommendations. *Drugs* 2000;59:1101-1111.
- Bickston SJ, Cominelli F: Inflammatory Bowel disease: Short- and long-term treatments. *Disease-a-Month* 1998;44:144-172.
- Bickston SJ, Cominelli F: Recent developments in the medical therapy of inflammatory bowel disease. *Current Opinion in Gastroenterology* 1998;14:6-10.
- Bilo HJ, Gans RO: Fish oil: a panacea? *Biomedicine & Pharmacotherapy* 1990;44:169-174.
- Bilo HJ, Homan van der Heide JJ, Gans RO, Donker AJ: Omega-3 polyunsaturated fatty acids in chronic renal insufficiency. *Nephron* 1991;57:385-393.
- Blok W, Katan M, Van der Meer J: Modulation of inflammation and cytokine production by dietary (n-3) fatty acids. *Journal of Nutrition* 1996;126:1515-1533.
- Boucher BJ: Inadequate vitamin D status: Does it contribute to the disorders comprising syndrome 'X'? *British Journal of Nutrition* 1998;79:315-327.
- Buchanan HM, Preston SJ, Brooks PM, Buchanan WW: Is diet important in rheumatoid arthritis? *British Journal of Rheumatology* 1991;30:125-134.
- Burke A, Lichtenstein GR, Rombeau JL: Nutrition and ulcerative colitis. *Baillieres Clinical Gastroenterology* 1997;11:153-174.
- Cabre E, Gassull MA: Nutrition in inflammatory bowel disease: Impact on disease and therapy. *Current Opinion in Gastroenterology* 2001;17:342-349.
- Cabre Gelada I, Esteve Comas I: Polysaturated fatty acids and their metabolites in chronic inflammatory bowel disease. *Gastroenterología y Hepatología* 1995;18:515-525.
- Calder J, Issenman R, Cawdron R: Health information provided by retail health food outlets. *Canadian Journal of Gastroenterology* 2000;14:767-771.
- Calder PC: Polyunsaturated fatty acids, inflammation, and immunity. *Lipids* 2001;36:1007-1024.
- Calder P: Dietary fatty acids and the immune system. *Lipids* 1999;34:S137-S140
- Calder P: Dietary modification of inflammation with lipids. *Proceedings of the Nutrition Society* 2002;61:345-358.
- Calder P: n-3 polyunsaturated fatty acids and cytokine production in health and disease. *Annals of Nutrition & Metabolism* 1997;41:203-234.
- Calder P: N-3 polyunsaturated fatty acids, inflammation and immunity: Pouring oil on troubled waters or another fishy tale? *Nutrition Research* 2001;21:309-341.
- Calder PC, Yaqoob P, Thies F, Wallace FA, Miles EA: Fatty acids and lymphocyte functions. *British Journal of Nutrition* 2002;87:S31-S48
- Calder P, Zurier R: Polyunsaturated fatty acids and rheumatoid arthritis. *Current Opinion in Clinical Nutrition & Metabolic Care* 2001;4:115-121.
- Callegari PE, Zurier RB: Botanical lipids: potential role in modulation of immunologic responses and inflammatory reactions. *Rheumatic Diseases Clinics of North America* 1991;17:415-425.

- Campieri M, Gionchetti P, Belluzzi A, Brignola C, Miglioli M, Barbara L: Medical treatment of inflammatory bowel disease. *Current Opinion in Gastroenterology* 1992;8:663-675.
- Casellas F, Guarner F: Eicosanoids in inflammatory bowel disease. Therapeutic implications. *Clinical Immunotherapy* 1996;6:333-340.
- Cathcart ES, Gonnerman WA, Leslie CA, Hayes KC: Dietary n-3 fatty acids and arthritis. *Journal of Internal Medicine* Supplement 1989;225:217-223.
- Chowdhury MN: IgA nephropathy and fish oil. *Bangladesh Renal Journal* 2000;19:16-26.
- Clark W: Treatment of lupus nephritis: Immunosuppression, general therapy, dialysis and transplantation. *Clinical & Investigative Medicine* 1994;17:588-601.
- Clark WF, Parbtani A: Omega-3 fatty acid supplementation in clinical and experimental lupus nephritis. *American Journal of Kidney Diseases* 1994;23:644-647.
- Clarke SD: Polyunsaturated fatty acid regulation of gene transcription: a mechanism to improve energy balance and insulin resistance. *British Journal of Nutrition* 2000;83:S59-S66
- Cleland LG, Hill CL, James MJ: Diet and arthritis. *Baillieres Clinical Rheumatology* 1995;9:771-785.
- Cleland L, James M: Adulthood prevention: Rheumatoid arthritis. *Medical Journal of Australia* 2002;176:S119-S120
- Cleland L, James M: Fish oil and rheumatoid arthritis: Antiinflammatory and collateral health benefits. *Journal of Rheumatology* 2000;27:2305-2307.
- Cleland LG, James MJ: Rheumatoid arthritis and the balance of dietary N-6 and N-3 essential fatty acids. *British Journal of Rheumatology* 1997;36:513-515.
- Cole T, Hawkey CJ: New treatments in inflammatory bowel disease. *British Journal of Hospital Medicine* 1992;47:581-590.
- Collier GR, Sinclair AJ: Role of N-6 and N-3 fatty acids in the dietary treatment of metabolic disorders. *Annals of the New York Academy of Sciences* 1993;683:322-330.
- Connor WE: Diabetes, fish oil, and vascular disease. *Annals of Internal Medicine* 1995;123:950-952.
- Connor WE, DeFrancesco CA, Connor SL: N-3 fatty acids from fish oil. Effects on plasma lipoproteins and hypertriglyceridemic patients. *Annals of the New York Academy of Sciences* 1993;683:16-34.
- Cortot A, Desreumaux P: Crohn's disease: How to prevent a flare-up. *Drugs of Today* 1999;35:119-131.
- Cukier C, Waitzberg DL: Biological activity of fish oil. *Arquivos de Gastroenterologia*. 1996;173-178.
- D'Amico G: Treatment of IgA nephropathy: An overview. *Nephrology* 1997;3:S725-S730
- D'Haens G, Rutgeerts P: Maintenance and prophylactic therapy for Crohn's disease. *Current Opinion in Gastroenterology* 1997;13:312-316.
- Darlington LG: Dietary therapy for rheumatoid arthritis. *Clinical & Experimental Rheumatology* 1994;12:235-239.
- Darlington L: Do diets rich in polyunsaturated fatty acids affect disease activity in rheumatoid arthritis? *Annals of the Rheumatic Diseases* 1988;47:169-72.
- Darlington LG, Ramsey NW: Review of dietary therapy for rheumatoid arthritis. *British Journal of Rheumatology* 1993;32:507-514.
- Darlington LG, Ramsey NW: Review of dietary therapy for rheumatoid arthritis. *Comprehensive Therapy* 1994;20:490-494.
- Darlington L, Stone T: Antioxidants and fatty acids in the amelioration of rheumatoid arthritis and related disorders. *British Journal of Nutrition* 2001;85:251-269.
- Das U: Beneficial action(s) of eicosapentaenoic acid/docosahexaenoic acid and nitric oxide in systemic lupus erythematosus. *Medical Science Research* 1995;23:723-726.

Das UN: Beneficial effect(s) of n-3 fatty acids in cardiovascular diseases: but, why and how? *Prostaglandins Leukotrienes & Essential Fatty Acids* 2000;63:351-362.

Das U: Essential fatty acids: Biology and their clinical implications. *Asia Pacific Journal of Pharmacology* 1991;6:317-330.

Das UN: Essential fatty acids in health and disease. *Journal of the Association of Physicians of India*. 1999;47:906-911.

Das U: Hypothesis: can glucose-insulin-potassium regimen in combination with polyunsaturated fatty acids suppress lupus and other inflammatory conditions?

Prostaglandins, Leukotrienes and Essential Fatty Acids 2001;55:

Das U: Interaction(s) between essential fatty acids, eicosanoids, cytokines, growth factors and free radicals: Relevance to new therapeutic strategies in rheumatoid arthritis and other collagen vascular diseases. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1991;44:201-210.

Das UN: Interaction(s) between nutrients, essential fatty acids, eicosanoids, free radicals, nitric oxide, anti-oxidants and endothelium and their relationship to human essential hypertension. *Medical Science Research* 2000;28:75-83.

Das UN: The lipids that matter from infant nutrition to insulin resistance. *Prostaglandins Leukotrienes & Essential Fatty Acids* 2002;67:1-12.

Das UN: Nutritional factors in the pathobiology of human essential hypertension. *Nutrition* 2001;139:

Daviglus M, Sheeshka J, Murkin E: Health benefits from eating fish. *Comments on Toxicology* 2002;8:345-374.

de Caterina R: Omega 3 fatty acids in renal diseases. *World Review of Nutrition & Dietetics* 1994;76:137-142.

De Caterina R, Endres S, Kristensen SD, Schmidt EB: n-3 fatty acids and renal diseases. *American Journal of Kidney Diseases* 1994;24 :397-415.

De Leeuw IH: Is there a place for N-3 fatty acids in the treatment of diabetic patients? *Diabetes, Nutrition & Metabolism - Clinical & Experimental* 1991;4:149-153.

De Strihou CVY: Fish oil for IgA nephropathy? *New England Journal of Medicine* 1994;331:1227-1229.

Dean JD, Durrington PN: Treatment of dyslipoproteinemia in diabetes mellitus. *Diabetic Medicine* 1996;13:297-312.

DeLuca P, Rothman D, Zurier R: Marine and botanical lipids as immunomodulatory and therapeutic agents in the treatment of rheumatoid arthritis. *Rheumatic Disease Clinics of North America* 1995;21:759-777.

Dieleman LA, Heizer WD: Nutritional issues in inflammatory bowel disease. *Gastroenterology Clinics of North America* 1998;27:435-451.

Diethelm U: Nutrition and chronic polyarthritis. *Schweizerische Rundschau fur Medizin Praxis* 1993:359-363.

Dillon JJ: Fish oil therapy for IgA nephropathy: efficacy and interstudy variability. *Journal of the American Society of Nephrology* 1997;8:1739-1744.

Dillon JJ: Treating IgA nephropathy. *Journal of the American Society of Nephrology* 2001;12:846-847.

Donadio JV: n-3 Fatty acids and their role in nephrologic practice. *Current Opinion in Nephrology & Hypertension* 2001;10:639-642.

Donadio J: Omega-3 polyunsaturated fatty acids: a potential new treatment of immune renal disease. *Mayo Clinic Proceedings*. 1991;66:1018-1028.

Donadio JV: Use of fish oil to treat patients with immunoglobulin a nephropathy. *American Journal of Clinical Nutrition* 2000;71:5S

Donadio JV, Bergstrahl EJ, Grande JP, Rademcher DM: Proteinuria patterns and their association with subsequent end-stage renal disease in IgA nephropathy. *Nephrology Dialysis Transplantation* 2002;17:1197-1203.

Donadio JV, Grande JP: IgA nephropathy. *New England Journal of Medicine Online* 2002;347:738-748.

- Driss F, Dariset P, Lagarde M, et al: Polyunsaturated fatty acids: drug or food? *World Review of Nutrition & Dietetics* 1984;43:170-173.
- Empey LR, Fedorak RN: Prostaglandins in inflammatory bowel disease therapy. *Canadian Journal of Gastroenterology* 1993;7:173-178.
- Endres S, De Caterina R, Schmidt EB, Kristensen SD: n-3 Polyunsaturated fatty acids: Update 1995. *European Journal of Clinical Investigation* 1995;25:629-638.
- Endres S, Eisenhut T, Sinha B: n-3 polyunsaturated fatty acids in the regulation of human cytokine synthesis. *Biochemical Society Transactions*. 1995;27:277-281.
- Endres S, Lorenz R, Loeschke K: Lipid treatment of inflammatory bowel disease. *Current Opinion in Clinical Nutrition & Metabolic Care* 1999;2:117-120.
- Endres S, von Schacky C: n-3 polyunsaturated fatty acids and human cytokine synthesis. *Current Opinion in Lipidology* 1996;7:48-52.
- Ergas D, Eilat E, Mendlovic S, Sthoeger Z: n-3 fatty acids and the immune system in autoimmunity. *Israel Medical Association Journal: Imaj* 2002;4:34-38.
- Ernst E: Complementary and alternative medicine in rheumatology. *Best Practice & Research in Clinical Rheumatology* 2000;14:731-749.
- Ernst E , Chrubasik S: Phyto-anti-inflammatories: A systemic review of randomized, placebocontrolled, double-blind trials. *Rheumatic Disease Clinics of North America* 2000;26:13-27.
- Ernst E, Nielsen G, Schmidt E: Fish oils and rheumatoid arthritis. *Ugeskrift for Laeger* 1994;156:3490-3495.
- Esteve-Comas M, Gassull MA, Jeppesen PB, Hoy C-E, Mortensen PB: Abnormal fatty acid status in patients with Crohn disease. *American Journal of Clinical Nutrition* 2001;73:661-662.
- Farmer A, Montori V, Dinneen S, Clar C: Fish oil in people with type 2 diabetes mellitus. *Cochrane Database of Systematic Reviews* 2001;CD003205
- Farrell RJ, Peppercorn MA: Ulcerative colitis. *Lancet* 2002;359:331-340.
- Feehally J: Immunoglobulin A nephropathy: fish oils and beyond. [Review] [27 refs]. *Current Opinion in Nephrology & Hypertension* 1996;5:442-446.
- Fernandes G, Venkatraman J: Role of omega-3 fatty acids in health and disease. *Nutrition Research* 1993;13:S19-S45
- Feskens EJ, Kromhout D: Epidemiologic studies on Eskimos and fish intake. *Annals of the New York Academy of Sciences* 1993;683:9-15.
- Fisher SE: Nutritional therapy of chronic ulcerative colitis. *Journal of Pediatric Gastroenterology & Nutrition* 1993;16:224
- Fleming CR, Jeejeebhoy KN: Advances in clinical nutrition. *Gastroenterology* 1994;106:1365-1373.
- Floege J, Feehally J: IgA nephropathy: Recent developments. *Journal of the American Society of Nephrology* 2000;11:2395-2403.
- Floege J, Mertens P: Therapy of patients with IgA-nephropathy: a critical appraisal. *Kidney & Blood Pressure Research* 2000;23:207-209.
- Flynn MAT: Dietary fat and chronic diseases. *Bahrain Medical Bulletin* 1998;20:77-80.
- Fogazzi GB, Sheerin NS: IgA-associated renal diseases. *Current Opinion in Nephrology & Hypertension* 1996;5:134-140.
- Forbes A: Crohn's disease -- the role of nutritional therapy. *Alimentary Pharmacology and Therapeutics* 2002;
- Fortin P, Lew R, Liang M, et al: Validation of a meta-analysis: The effects of fish oil in rheumatoid arthritis. *Journal of Clinical Epidemiology* 1995;48:1379-1390.
- Franz MJ, Bantle JP, Beebe CA, et al: Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications. *Diabetes Care* 2002;25:148-198.
- Friedman AL: Etiology, pathophysiology, diagnosis, and management of chronic renal failure in children. *Current Opinion in Pediatrics* 1996;8:147-151.

- Friedman M, Brandon DL: Nutritional and health benefits of soy proteins. *Journal of Agricultural & Food Chemistry* 2001;49:1069-1086.
- Fung SM, Ferrill MJ, Norton LL: Fish oil therapy in IgA nephropathy. *Annals of Pharmacotherapy* 1997;31:112-115.
- Garg A: Treatment of diabetic dyslipidemia. *American Journal of Cardiology* 1998;81:47B-51B.
- Garg A, Grundy SM: Treating dyslipidemia in patients with non-insulin-dependent diabetes mellitus. *Cardiovascular Reviews & Reports* 1988;9:30-36+39.
- Gerster H: The use of n-3 PUFAs (fish oil) in enteral nutrition. *International Journal for Vitamin. & Nutrition Research* 1995;65:3-20.
- Geusens P: Lipoids: Omega-3-polyunsaturated fatty acids, their anti-inflammatory role, example of rheumatoid polyarthritis. *Nutrition Clinique et Métabolisme* 1996;10:33-34.
- Gibson RA: The effect of diets containing fish and fish oils on disease risk factors in humans. *Australian & New Zealand Journal of Medicine* 1988;18:713-722.
- Gil A: Polyunsaturated fatty acids and inflammatory diseases. *Biomedicine & Pharmacotherapy* 2002;56:388-396.
- Glasscock RJ: The treatment of IgA nephropathy: status at the end of the millenium. *Journal of Nephrology* 1999;12:288-296.
- Gorson DM, Tobin A, Stenson WF: Fish oil supplementation and ulcerative colitis. *Annals of Internal Medicine* 1992;117:535-536.
- Graham TO, Kandil HM: Nutritional factors in inflammatory bowel disease. *Gastroenterology Clinics of North America* 2002;31:203-218.
- Grande JP, Donadio JV: Role of dietary fish oil supplementation in IgA nephropathy. Mechanistic implications. *Minerva Urologica e Nefrologica* 2001;53:201-209.
- Grassi M, Raffa S, Damiani VC, Fontana M: Current orientation in medical management of ulcerative colitis. *Clinica Terapeutica* 1995;146:327-341.
- Griffiths AM: Inflammatory bowel disease. *Nutrition* 1998;14:788-791.
- Grimble RF: Modification of inflammatory aspects of immune function by nutrients. *Nutrition Research* 1998;18:1297-1317.
- Grimm H, Mayer K, Mayser P, Eigenbrodt E: Regulatory potential of n-3 fatty acids in immunological and inflammatory processes. *British Journal of Nutrition* 2002;87:S59-S67
- Harris WS: Dietary fish oil and blood lipids. *Current Opinion in Lipidology* 1996;7:3-7.
- Hawkey CJ, Mahida YR, Hawthorne AB: Therapeutic interventions in gastrointestinal disease based on an understanding of inflammatory mediators. *Agents & Actions* 1992;Spec:6
- Heine G, Sester U, Kohler H, et al: IgA nephropathy [3] (multiple letters). *New England Journal of Medicine* 2003;348:79-81.
- Heine RJ: Dietary fish oil and insulin action in humans. *Annals of the New York Academy of Sciences* 1993;683:110-121.
- Heller A, Koch T, Schmeck J, Van Ackern C: Lipid mediators in inflammatory disorders. *Drugs* 1998;55:487-496.
- Hitchens K: Managing inflammatory bowel disease. *American Druggist* 1997;214:58-65.
- Hodgson HJ: Keeping Crohn's disease quiet. *New England Journal of Medicine* 1996;334:1599-1600.
- Hogg RJ, Waldo B: Advances in treatment: immunoglobulin A nephropathy. *Seminars in Nephrology* 1996;16:511-516.
- Horrobin DF: Essential fatty acids and the complications of diabetes mellitus. *Wiener Klinische Wochenschrift* 1989;101:289-293.
- Horrobin D: Low prevalences of coronary heart disease (CHD), psoriasis, asthma and rheumatoid arthritis in Eskimos: are they caused by high dietary intake of eicosapentaenoic acid (EPA), a genetic variation of essential fatty acid (EFA) metabolism or a combination of. *Medical Hypotheses* 1987;26:

- Horrobin DF: The roles of essential fatty acids in the development of diabetic neuropathy and other complications of diabetes mellitus. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1988;31:181-197.
- Horrocks L, Keo Y: Health benefits of docosahexaenoic acid (DHA). *Pharmacological Research* 1999;40:211-225.
- Hu FB: The role of n-3 polyunsaturated fatty acids in the prevention and treatment of cardiovascular disease. *Drugs of Today* 2001;37:49-56.
- Hu FB, van Dam RM, Liu S: Diet and risk of Type II diabetes: the role of types of fat and carbohydrate. [Review] [111 refs]. *Diabetologia* 2001;44:805-817.
- Hubbard R, Mejia A, Horning M: The potential of diet to alter disease processes. *Nutrition Research* 1994;14:1853-1895.
- Hummell DS: Dietary lipids and immune function. *Progress in Food & Nutrition Science* 1993;17:287-329.
- Illingworth DR: N-3 fatty acids and prevention of atherosclerosis. *Diabetes, Nutrition & Metabolism - Clinical & Experimental* 1989;2:71-81.
- Ilowite NT: Hyperlipidemia and the rheumatic diseases. *Current Opinion in Rheumatology*. 1996;8:455-458.
- Imai E, Kawamura T: Current therapeutic strategies for IgA nephropathy. *Current Opinion in Cardiovascular, Pulmonary & Renal Investigational Drugs* 2000;2:330-338.
- Ioannou Y, Isenberg D: Current concepts for the management of systemic lupus erythematosus in adults: A therapeutic challenge. *Postgraduate Medical Journal* 2002;78:599-606.
- Isseroff R: Fish again for dinner! the role of fish and other dietary oils in the therapy of skin disease. *Journal of the American Academy of Dermatology* 1988;19:1073-80.
- James M, Cleland L: Dietary n-3 fatty acids and therapy for rheumatoid arthritis. *Seminars in Arthritis & Rheumatism* 1997;27:85-97.
- James MJ, Cleland LG, Gibson RA, Hawkes JS: Strategies for increasing the antiinflammatory effect of fish oil. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1991;44:123-126.
- James M, Gibson R, Cleland L: Dietary polyunsaturated fatty acids and inflammatory mediator production. *American Journal of Clinical Nutrition* 2000;71:343S-348S.
- Jensen T: Dietary supplementation with omega-3 fatty acids in insulin-dependent diabetes mellitus, in Simopoulos AP, Kifer RR, Martin RE, Barlow SM (eds): *Health effects of omega-3 polyunsaturated fatty acids in seafoods*. Basel, Karger, World Rev Nutr Diet; 1991:417-424.
- Jensen T: Dietary supplementation with omega 3 fatty acids in insulin-dependent diabetes mellitus. *World Review of Nutrition & Dietetics* 1991;66:417-424.
- Jorquera Plaza F, Espinel Diez J, Olcoz Goni JL: Inflammatory bowel disease: importance of nutrition today]. *Nutricion Hospitalaria* 1997;12:289-298.
- Julian BA: Treatment of IgA nephropathy. *Seminars in Nephrology* 2000;20:277-285.
- Julian BA, Bake AWL: Treatment options in IgA nephropathy. *Nephrology* 1997;3:103-108.
- Kasim SE: Dietary marine fish oils and insulin action in type 2 diabetes. *Annals of the New York Academy of Sciences* 1993;683:250-257.
- Katsilambros NL: Nutrition in diabetes mellitus. *Experimental & Clinical Endocrinology & Diabetes* 2001;109:8
- Katz S: Update in medical therapy in inflammatory bowel disease: A clinician's view. *Digestive Diseases* 1999;17:163-171.
- Kehn P, Fernandes G: The importance of omega-3 fatty acids in the attenuation of immune-mediated diseases. *Journal of Clinical Immunology* 2001;21:99-101.
- Kelly DG, Fleming CR: Nutritional considerations in inflammatory bowel diseases. *Gastroenterology Clinics of North America* 1995;24:597-611.

- Kelly GS: Insulin resistance: Lifestyle and nutritional interventions. *Alternative Medicine Review* 2000;5:109-132.
- Kettler D: Can manipulation of the ratios of essential fatty acids slow the rapid rate of postmenopausal bone loss? *Alternative Medicine Review* 2001;6:61-77.
- Kim YI: Can fish oil maintain Crohn's disease in remission? *Nutrition Reviews* 1996;54:248-252.
- Korelitz BI: Ulcerative colitis: Guidelines for optimal treatment. *Drug Therapy* 1993;23:43-44+47.
- Koretz RL: Maintaining remissions in Crohn's disease: a fat chance to please. *Gastroenterology* 1997;112:
- Korstanje M, Bilo H, Peltenburg H, Stoof T: Fish-oil; food or drug? *Nederlands Tijdschrift voor Geneeskunde* 1991;135:828-833.
- Kremer J: Clinical studies of omega-3 fatty acid supplementation in patients who have rheumatoid arthritis. *Rheumatic Disease Clinics of North America* 1991;17:391-402.
- Kremer J: Effects of modulation of inflammatory and immune parameters in patients with rheumatic and inflammatory disease receiving dietary supplementation of n-3 and n-6 fatty acids. *Lipids* 1996;31:S243-S247
- Kremer J: n-3 Fatty acid supplements in rheumatoid arthritis. *American Journal of Clinical Nutrition* 2000;71:349S-351S.
- Kremer JM, Robinson DR: Studies of dietary supplementation with omega-3 fatty acids in patients with rheumatoid arthritis, in Simopoulos AP, Kifer RR, Martin RE, Barlow SM (eds): *Health effects of omega-3 polyunsaturated fatty acids in seafoods*. Basel, Karger, World Rev Nutr Diet; 1991:367-382.
- Kubitschek J: Cardiovascular diseases: Fish oil improved arterial compliance in 20 patients with type II diabetes mellitus. *Deutsche Apotheker Zeitung* 1995;135:69-
- Kyriakopoulos A: Rheumatoid arthritis and fish oil. *Annals of Internal Medicine* 1987;941-
- Lackey VA, Noble TA: Omega-3 fatty acid supplementation in noninsulin-dependent diabetes. *DICP* 1990;24:258-260.
- Landgraf R: PUFA supplementation and hypertension in type 1 diabetes. *Annals of the New York Academy of Sciences* 1993;683:331-336.
- Larkin J: Alternative medicine and rheumatoid arthritis. *Rheumatology Review* 1994;3:61-71.
- Lau C, Gallacher C, Ross P, Belch J: Rheumatoid arthritis: Fish oil? or snake oil? *British Journal of Rheumatology* 1991;30:72-73.
- Le Goff P, Baron D, Youinou P: Effects of dietary modification with fatty acids in rheumatoid arthritis. *Rhumatologie* 1992;44:145-149.
- Lee T, Arm J: Benefits from oily fish. May help in coronary artery disease and several inflammatory conditions. *BMJ.British Medical Journal* 1988;297:1421-1422.
- Lefebvre PJ, Scheen AJ: Management of non-insulin-dependent diabetes mellitus. *Drugs* 1992;44:29-38.
- Lichenstein GR: Medical therapies for inflammatory bowel disease. *Current Opinion in Gastroenterology* 1994;10:390-403.
- Lichtenstein AH, Schwab US: Relationship of dietary fat to glucose metabolism. *Atherosclerosis* 2000;150:227-243.
- Lin C-Y: Treatment of IgA nephropathy. *Springer Seminars in Immunopathology* 1994;16:121-127.
- Ling S, Griffiths A: Nutrition in inflammatory bowel disease. *Current Opinion in Clinical Nutrition & Metabolic Care* 2000;3:339-344.
- Linn FV, Peppercorn MA: Drug therapy for inflammatory bowel disease: Part II. *American Journal of Surgery* 1992;164:178-185.
- Locatelli F, Pozzi C, Del Vecchio L, et al: New therapeutic approaches in primary IgA nephropathy. *Advances in Nephrology From the Necker Hospital* 1999;29:73-91.

- Lombard L, Augustyn MN, Ascott-Evans BH: The metabolic syndrome - Pathogenesis, clinical features and management. *Cardiovascular Journal of Southern Africa* 2002;13:181-186.
- Lorenz R, Loeschke K: Placebo-controlled trials of omega 3 fatty acids in chronic inflammatory bowel disease. *World Review of Nutrition & Dietetics* 1994;76:143-145.
- Malasanos TH, Stacpoole PW: Biological effects of omega-3 fatty acids in diabetes mellitus. *Diabetes Care* 1991;14:1160-1179.
- Mangge H, Hermann J, Schauenstein K: Diet and rheumatoid arthritis A review. *Scandinavian Journal of Rheumatology* 1999;28:201-209.
- Mazieres B, Cantagrel A: Rheumatoid arthritis. Modern treatments. *European Journal of Internal Medicine, Supplement* 1992;3:91-101.
- McCarthy GM, Kenny D: Dietary fish oil and rheumatic diseases. *Seminars in Arthritis & Rheumatism* 1992;21:368-375.
- McCarty MF: A central role for protein kinase C overactivity in diabetic glomerulosclerosis: implications for prevention with antioxidants, fish oil, and ACE inhibitors. *Medical Hypotheses* 1998;50:155-165.
- McCarty MF: Complementary measures for promoting insulin sensitivity in skeletal muscle. *Medical Hypotheses* 1998;51:451-464.
- McCarty M: Upregulation of lymphocyte apoptosis as a strategy for preventing and treating autoimmune disorders: a role for whole-food vegan diets, fish oil and dopamine agonists. *Medical Hypotheses* 2001;
- McCarty M, Russell A: Niacinamide therapy for osteoarthritis --does it inhibit nitric oxide synthase induction by interleukin 1 in chondrocytes? *Medical Hypotheses* 1999;350-360.
- McCowen KC, Pei Ra Ling Bistrian BR, Jeppesen PB , Hoy C-E, Mortensen PB: Arachidonic acid concentrations in patients with Crohn disease [1] (multiple letters). *American Journal of Clinical Nutrition* 2000;71:1008-1009.
- Meier R: Chronic inflammatory bowel diseases and nutrition. *Schweizerische Medizinische Wochenschrift - Supplementum* 1996;79:14S-24S.
- Meletis C, Bramwell B: Rheumatoid arthritis: Etiology and naturopathic treatments. *Alternative & Complementary Therapies* 2001;7:347-354.
- Meltzer E, Arber N: Inflammatory bowel disease - Current and future medical therapy. *Ceska a Slovenska Gastroenterologie* 2000;54:187-195.
- Mera SL: Diet and disease. *British Journal of Biomedical Science* 1994;51:189-206.
- Messina M: Legumes and soybeans: overview of their nutritional profiles and health effects. *American Journal of Clinical Nutrition*. 1999;70:450S
- Messina M: Soy foods and soybean isoflavones and menopausal health. *Nutrition in Clinical Care* 2002;5:272-82.
- Miller ML: Treatment of systemic lupus erythematosus in adults and children. *Current Opinion in Rheumatology* 1990;2:712-716.
- Milly Tand Simoncic R: Is fish oil supplementation (n-3 fatty acids) important for the diabetic? *Bratislavské Lekárske Listy* 1993;94:521-525.
- Montori VM, Farmer A, Wollan PC, Dinneen SF: Fish oil supplementation in type 2 diabetes: a quantitative systematic review. *Diabetes Care* 2000;23:1407-1415.
- Murch SH, Walker-Smith JA: Medical management of chronic inflammatory bowel disease. *Baillieres Clinical Gastroenterology* 1994;8:133-148.
- Murch SH, Walker-Smith JA: Nutrition in inflammatory bowel disease. *Baillieres Clinical Gastroenterology* 1998;12:719-738.
- Murphy NG , Zurier RB: Treatment of rheumatoid arthritis. *Current Opinion in Rheumatology* 1991;3:441-448.
- Murray F: Fish oils in rheumatoid arthritis. *Lancet* 1987;1157-1158.
- Mutanen M, Freese R: Fats, lipids and blood coagulation. *Current Opinion in Lipidology* 2001;12:25-29.

- Nestel PJ: Polyunsaturated fatty acids (n-3, n-6). *American Journal of Clinical Nutrition* 1987;45:1161-7.
- Nolin L, Courteau M: Management of IgA nephropathy: evidence-based recommendations. *Kidney International - Supplement* 1999;70:S56-S62
- Nosari I, Cortinovis F, Lepore G, Maglio ML, Pagani G: Utilization of omega-3 fatty acids in diabetic patients. [Italian]. *Clinica Terapeutica* 1994;144:213-221.
- O'Morain C, Tobin A, McColl T, Suzuki Y: Fish oil in the treatment of ulcerative colitis. *Canadian Journal of Gastroenterology* 1990;4:420-423.
- O'Morain CA: Nutritional therapy in ambulatory patients. *Digestive Diseases & Sciences* 1987;32:95S-99S.
- Okuyama H, Kobayashi T, Watanabe S: Dietary fatty acids - the N-6/N-3 balance and chronic elderly diseases. Excess linoleic acid and relative N-3 deficiency syndrome seen in Japan. *Progress in Lipid Research* 1996;
- Palmlad J: Omega3 and omega6 fatty acids and inflammation. *Scandinavian Journal of Nutrition/Naringsforskning* 1996;40:125-128.
- Pan CG: Glomerulonephritis in childhood. *Current Opinion in Pediatrics* 1997;9:154-159.
- Panush R: Nutritional therapy for rheumatic diseases. *Annals of Internal Medicine* 1987;619-621.
- Parke AL: Gastrointestinal disorders and rheumatic diseases. *Current Opinion in Rheumatology* 1993;5:79-84.
- Patavino T, Brady DM: Natural medicine and nutritional therapy as an alternative treatment in systemic lupus erythematosus. *Alternative Medicine Review* 2001;6:460-471.
- Peet M, Edwards RW: Lipids, depression and physical diseases. *Current Opinion in Psychiatry* 1997;10:477-480.
- Pelton R: Treating arthritis naturally. *American Druggist* 1999;216:60-62.
- Peppercorn MA: Advances in drug therapy for inflammatory bowel disease. *Annals of Internal Medicine* 1990;112:50-60.
- Pepping J: Omega-3 essential fatty acids. *Am J Health-Syst Pharm* 1999;56:719-724.
- Peterson DB: Long-chain fatty acids and cardiovascular disease risk in non-insulin-dependent diabetes. *Nutrition* 1998;14:316-318.
- Petri M: Diet and systemic lupus erythematosus: From mouse and monkey to woman? *Lupus* 2001;10:775-777.
- Pike M: Antiinflammatory effects of dietary lipid modification. *Journal of Rheumatology* 1989;718-720.
- Podell RN: Nutritional treatment of rheumatoid arthritis. Can alterations in fat intake affect disease course? *Postgraduate Medicine* 1985;77:65-72.
- Podolsky DK: Inflammatory bowel disease. *New England Journal of Medicine* 2002;347:417-429.
- Popova D: The diet in diabetes mellitus - Composition and comparative analysis. *Bulgarian Medicine* 1997;5:32-34.
- Popp-Snijders C, Bilo HJ, Heine RJ: Fish oil and glycemic control: importance of dose . *Diabetes Care* 1990;13:80-81.
- Popp-Snijders C, Schouten JA, Heine RJ, van der Veen EA: Dietary (n-3) polyunsaturated fatty acids lower plasma triacylglycerol concentrations in non-insulin-dependent diabetes mellitus. *Atherosclerosis* 1986;61:253-256.
- Prince MJ, Deeg MA: Do n-3 fatty acids improve glucose tolerance and lipemia in diabetics? *Current Opinion in Lipidology* 1997;8:7-11.
- Prokhorovich EA, Zharov EI, Martynov AI, Vertkin AL, Martynov DA, Svetova IuB: An experimental and clinical study of the biological action of marine fish fats. *Kardiologiya* 1990;30:99-102.
- Raccah D, Coste T, Gerbi A, Vague P: Polyunsaturated fatty acids and diabetes. *Cahiers de Nutrition et de Dietetique* 1997;32:349-358.

- Rachmilewitz D: New forms of treatment for inflammatory bowel disease. *Gut* 1992;33:1301-1302.
- Raheja BS, Sadikot SM, Phatak RB: Insulin resistance in syndrome X. *Lancet* 1993;342:554-555.
- Raheja BS, Sadikot SM, Phatak RB, Rao MB: Significance of the N-6/N-3 ratio for insulin action in diabetes. *Annals of the New York Academy of Sciences* 1993;683:258-271.
- Rampton DS: New drugs for inflammatory bowel disease. *European Journal of Internal Medicine* 1996;7:141-148.
- Rapport L, Lockwood B: (5) flaxseed and flaxseed oil. *Pharmaceutical Journal* 2001;266:287-289.
- Rebstock W: Modern concepts in therapy of glomerulonephritis. *Nieren- und Hochdruckkrankheiten* 1998;27:258-261.
- Rhodes J, Thomas G, Evans BK: Inflammatory bowel disease management. Some thoughts on future drug developments. *Drugs* 1997;53:189-194.
- Richter B, Clar C, Berger M: The Cochrane collaboration and its possible impact on diabetes care. *Diabetes Care* 2000;23:1217-1218.
- Richter WO, Bertsch S, Muller S-D: Omega-3 fatty acids in diabetic hypertriglyceridemia. *Deutsche Apotheker Zeitung* 2001;141:43-62.
- Ringertz B: Dietary treatment of rheumatoid arthritis. *Annals of Medicine* 1991:
- Rivellese AA: Monounsaturated and marine omega-3 fatty acids in NIDDM patients. *Annals of the New York Academy of Sciences* 1997;827:302-309.
- Robin J: Potential value of eicosapentaenoic acid. *Allergie et Immunologie*. 1987;13
- Rodgers J: n-3 Fatty acids in the treatment of ulcerative colitis, in Anonymous *Medicinal Fatty Acids in Inflammation*. Basel, Birkhauser Verlag; 1998:103-109.
- Roediger WEW: Dietary therapy for Crohn's and ulcerative colitis: The importance of fatty acids and sulphur amino acids. *Cme Journal Gastroenterology, Hepatology & Nutrition* 2001;4:55-57.
- Rombeau JL: Nutritional-metabolic aspects of inflammatory bowel disease. *Current Opinion in Gastroenterology* 1993;9:566-570.
- Ross E: The role of marine fish oils in the treatment of ulcerative colitis. *Nutrition Reviews* 1993;51:47-49.
- Rostoker G: Therapy of IgA nephropathy. *Biodrugs* 1998;9:279-301.
- Rubba P, Iannuzzi A: N-3 to n-6 fatty acids for managing hyperlipidemia, diabetes, hypertension and atherosclerosis: is there evidence? *European Journal of Lipid Science and Technology* 2001;103:407-418.
- Rustan AC, Nenseter MS, Drevon CA: Omega-3 and omega-6 fatty acids in the insulin resistance syndrome. Lipid and lipoprotein metabolism and atherosclerosis. *Annals of the New York Academy of Sciences* 1997;827:310-326.
- Sadikot SM: Diabetes, obesity and insulin resistance/hyperinsulinemia. *Journal of the Diabetic Association of India* 1993;33:62-74.
- Sanderson IR: Diet and gut inflammation. *Current Opinion in Gastroenterology* 1997;13:518-524.
- Sarkkinen E, Uusitupa M: The role of fish oil in the prevention and treatment of diseases. *Duodecim* 1996;1755-1763.
- Sasinka M, Filka J, Podracka L, Roland R, Gayova E, Vargova V: Does non-immunological therapy and diet determining factors in the treatment of autoimmune diseases?. *Vnitri Lekarstvi* 1992;38:1018-1027.
- Schacky C, Von Schacky C: Omega-3 fatty acids, Mediterranean diet, low-fat diet -- what actually does protect against myocardial infarction? *MMW Fortschritte der Medizin* 2002;3-4, 37.
- Scheinman JI, Trachtman H, Lin C-Y, Langman CB, Chan JCM: IgA nephropathy: To treat or not to treat? *Nephron* 1997;75:251-258.

- Schmidt EB, Dyerberg J: Omega-3 fatty acids. Current status in cardiovascular medicine. *Drugs* 1994;47:405-424.
- Schmitz PG, Antony KA: Omega-3 fatty acids in ESRD: Should patients with ESRD eat more fish? *Nephrology Dialysis Transplantation* 2002;17:11-14.
- Seidman E, LeLeiko N, Ament M, et al: Nutritional issues in pediatric inflammatory bowel disease. *Journal of Pediatric Gastroenterology & Nutrition* 1991;12:424-438.
- Sewell KL: Immunotherapy and other novel therapies, including biologic response modifiers, apheresis, and dietary modifications. *Current Opinion in Rheumatology* 1993;5 :293-298.
- Siguel E: Deficiencies and abnormalities of essential fats in gastrointestinal and coronary artery disease. *Journal of Clinical Ligand Assay* 2000;23:104-111.
- Silvis N: Nutritional recommendations for individuals with diabetes mellitus. *South African Medical Journal* 1992;81:162-166.
- Simopoulos A: Essential fatty acids in health and chronic disease. *American Journal of Clinical Nutrition* 1999;70:560S-569S.
- Simopoulos A: The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomedicine & Pharmacotherapy* 2002;56:365-379.
- Simopoulos A: Omega-3 fatty acids in health and disease and in growth and development. *American Journal of Clinical Nutrition* 1991;54:438-463.
- Simopoulos A: Omega-3 fatty acids in inflammation and autoimmune diseases. *Journal of the American College of Nutrition* 2002;21:495-505.
- Simopoulos AP: Omega-6/omega-3 fatty acid ratio and trans fatty acids in non-insulin-dependent diabetes mellitus. *Annals of the New York Academy of Sciences* 1997;827:327-338.
- Simopoulos AP, Kifev RR, Martin RE, Barlow SM: Health effects of omega-3 polyunsaturated fatty acids in seafoods. *World Review of Nutrition and Dietetics* 1991;xxiv -
- Sinclair HM: Food fats, good and bad. *British Journal of Clinical Practice* 1987;41:1033-1036.
- Sinclair R: Good, bad or essential fats: what is the story with Omega-3? *Nutrition and Food Science* 2000;9:4-5.
- Sirtori CR, Galli C: N-3 fatty acids and diabetes. *Biomedicine & Pharmacotherapy* 2002;56:397-406.
- Socha P, Ryzko J: Application of fish oil to the treatment of inflammatory bowel disease. *Pediatricia Polska* 1998;73:929-935.
- Sorisky A, Robbins DC: Fish oil and diabetes. The net effect. *Diabetes Care* 1989;12:302-304.
- Spencer-Green G: Drug treatment of arthritis: Update on conventional and less conventional methods. *Postgraduate Medicine* 1993;93:129-140.
- Sperling RI: Dietary omega-3 fatty acids: Effects on lipid mediators of inflammation and rheumatoid arthritis. *Rheumatic Disease Clinics of North America* 1991;17:373-389.
- Sperling RI: Diet therapy in rheumatoid arthritis. *Current Opinion in Rheumatology* 1989;1:33-38.
- Sperling R: Eicosanoids in rheumatoid arthritis. *Rheumatic Diseases Clinics of North America* 1995;741-758.
- Stein G and Funfstuck R: (omega)3-Unsaturated fatty acids in the treatment of mesangioproliferative glomerulonephritis? *Nieren- und Hochdruckkrankheiten* 1997;26:353-356.
- Stenson WF, Alpers DH: Nutritional therapy in inflammatory bowel disease: A historical overview. *Current Opinion in Gastroenterology* 1997;13:135-139.
- Stoll BA: Essential fatty acids, insulin resistance, and breast cancer risk. *Nutrition & Cancer* 1998;31:72-77.
- Stone NJ: Fish consumption, fish oil, lipids, and coronary heart disease. *Circulation* 1996;94:2337-2340.
- Swinburn BA: Effect of dietary lipid on insulin action. Clinical studies. *Annals of the New York Academy of Sciences* 1993;683:102-109.

- Teitelbaum JE, Walker WA: Review: The role of omega 3 fatty acids in intestinal inflammation. *Journal of Nutritional Biochemistry* 2001;12:21-32.
- Tidow-Kebritchi S: Effects of diets containing fish oil and vitamin E on rheumatoid arthritis. *Nutrition Reviews* 2001;59:335-338.
- Topping DL, Illman RJ, Storer GB: Dietary (n-3) polyunsaturated fatty acids and the control of hypertriglyceridaemia in insulin-dependent and insulin-independent diabetics. *Atherosclerosis* 1986;61:255-256.
- Trentham DE: Novel therapies. *Current Opinion in Rheumatology* 1990;2:506-509.
- Tritos NA, Mantzoros CS: Clinical Review 97: Syndromes of severe insulin resistance. *Journal of Clinical Endocrinology & Metabolism* 1998;83:3025-3030.
- Tulleken J, van Rijswijk M: Fish oil in the treatment of rheumatoid arthritis patients. *Nederlands Tijdschrift voor Geneeskunde* 1988;132:1875-1877.
- Van Der Merwe CF: A different and physiological approach to manipulating the inflammatory response. *European Journal of Gastroenterology & Hepatology* 1993;5:433-436.
- van Riel PLCM, van de Putte LBA: Clinical assessment and clinical trials in rheumatoid arthritis. *Current Opinion in Rheumatology* 1994;6:132-139.
- van Ypersele de Strihou: Fish oil for IgA nephropathy? *New England Journal of Medicine* 1994;331:1227-1229.
- Velardo B, Lagarde M, Guichardant M, et al: Decrease of platelet activity after intake of small amounts of eicosapentaenoic acid in diabetics. *Thrombosis & Haemostasis* 1982;48:344-
- Vergroesen AJ: Physiological effects of dietary linoleic acid. *Nutrition Reviews* 1977;35:1-5.
- Vessby B: Dietary supplementation with N-3 polyunsaturated fatty acids in type 2 diabetes. Effects on glucose homeostasis. *Annals of the New York Academy of Sciences* 1993;683:244-249.
- Vessby B: Effects of omega-3 fatty acids on glucose and lipid metabolism in non-insulin-dependent diabetes mellitus, in Simopoulos AP, Kifer RR, Martin RE, Barlow SM (eds): *Health effects of omega-3 polyunsaturated fatty acids in seafoods*. Basel, Karger, World Rev Nutr Diet; 1991:407-416.
- Vessby B: Effects of omega 3 fatty acids on glucose and lipid metabolism in non-insulin-dependent diabetes mellitus. *World Review of Nutrition & Dietetics* 1991;66:407-416.
- Vessby B: n-3 fatty acids and blood glucose control in diabetes mellitus. *Journal of Internal Medicine* Supplement 1989;225:207-210.
- Wardle E: Fish oils and glomerulonephritis. *Nephrology Dialysis Transplantation* 2002;17:2033-
- Wardle EN: Fish oils and nephritis or hypertension. *Nephron* 1987;46:399-
- Wardle EN: IgA nephropathy: To treat or not to treat? *Nephron* 1998;79:221-
- Wasielewski S: Fewer relapses in Crohn's disease with fish-oil capsules? *Deutsche Apotheker Zeitung* 1996;136:37-39.
- Watkins B, Li Y, Lippman H, Seifert M: Omega-3 polyunsaturated fatty acids and skeletal health. *Experimental Biology & Medicine*. 2001;226:485-497.
- Wilhelmi G: Potential effects of nutrition including additives on healthy and arthritic joints. I. Basic dietary constituents. *Zeitschrift fur Rheumatologie*. 1993;174-179.
- Williams CN: Special issues in nutritional therapy of inflammatory bowel disease. *Canadian Journal of Gastroenterology* 1993;7:196-199.
- Wolf JM, Lashner BA: Inflammatory bowel disease: sorting out the treatment options. *Cleveland Clinic Journal of Medicine* 2002;69:621-626.
- Woo KT: IgA nephritis: a review of the pathogenetic mechanisms and the rationale for therapy. *Annals of the Academy of Medicine, Singapore* 1989;18:702-706.
- Yen P: Fish facts. *Geriatric Nursing* 1993;52-53.

- Yetiv J: Clinical applications of fish oils. *Journal of the American Medical Association* 1988;260:665-670.
- Yoshikawa N, Iijima K, Ito H: IgA nephropathy in children. *Nephron* 1999;83:1-12.
- Yoshikawa N, Tanaka R, Iijima K: Pathophysiology and treatment of IgA nephropathy in children. *Pediatric Nephrology* 2001;16:446-457.
- Young RJ, Vanderhoof JA: Nutrition in pediatric inflammatory bowel disease. *Nutrition* 2000;16:78-80.
- Yunus MB: Investigational therapy in rheumatoid arthritis: A critical review. *Seminars in Arthritis & Rheumatism* 1987;17:163-184.
- Zachos M, Griffiths AM: Enteral feeding and Crohn disease. *Current Opinion in Gastroenterology* 2001;17:167-170.
- Ziboh V, Gershwin M, German J, Keen C: Nutritional modulation of inflammation by polyunsaturated fatty acids/eicosanoids. *Nutrition and Immunology: principles and practice* 2000;81:-
- Zimmerman KF, Schlesinger PA, Bloss TJ, Stillman MT: Fish-oil supplementation and rheumatoid arthritis. *Annals of Internal Medicine* 1987;107:262-263.
- Zimmerman R, Radhakrishnan J, Valeri A, Appel G: Advances in the treatment of lupus nephritis. *Annual Review of Medicine* 2001;52:63-78.
- Zurier B: Essential fatty acids and inflammation. *Annals of the Rheumatic Diseases* 1991;50:745-746.

Rejected Inappropriate Study Design

Adler AI, Boyko EJ, Schraer CD, Murphy NJ: Lower prevalence of impaired glucose tolerance and diabetes associated with daily seal oil or salmon consumption among Alaska natives. *Diabetes Care* 1994;17:1498-1501.

Albrink MJ, Ullrich IH, Blehschmidt NG et al: The beneficial effect of fish oil supplements on serum lipids and clotting functions of patients with type II diabetes mellitus. *Diabetes* 1986;35:43A

Almallah YZ, Ewen SW, Mowat NAG, et al: Immunohistological modulation after nutritional supplementation with omega-3 essential fatty acids in patients with inflammatory bowel disease. *British Journal of Surgery* 1998;85:690-691.

Almallah YZ et al: Eicosapentaenoic acid and docosahexaenic acid in the treatment of patients with distal procto-colitis. *British Journal of Surgery* 1996;83:2

Anderson J, Blake JE, Turner J, Smith B: Effects of soy protein on renal function and proteinuria in patients with type 2 diabetes. *Am J Clin Nutr* 1998;68:1347S-1353S.

Arslan G, Brunborg LA, Froyland L, Brun JG, Valen M, Berstad A: Effects of duodenal seal oil administration in patients with inflammatory bowel disease. *Lipids* 2002;37:935-940.

Bagdade JD, Buchanan WE, Levy RA, Subbaiah PV, Ritter MC: Effects of omega-3 fish oils on plasma lipids, lipoprotein composition, and postheparin lipoprotein lipase in women with IDDM. *Diabetes* 1990;39:426-431.

Bagdade JD, Ritter M, Subbaiah PV: Marine lipids normalize cholestryl ester transfer in IDDM. *Diabetologia* 1996;39:487-491.

Bakker DJ, Haberstroh BN, Philbrick DJ, Holub BJ: Triglyceride lowering in nephrotic syndrome patients consuming a fish oil concentrate. *Nutrition Research* 1989;9:27-34.

Belluzzi A, Brignola C, Campieri M, et al: A new enteric coated preparation of omega 3 fatty acids for preventing post-surgical recurrence in Crohn's disease. *Digestive Disease Week* 1997;(Abstract)

Bilo HJG, Schaap GH, Slagt ME, Popp-Snijders C, Oe PL, Donker AJM: Protein intake variation and omega-3 polyunsaturated fatty acids do not influence carbohydrate metabolism in patients with chronic renal insufficiency. *Current Therapeutic Research, Clinical & Experimental* 1988;44:292-303.

Bjerve KS, Brubakk AM, Fougnier KJ, Johnsen H, Midthjell K, Vik T: Omega-3 fatty acids: essential fatty acids with important biological effects, and serum phospholipid fatty acids as markers of dietary omega 3-fatty acid intake. *American Journal of Clinical Nutrition* 1993;57:801S-806S.

Branten AJW, Klasen IS, Wetzel JFM, et al: Short-term effects of fish oil treatment on urinary excretion of high- and low-molecular weight proteins in patients with IgA nephropathy. *Clinical Nephrology* 2002;58:267-274.

Butani L, Palmer J: Effect of fish oil in a patient with post-transplantation IgA nephropathy. *Nephrology Dialysis Transplantation* 2000;15:1264-1265.

Byars M, Watson J, McGill P: Blackcurrant seed oil as a source of polyunsaturated fatty acids in the treatment of inflammatory disease. *Biochemical Society Transactions*. 1992 May;20:139S-

Chan PC, Chan KW, Cheng IK, Chan MK: Focal sclerosing glomerulopathy. Risk factors of progression and optimal mode of treatment . *International Urology & Nephrology* 1991;23:619-629.

Chen YD, Swami S, Skowronski R, Coulston AM, Reaven GM: Effect of variations in dietary fat and carbohydrate intake on postprandial lipemia in patients with noninsulin dependent diabetes mellitus. *Journal of Clinical Endocrinology & Metabolism* 1993;76 :347-351.

Cheng IK, Chan PC, Chan MK: The effect of fish-oil dietary supplement on the progression of mesangial IgA glomerulonephritis. *Nephrology Dialysis Transplantation* 1990;5:241-246.

Chowdhury MdN Rashid HU, Rahman H, Jahan SS, Alam MR, Iqbal M: Effect of hilsha fish oil on lipid profile in patients with nephrotic syndrome. *Bangladesh Renal Journal* 2001;20:14-19.

Christensen JH, Skou HA, Madsen T, Torring I, Schmidt EB: Heart rate variability and n-3 polyunsaturated fatty acids in patients with diabetes mellitus. *Journal of Internal Medicine* 2001;249:545-552.

Clark W, Parbtani A, Huff M, Reid B, Holub BJ, Falardeau P: Omega-3 fatty acid dietary supplementation in systemic lupus erythematosus. *Kidney International*. 1989;36:653-660.

Clark W, Parbtani A, Huff M, et al: Flaxseed: a potential treatment for lupus nephritis. *Kidney International*. 1995;48:475-480.

Cleland LG, Gibson RA, Neumann M, French JK: The effect of dietary fish oil supplement upon the content of dihomo -gammalinolenic acid in human plasma phospholipids. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1990;40:12-Sep

D'Amico G, Gentile MG: Effect of dietary manipulation on the lipid abnormalities and urinary protein loss in nephrotic patients. *Mineral & Electrolyte Metabolism* 1992;18:203-206.

Das U: Beneficial effect of eicosapentaenoic and docosahexaenoic acids in the management of systemic lupus erythematosus and its relationship to the cytokine network. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1994;51:207-213.

De Caterina R, Caprioli R, Giannessi D, et al: n -3 fatty acids reduce proteinuria in patients with chronic glomerular disease. *Kidney International* 1993;44:843-850.

Dichi I, Dichi JB, Frenhane P, Rodrigues MA, Burini RC, Victoria CR: Reactivation of ulcerative rectocolitis with the use of non-steroidal anti-inflammatory drugs. Report of a case and review of the literature. *Arquivos de Gastroenterologia* 1995;32:172-177.

Dichi I, Dichi JB, Frenhane P, Rodrigues MAM, Burini RC, Victoria CR: Ulcerative colitis associated with non-steroidal anti-inflammatory drug. Report of a case and review of the literature. *Arquivos de Gastroenterologia* 1995;32:730-735.

Donadio JV, Jr, Grande JP, et al: The long-term outcome of patients with IgA nephropathy treated with fish oil in a controlled trial. Mayo Nephrology Collaborative Group. *Journal of the American Society of Nephrology* 1999;10:1772-1777.

Donnelly JP, McGrath LT, Brennan GM: Lipid peroxidation, LDL glycosylation and dietary fish oil supplementation in type II diabetes mellitus. *Biochemical Society Transactions* 1994;22:34S-

Fahrer H, Hoeflin F, Lauterburg BH, Peheim E, Levy A, Vischer TL: Diet and fatty acids: Can fish substitute for fish oil? *Clinical & Experimental Rheumatology* 1991;9:403-406.

Fasching P, Ratheiser K, Waldhausl W, et al: Metabolic effects of fish-oil supplementation in patients with impaired glucose tolerance. *Diabetes* 1991;40:583-589.

Fisher WR, Zech LA, Stacpoole PW: Apolipoprotein B metabolism in hypertriglyceridemic diabetic patients administered either a fish oil- or vegetable oil-enriched diet. *Journal of Lipid Research* 1998;39:388-401.

Fox J, Manitius J, Debska Slizie Rutkowski B, Nowak J, Bautembach S, Owczarzak A: The effect of administering Omega-3 acids on lipids in serum, functional state of erythrocyte membrane and function of the kidneys in patients with primary glomerulonephritis. *Przeglad Lekarski* 1996;53:858-861.

Frenais R, Ouguerram K, Maugeais C, et al: Effect of dietary omega-3 fatty acids on high-density lipoprotein apolipoprotein AI kinetics in type II diabetes mellitus. *Atherosclerosis* 2001;157:131-135.

Friday KE, Childs MT, Tsunehara CH, Fujimoto WY, Bierman EL, Ensinck JW: Elevated plasma glucose and lowered triglyceride levels from omega-3 fatty acid supplementation in type II diabetes. *Diabetes Care* 1989;12:276-281.

Fujita H, Yamagami T, Ohshima K: Fermented soybean-derived water-soluble Tsuchi extract inhibits alpha-glucosidase and is antglycemic in rats and humans after single oral treatments. *Journal of Nutrition* 2001;131:1211-1213.

- Geerling BJ, Houwelingen AC, Badart-Smook A, Stockbrugger RW, Brummer RJ: Fat intake and fatty acid profile in plasma phospholipids and adipose tissue in patients with Crohn's disease, compared with controls. *American Journal of Gastroenterology* 1999;94:410-417.
- Glauber H, Wallace P, Griver K, Brechtel G: Adverse metabolic effect of omega-3 fatty acids in non-insulin-dependent diabetes mellitus. *Annals of Internal Medicine* 1988;108:663-668.
- Goren A, Stankiewicz H, Goldstein R, Drukker A: Fish oil treatment of hyperlipidemia in children and adolescents receiving renal replacement therapy. *Pediatrics* 1991;88:265-268.
- Grimminger F, Fuhrer D, Papavassilis C, et al: Influence of intravenous n-3 lipid supplementation on fatty acid profiles and lipid mediator generation in a patient with severe ulcerative colitis. *European Journal of Clinical Investigation* 1993;23:706-715.
- Gruenwald J, Graubaum H, Harde A: Effect of cod liver oil on symptoms of rheumatoid arthritis. *Advances in Therapy* 2002;19:101-107.
- Haban P, Simoncic R, Zidekova E, Klvanova J: Effect of application of n-3 polyunsaturated fatty acids on blood serum concentration of von Willebrand factor in type II diabetes mellitus. *Medical Science Monitor* 1999;5:661-665.
- Haban P, Zidekova E, Klvanova J: Supplementation with long-chain n-3 fatty acids in non-insulin-dependent diabetes mellitus (NIDDM) patients leads to the lowering of oleic acid content in serum phospholipids. *European Journal of Nutrition* 2000;39:201-206.
- Hall AV, Parbtani A, Clark WF, et al: Omega-3 fatty acid supplementation in primary nephrotic syndrome: effects on plasma lipids and coagulopathy. *Journal of the American Society of Nephrology* 1992;3:1321-1329.
- Hamazaki T, Nakazawa R, Tateno S, et al: Effects of fish oil rich in eicosapentaenoic acid on serum lipid in hyperlipidemic hemodialysis patients. *Kidney International* 1984;26:81-84.
- Hamazaki T, Takazakura E, Osawa K, Urakaze M, Yano S: Reduction in microalbuminuria in diabetics by eicosapentaenoic acid ethyl ester. *Lipids* 1990;25:541-545.
- Hansen G: Nutritional status of Danish patients with rheumatoid arthritis and effects of a diet adjusted in energy intake, fish content and antioxidants. *Ugeskrift for Laeger* 1998;160:3074-3078.
- Hiroyuki F, Tomohide Y, Kazunori O: Efficacy and safety of Touchi extract, an α-glucosidase inhibitor derived from fermented soybeans, in non-insulin-dependent diabetic mellitus. *Journal of Nutritional Biochemistry* 2001;12:351-356.
- Holman RT, Johnson SB, Bibus D, Spencer DC, Donadio JV Jr: Essential fatty acid deficiency profiles in idiopathic immunoglobulin A nephropathy. *American Journal of Kidney Diseases* 1994;23:648-654.
- Hombrouckx RO, Bogaert AM, Leroy FM, et al: Polyunsaturated fatty acids of the n-3 class in chronic dialysis. *ASAIO Journal* 1992;38:M331-M333.
- Honzlova M, Peliskova Z, Trnavsky K: Initial experience with the treatment of rheumatoid arthritis by dietary manipulation. *Casopis Lekaru Ceskych*. 1989;128:149-152.
- Horiuchi, Onouchi T, Takahashi M, To H, Orimo H: Effect of soy protein on bone metabolism in postmenopausal Japanese women. *Osteoporosis International*. 2000;11:721-724.
- Ilowite N, Copperman N, Leicht T, Kwong T, Jacobson M: Effects of dietary modification and fish oil supplementation on dyslipoproteinemia in pediatric systemic lupus erythematosus. *Journal of Rheumatology*. 1995;22:1347-1351.
- Jaschonek K, Clemens MR, Scheurlen M: Decreased responsiveness of platelets to a stable prostacyclin analogue in patients with Crohn's disease. Reversal by n-3 polyunsaturated fatty acids. *Thrombosis Research* 1991;63:667-672.
- Jorgensen ME, Bjergaard P, Borch-Johnsen K, et al: Diabetes and impaired glucose tolerance among the inuit population of Greenland. *Diabetes Care* 2002;25:1766-1771.

- Kamada T, Yamashita T, Baba Y, et al: Dietary sardine oil increases erythrocyte membrane fluidity in diabetic patients. *Diabetes* 1986;35:604-611.
- Kasim S, Stern B, Khilnani S et al: Omega-3 fish oils increase the serum apoprotein B level and improve blood pressure in non-insulin-dependent diabetes. *Circulation* 1987;76:35
- Kasim SE, Stern B, Khilnani S, McLin P, Baciorkowski S, Jen KL: Effects of omega-3 fish oils on lipid metabolism, glycemic control, and blood pressure in type II diabetic patients. *Journal of Clinical Endocrinology & Metabolism* 1988;67:1-5.
- Kesavulu MM, Kameswararao B, Apparao Ch Kumar EG, Harinarayan CV: Effect of omega-3 fatty acids on lipid peroxidation and antioxidant enzyme status in type 2 diabetic patients. *Diabetes & Metabolism* 2002;28:20-26.
- Kless T, Adam O: Effect of fish oil supplementation on erythrocyte fatty acids of patients with rheumatoid arthritis following a common western diet or a lactovegetarian diet. *Aktuelle Ernährungsmedizin Klinik und Praxis* 1993;18:305-310.
- Kremer J, Jubiz W, Michalek A: Fish-oil fatty acid supplementation in active rheumatoid arthritis. A double-blinded, controlled, crossover study. *Annals of Internal Medicine* 1987;106:497-503.
- Kutafina EK, Netrebenko OK, Gorelova JU, Levachev MM, Garankina TI: Clinical application of the polyunsaturated n-3 fatty acids usage in pediatric practice. *Zeitschrift fur Ernährungswissenschaft* 1998;37:Suppl-7
- Kutner NG, Clow PW, Zhang R, Aviles X: Association of fish intake and survival in a cohort of incident dialysis patients. *American Journal of Kidney Diseases [Online]* 2002;39:1018-1024.
- Lagarde M, Croset M, Vericel E, Calzada C: Effects of small concentrations of eicosapentaenoic acid on platelets. *Journal of Internal Medicine Supplement* 1989;225:177-179.
- Landgraf-Leurs MM, Drummer C, Froschl H, Steinhuber R, Von Schacky C, Landgraf R: Pilot study on omega-3 fatty acids in type I diabetes mellitus. *Diabetes* 1990;39:369-375.
- Lardinois CK, Starich GH, Mazzaferri EL, DeLett A: Effect of source of dietary fats on serum glucose, insulin, and gastric inhibitory polypeptide responses to mixed test meals in subjects with non-insulin dependent diabetes mellitus. *Journal of the American College of Nutrition* 1988;7:129-136.
- Lenzi S, Caprioli R, Rindi P, et al: Omega-3 fatty acid supplementation and lipoprotein(a) concentrations in patients with chronic glomerular diseases. *Nephron* 1996;72:383-390.
- Linos A, Kaklamani VG, Kaklamani E, et al: Dietary factors in relation to rheumatoid arthritis: A role for olive oil and cooked vegetables? *American Journal of Clinical Nutrition* 1999;70:1077-1082.
- Linos A, Kaklamani E, Kontomerkos A, et al: The effect of olive oil and fish consumption on rheumatoid arthritis A case control study. *Scandinavian Journal of Rheumatology* 1991;20:419-426.
- Madar Z, Arieli B, Trostler N, Norynberg C: Effect of consuming soybean dietary fiber on fasting and postprandial glucose and insulin levels in type II diabetes. *Journal of Clinical Biochemistry and Nutrition* 1988;24 :
- Malyszko JS, Malyszko J, Pawlak D, Buczko W, liwiec M: Hemostasis, platelet functions, serotonin and serum lipids during omega-3 fatty acid treatment in patients with glomerulonephritis. *Nephron* 1998;80:94-96.
- Manitius J, Sulikowska B, Fox J, et al: The effect of dietary enrichment with fish-oil on urinary excretion of N-acetyl-beta-D-glucosaminidase and renal function in proteinuric patients with primary glomerulopathies. *International Urology & Nephrology* 1997;29:489-495.
- McGrath LT, Brennan GM, McVeigh GE, Hayes JR, Johnston GD: Effect of fish oil and olive oil supplements on HDL and VLDL concentrations in normotriglyceridaemic and hypertriglyceridaemic type 2 diabetic patients. *British Journal of Clinical Pharmacology* 1993;35:91P-
- McManus RM, Jumpson J, Finegood DT, Clandinin MT, Ryan EA: A comparison of the effects of n-3 fatty acids from linseed oil and fish oil in well-controlled type II diabetes. *Diabetes Care* 1996;19:463-467.

- Mertens PR, Floege J: Treatment of IgA nephropathies: a critical viewpoint. *Deutsche Medizinische Wochenschrift* 2000;125:1010-
- Meyer KA, Kushi LH, Jacobs DR, Jr, Folsom AR: Dietary fat and incidence of type 2 diabetes in older Iowa women. *Diabetes Care* 2001;24:1528-1535.
- Miller ME, Anagnostou AA, Ley B, Marshall P, Steiner M: Effect of fish oil concentrates on hemorheological and hemostatic aspects of diabetes mellitus: a preliminary study . *Thrombosis Research* 1987;47:201-214.
- Mollsten AV, Dahlquist GG, Stattin EL, Rudberg S: Higher intakes of fish protein are related to a lower risk of microalbuminuria in young Swedish type 1 diabetic patients. *Diabetes Care* 2001;24:805-810.
- Molvig J, Pociot F, Worsaae H, et al: Dietary supplementation with omega-3-polyunsaturated fatty acids decreases mononuclear cell proliferation and interleukin-1 beta content but not monokine secretion in healthy and insulin-dependent diabetic individuals. *Scandinavian Journal of Immunology* 1991;34:399-410.
- Morcos NC: Modulation of lipid profile by fish oil and garlic combination. *Journal of the National Medical Association* 1997;59 ref.:10, 673-1067859.
- Mori T, Vandongen R, Masarei J: Fish oil-induced changes in apolipoproteins in IDDM subjects. *Diabetes Care* 1990;13:725-732.
- Mori TA, Vandongen R, Masarei JR, Dunbar D, Stanton KG: Serum lipids in insulin-dependent diabetics are markedly altered by dietary fish oils. *Clinical & Experimental Pharmacology & Physiology* 1988;15:333-337.
- Mori TA, Vandongen R, Masarei JR, Stanton KG, Dunbar D: Dietary fish oils increase serum lipids in insulin-dependent diabetics compared with healthy controls. *Metabolism: Clinical & Experimental* 1989;38:404-409.
- Naka Y, Nagata K, Maeda E, et al: Clinical efficacy of eicosapentaenoic acid ethylester on diabetic subjects. *Therapeutic Research* 1993;14:335-342.
- Navarro E, Esteve M, Olive A, et al: Abnormal fatty acid pattern in rheumatoid arthritis. A rationale for treatment with marine and botanical lipids. *Journal of Rheumatology* 2000;27:298-303.
- Nishikawa M, Hishinuma T, Nagata K, Koseki Y, Suzuki K, Mizugaki M: Effects of eicosapentaenoic acid (EPA) on prostacyclin production in diabetics: GC/MS analysis of PGI2 and PGI3 levels. *Methods & Findings in Experimental & Clinical Pharmacology* 1997;19:429-433.
- O'Dea K, Sinclair AJ: The effects of low-fat diets rich in arachidonic acid on the composition of plasma fatty acids and bleeding time in Australian aborigines. *Journal of Nutritional Science & Vitaminology* 1985;31:441-453.
- Okuda Y, Mizutami M, Tanaka K, Isaka M, Yamashita K: Beneficial effects of eicosapentaenoic acid for diabetic patients with arteriosclerosis obliterans. *Diabetes Research & Clinical Practice* 1992;18:139-140.
- Okuda Y, Mizutani M, Ogawa M, et al: Long-term effects of eicosapentaenoic acid on diabetic peripheral neuropathy and serum lipids in patients with type II diabetes mellitus. *Journal of Diabetes & its Complications* 1996;10:280-287.
- Olness K, Ader R: Conditioning as an adjunct in the pharmacotherapy of lupus erythematosus. *Journal of Developmental & Behavioral Pediatrics*. 1992;13:124-125.
- Panchenko VM, Ershov AA, Isaev VA, ZImovchenko GS, Chernova GI: Poseidonol in the treatment of hyperlipidemia in patients with type 2 diabetes mellitus. *Klinicheskaiia Meditsina* 2001;79:47-49.
- Pecis M, de Azevedo MJ, Gross JL: Chicken and fish diet reduces glomerular hyperfiltration in IDDM patients. *Diabetes Care* 1994;17:665-672.
- Piper CM, Carroll PB, Dunn FL: Diet-induced essential fatty acid deficiency in ambulatory patient with type I diabetes mellitus. *Diabetes Care* 1986;9:291-293.

- Popp-Snijders C, Blonk MC: Omega-3 fatty acids in adipose tissue of obese patients with non-insulin-dependent diabetes mellitus reflect long-term dietary intake of eicosapentaenoic and docosahexaenoic acid. *American Journal of Clinical Nutrition* 1995;61:360-365.
- Popp-Snijders C, Heine R, van der Veen E: Dietary fish oil augments insulin secretion and insulin clearance in obese and type 2 (non-insulin-dependent) diabetic patients. *Diabetologia* 1988;31:532A(Abstract)
- Popp-Snijders C, Heine R, van der Veen E: Effect of dietary fish oil on erythrocyte composition and insulin sensitivity in obese and non-obese subjects. *Diabetologia* 1987;30:571A(Abstract)
- Popp-Snijders C, Schouten JA, Heine RJ, van der Meer J, van der Veen EA: Dietary supplementation of omega-3 polyunsaturated fatty acids improves insulin sensitivity in non-insulin-dependent diabetes. *Diabetes Research* 1987;4:141-147.
- Rabini RA, Fumelli P, Galassi R, Giansanti R, Ferretti G, Mazzanti L: Action of dietary polyunsaturated fatty acids on the fluidity of erythrocyte and platelet membrane in NIDDM. *Annals of the New York Academy of Sciences* 1993;683:371-372.
- Richard MJ, Sirajeddine MK, Cordonnier D, et al: Relationship of omega-3 fatty acid supplementation to plasma lipid peroxidation in predialysis patients with hypertriglyceridaemia. *European Journal of Medicine* 1993;2:15-18.
- Rillaerts EG, Engelmann GJ, Van Camp KM, De Leeuw I: Effect of omega-3 fatty acids in diet of type I diabetic subjects on lipid values and hemorheological parameters. *Diabetes* 1989;38:1412-1416.
- Rylance PB, Gordge MP, Saynor R, Parsons V, Weston MJ: Fish oil modifies lipids and reduces platelet aggregability in haemodialysis patients. *Nephron* 1986;43:196-202.
- Salomon P, Kornbluth AA, Janowitz HD: Treatment of ulcerative colitis with fish oil n-3-omega-fatty acid: an open trial. *Journal of Clinical Gastroenterology* 1990;12:157-161.
- Sampson MJ, Davies IR, Brown JC, et al: n-3 polyunsaturated fatty acid supplementation, monocyte adhesion molecule expression and pro-inflammatory mediators in Type 2 diabetes mellitus. *Diabetic Medicine* 2001;18:51-58.
- Schaap G, Bilo H, Beukhof J, Gans R, Popp-Snijders C, Donker A: The effects of short-term omega-3 polyunsaturated fatty acid supplementation in patients with chronic renal insufficiency. *Curr Ther Res Clin Exp* 1991;49:1061-1070.
- Schechtman G, Kaul S, Cherayil GD, Lee M, Kisseebah A: Can the hypotriglyceridemic effect of fish oil concentrate be sustained? *Annals of Internal Medicine* 1989;110 :346-352.
- Schimke E, Hildebrandt R, Beitz J, et al: Influence of a cod liver oil diet in diabetics type I on fatty acid patterns and platelet aggregation. *Biomedica Biochimica Acta* 1984;43:S351-S353
- Schmidt EB, Klausen IC, Kris tensen SD, Lervang HH, Faergeman O, Dyerberg J: The effect of n-3 polyunsaturated fatty acids on Lp(a). *Clinica Chimica Acta* 1991;198:271-277.
- Schmidt EB, Sorensen PJ, Pedersen JO, et al: The effect of n-3 polyunsaturated fatty acids on lipids, haemostasis, neutrophil and monocyte chemotaxis in insulin-dependent diabetes mellitus. *Journal of Internal Medicine Supplement* 1989;225:201-206.
- Selvais PL, Ketelslegers JM, Buysschaert M, Hermans MP: Plasma endothelin-1 immunoreactivity is increased following long-term dietary supplementation with omega-3 fatty acids in microalbuminuric IDDM patients. *Diabetologia* 1995;38:253-
- Shapiro JA, Koepsell TD, Voigt LF, Dugowson CE, Kestin M, Nelson JL: Diet and rheumatoid arthritis in women: A possible protective effect of fish consumption. *Epidemiology* 1996;7:256-263.
- Shaw CK: An epidemiologic study of osteoporosis in Taiwan. *Annals of Epidemiology*. 1993;3:264-271.
- Sheehan JP, Wei IW, Ulchaker M, Tserng KY: Effect of high fiber intake in fish oil-treated patients with non-insulin-dependent diabetes mellitus. *American Journal of Clinical Nutrition* 1997;66:1183-1187.

- Shimizu H, Sato N, Tanaka Y, Kashima K, Ohtani K, Mori M: Effect of eicosapentaenoic acid ethyl on urine albumin excretion in NIDDM. *Diabetes Care* 1993;16:1406-1408.
- Spannagl M, Drummer C, Froschl H, et al: Plasmatic factors of haemostasis remain essentially unchanged except for PAI activity during n-3 fatty acid intake in type I diabetes mellitus. *Blood Coagulation & Fibrinolysis* 1991;2:259-265.
- Sperling R, Weinblatt M, Robiin J, Ravalese J, Hoover R, House Fea: Effects of dietary supplementation with marine fish oil on leukocyte lipid mediators and function in rheumatoid rthritis. *Arthritis Rheum* 1987;30:988-997.
- Stacpoole PW, Alig J, Ammon L, Crockett SE: Dose-response effects of dietary marine oil on carbohydrate and lipid metabolism in normal subjects and patients with hypertriglyceridemia. *Metabolism: Clinical & Experimental* 1989;38:946-956.
- Stacpoole PW, Alig J, Kilgore LL, et al: Lipodystrophic diabetes mellitus. Investigations of lipoprotein metabolism and the effects of omega-3 fatty acid administration in two patients. *Metabolism: Clinical & Experimental* 1988;37:944-951.
- Stene LC, Ulriksen J, Magnus P, Joner G: Use of cod liver oil during pregnancy associated with lower risk of Type I diabetes in the offspring.[erratum appears in Diabetologia. *Diabetologia* 2000;43:1093-1098.
- Stenson W, Cort D, Beeken Wea: A trial of fish oil supplemented diet in ulcerative colitis. *Gastroenterology* 1990;98:A475
- Suci M Katica D, Kovacevi V: Effect of dietary fish supplementation on lipoprotein levels in patients with hyperlipoproteinemia. *Collegium Antropologicum* 1998;22:77-83.
- Sulikowska B, Manitius J, owska T, ysiak W, Rutkowski B: The effect of therapy with small doses of mega-3 polyunsaturated fatty acid on renal reserve and metabolic disturbances in patients with primary IgA glomerulopathy. *Polskie Archiwum Medycyny Wewnętrznej* 2002;108:753-760.
- Takahashi R, Inoue J, Ito H, Hibino H: Evening primrose oil and fish oil in non-insulin-dependent-diabetes. *Prostaglandins Leukotrienes & Essential Fatty Acids* 1993;49:569-571.
- Tilvis RS, Rasi V, Viinikka L, Ylikorkala O, Miettinen TA: Effects of purified fish oil on platelet lipids and function in diabetic women. *Clinica Chimica Acta* 1987;164 :315-322.
- Tobin A: Eicosapentaenoic acid in chronic ulcerative colitis. *Gut* 1989;30:A1502
- Tsujikawa T, Satoh J, Uda K, et al: Clinical importance of n-3 fatty acid-rich diet and nutritional education for the maintenance of remission in Crohn's disease. *Journal of Gastroenterology* 2000;35:99-104.
- van Dam RM , Rimm EB, Willett WC, Stampfer MJ, Hu FB, van Dam RM: Dietary patterns and risk for type 2 diabetes mellitus in U.S. men. *Annals of Internal Medicine* 2002;136:201-209.
- Vessby B, Karlstrom B, Boberg M, Lithell H, Berne C: Polyunsaturated fatty acids may impair blood glucose control in type 2 diabetic patients. *Diabetic Medicine* 1992;9:126-133.
- Virstiuk N: English walnuts in the combined treatment of rheumatoid arthritis patients . *Likarska.Sprava.* 1997;Mar-Apr:123-126.
- Wakai K, Kawamura T, Matsuo S, Hotta N, Ohno Y: Risk factors for IgA nephropathy: a case-control study in Japan. *American Journal of Kidney Diseases* 1999;33:738-745.
- Wijendran V, Bendel RB, Couch SC, Philipson EH, Cheruku S, Lammi-Keefe CJ: Fetal erythrocyte phospholipid polyunsaturated fatty acids are altered in pregnancy complicated with gestational diabetes mellitus. *Lipids* 2000;35:927-931.
- Williams CM, Moore F, Wright J: Fasting and postprandial triacylglycerol responses to a standard test meal in subjects taking dietary supplements of n-3 fatty acids. *Biochemical Society Transactions* 1990;18:909-910.

Yosefy C, Viskoper JR, Laszt A, et al: The effect of fish oil on hypertension, plasma lipids and hemostasis in hypertensive, obese, dyslipidemic patients with and without diabetes mellitus.
Prostaglandins Leukotrienes & Essential Fatty Acids
1999;61:83-87.

Zak A, Zeman M, Tvrzicka E, Stolba P: Effects of fish oils in patients with type 2 diabetes with associated dyslipidaemia. *Casopis Lekaru Ceskych*
1996;135:354-359.

Zambon S, Friday KE, Childs MT, Fujimoto WY, Bierman EL, Ensinck JW: Effect of glyburide and omega 3 fatty acid dietary supplements on glucose and lipid metabolism in patients with non-insulin-dependent diabetes mellitus. *American Journal of Clinical Nutrition* 1992;56:447-454.

Rejected Duplicate

Dunstan DW, Mori TA, Pudsey IB, et al: A randomised, controlled study of the effects of aerobic exercise and dietary fish oil on coagulation and fibrinolytic factors in type 2 diabetics. *Thrombosis & Haemostasis* 1999;81:367-372.

Fox J, Manitius J, Debska Slizien A, et al: Influence of omega-3 acids administration on plasma lipids, functional status of erythrocyte membrane and function of the kidney in patients with primary glomerulopathies. *Przeglad Lekarski* 1996;13:12, 858-1286113.

Nielsen G, Faarvang K, Tomsen B, Teglbaerg K, Ernst E: Effects of supplementation with n-3 fatty acids on clinical disease variables in patients with rheumatoid arthritis. *European Journal of Clinical Investigation* 21:

Tulleken J, Limburg P, Muskiet F, van Rijswijk M: Vitamin E status during dietary fish oil supplementation in rheumatoid arthritis. *Arthritis Rheum* 1990;33:1416-9.

Rejected Unable to Find Translator

Faarvang KL, Nielsen GL, Thomsen BS, et al: Fish oils and rheumatoid arthritis. A randomized and double-blind study. *Ugeskrift for Laeger* 1994;156:3495-3498.

Shunto S, Takahashi K, Negishi K, et al: Effects of eicosapentaenoic acid on glycemic control and lipid metabolism in healthy and NIDDM subjects. *Therapeutic Research* 1992;13:257-265.

Skoldstam L, Berglund U, Eriksson A, Akesson B: A diet rich in polyunsaturated fatty acids is of no help in patients with rheumatoid arthritis. *Lakartidningen* 1988;14:4411-

Vargova V: Will administration of omega-3 unsaturated fatty acids reduce the use of nonsteroidal antirheumatic agents in children with chronic juvenile arthritis? *Casopis.Lekaru.Ceskych.* 1998;137:651-653.

Rejected No difference in Omega-3 Content

Buonfantino M, Marano M, Di Nuzzi L, Iorio G, Iuliano P, Tufano L: Use of fatty polyunsaturated acids (Fish oil) in diabetic nephropathy: Results of a preliminary study. *Rassegna Internazionale di Clinica e Terapia* 1995;75:264-267.

Dichi I, Frenhane P, Dichi J, et al: Comparison of omega-3 fatty acids and sulfasalazine in ulcerative colitis. *Nutrition* 2000;16:87-90.

Gassull MA, Fernandez-Banares F, Cabre E, et al: Fat composition may be a clue to explain the primary therapeutic effect of enteral nutrition in Crohn's disease: results of a double blind randomised multicentre European trial. *Gut* 2002;51:164-168.

Haugen MA, Kjeldsen-Kragh J, Bjerve KS, Hostmark AT, Forre O: Changes in plasma phospholipid fatty acids and their relationship to disease activity in rheumatoid arthritis patients treated with a vegetarian diet. *British Journal of Nutrition* 1994;72:555-566.

Herrmann W, Biermann J, Ratzmann KP, Lindhofer HG: Effect of fish oil concentrate on the lipoprotein profile of patients with type II diabetes mellitus. *Medizinische Klinik* 1992;87:12-15.

Katsuyama H, Ideguchi S, Fukunaga M, Saijoh K, Sunami S: Usual dietary intake of fermented soybeans (Natto) is associated with bone mineral density in premenopausal women. *Journal of Nutritional Science & Vitaminology*.48(3):207-15, 2002;-

Leiper K, Woolner J, Mullan MMC, et al: A randomised controlled trial of high versus low long chain triglyceride whole protein feed in active Crohn's disease. *Gut* 2001;49:790-794.

Leventhal LJ, Boyce EG , Zurier RB: Treatment of rheumatoid arthritis with blackcurrant seed oil. *British Journal of Rheumatology* 1994;33:847-852.

Lopez-Espinoza I, Howard -Williams J, Mann JI, Carter RD, Hockaday TD: Fatty acid composition of platelet phospholipids in non-insulin-dependent diabetics randomized for dietary advice. *British Journal of Nutrition* 1984;52:41-47.

Louheranta AM, Sarkkinen ES, Vidgren HM, Schwab US, Uusitupa MI: Association of the fatty acid profile of serum lipids with glucose and insulin metabolism during 2 fat-modified diets in subjects with impaired glucose tolerance. *American Journal of Clinical Nutrition* 2002; 76:331-337.

Potter S, Baum J, Teng H, Stillman RJ, Shay N, Erdman J: Soy protein and isoflavones: their effects on blood lipids and bone density in postmenopausal women. *Am J Clin Nutr* 1998;68:1375S-1379S.

Provenzano C, Vero R, Oliva A, et al: Lispro insulin in type 1 diabetic patients on a Mediterranean or normal diet: a randomized, cross-over comparative study with regular insulin. *Diabetes, Nutrition & Metabolism - Clinical & Experimental* 2001;14:133-139.

Rodriguez-Villar C, Manzanares JM, Casals E, et al: High-monounsaturated fat, olive oil-rich diet has effects similar to a high-carbohydrate diet on fasting and postprandial state and metabolic profiles of patients with type 2 diabetes. *Metabolism: Clinical & Experimental* 2000;49:1511-1517.

Sakurai T, Matsui T, Yao T, et al: Short-term efficacy of enteral nutrition in the treatment of active Crohn's disease: a randomized, controlled trial comparing nutrient formulas. *Journal of Parenteral & Enteral Nutrition* 2002;26:98-103.

Summers LK, Fielding BA, Bradshaw HA, et al: Substituting dietary saturated fat with polyunsaturated fat changes abdominal fat distribution and improves insulin sensitivity. *Diabetologia* 2002;45:369-377.

Rejected No Outcomes or Criteria of Interest

Astorga G: Active rheumatoid arthritis: effect of dietary supplementation with omega-3 oils. A controlled double-blind trial. *Revista Medica de Chile* 1991;119:267-272.

Belluzzi A, Brignola C, Campieri M, et al: Effects of a new fish oil derivative on fatty acid phospholipid-membrane pattern in a group of Crohn's disease patients. *Dig Dis Sci* 1994;39:2589-2594.

Dahlan W, Richelle M, Kulapongse S, Rossle C, Deckelbaum RJ, Carpentier YA: Effects of essential fatty acid contents of lipid emulsions on erythrocyte polyunsaturated fatty acid composition in patients on long-term parenteral nutrition. *Clinical Nutrition* 1992;11:262-268.

Espersen G, Grunnet N, Lervang H, et al: Decreased interleukin-1 beta levels in plasma from rheumatoid arthritis patients after dietary supplementation with n-3 polyunsaturated fatty acids. *Clinical Rheumatology* 1992;11:393-395.

Hillier K: Human colon mucosa: effect of marine oils on lipid fatty acid composition and eicosanoid synthesis in inflammatory bowel disease. *British Journal of Clinical Pharmacology* 1988;25:129P-30P.

Hillier K, Jewell R, Dorrell L, Smith C: Incorporation of fatty acids from fish oil and olive oil into colonic mucosal lipids and effects upon eicosanoid synthesis in inflammatory bowel disease. *Gut* 1991;32:1151-1155.

Ikehata A, Hiwatashi N, Kinouchi Y, et al: Effect of intravenously infused eicosapentaenoic acid on the leukotriene generation in patients with active Crohn's disease. *American Journal of Clinical Nutrition* 1992;56:938-942.

Jantti JV, Vapaatalo H, Seppala E, Ruutsalo HM, Isomaki H: Treatment of rheumatoid arthritis with fish oil, selenium, vitamins A and E, and placebo. *Scandinavian Journal of Rheumatology* 1991;20:225

Rubin M, Moser A, Vaserberg N, et al: Structured triacylglycerol emulsion, containing both medium- and long-chain fatty acids, in long-term home parenteral nutrition: a double-blind randomized cross-over study. *Nutrition* 2000;23:2, 95-10023.

Woodman RJ, Mori TA, Burke V, et al: Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. *Atherosclerosis* 2003;166:85-93.

Duplicate Reports of Same Trial

Almallah Y, Ewen S, El Tahir A, et al: Distal proctocolitis and n-3 polyunsaturated fatty acids (n-3 PUFAs): the mucosal effect in situ. *Journal of Clinical Immunology* 2000;20:68-76.

Chan D, Watts G, Barrett P, Beilin L, Redgrave T, Mori T: Regulatory effects of HMG CoA reductase inhibitor and fish oils on apolipoprotein B-100 kinetics in insulin-resistant obese male subjects with dyslipidemia. *Diabetes* 2002;51:2377-2386.

Dunstan D, Mori T, Puddey I, et al: The independent and combined effects of aerobic exercise and dietary fish intake on serum lipids and glycemic control in NIDDM. A randomized controlled study. *Diabetes Care* 1997;20:913-921.

McVeigh G, Brennan G, Cohn J, Finkelstein S, Hayes R, Johnston G: Fish oil improves arterial compliance in non-insulin-dependent diabetes mellitus. *Arteriosclerosis & Thrombosis* 1994;14:1425-1429.

McVeigh G, Brennan G, Johnston G, et al: Dietary fish oil augments nitric oxide production or release in patients with type 2 (non-insulin-dependent) diabetes mellitus. *Diabetologia* 1993;36:33-38.

Mori T, Dunstan D, Burke V, et al: Effect of dietary fish and exercise training on urinary F2-isoprostane excretion in non-insulin-dependent diabetic patients. *Metabolism: Clinical & Experimental* 1999;48:1402-1408.

Nielsen G, Faarvang K, Tomsen B, Teglbaerg K, Ernst E: Effects of supplementation with n-3 fatty acids on clinical disease variables in patients with rheumatoid arthritis . *European Journal of Clinical Investigation* 21:

